


FLOOD INSURANCE STUDY



TARRANT COUNTY, TEXAS AND INCORPORATED AREAS VOLUME 1 OF 9

Community Name	Community Number	Community Name	Community Number
TARRANT COUNTY			
UNINCORPORATED AREAS	480582		
ARLINGTON, CITY OF	485454		
AZLE, CITY OF	480584		
BEDFORD, CITY OF	480585		
BENBROOK CITY OF	480586		
BLUE MOUND, CITY OF	480587		
BURLESON, CITY OF	485459		
COLLEYVILLE, CITY OF	480590		
CROWLEY, CITY OF	480591		
DALWORTHINGTON GARDENS, CITY OF	481013		
EDGECLIFF VILLAGE, TOWN OF	480592		
EULESS, CITY OF	480593		
EVERMAN, CITY OF	480594		
FLOWER MOUND, TOWN OF	480777		
FOREST HILL, CITY OF	480595		
FORT WORTH, CITY OF	480596		
GRAND PRAIRIE, CITY OF	485472		
GRAPEVINE, CITY OF	480598		
HALTOM CITY, CITY OF	480599		
HASLET, CITY OF	480600		
HURST, CITY OF	480601		
KELLER, CITY OF	480602		
KENNEDALE, CITY OF	480603		
LAKE WORTH, CITY OF	480605		
LAKESIDE, CITY OF	480604		
MANSFIELD, CITY OF	480606		
		NORTH RICHLAND HILLS, CITY OF	480607
		PANTEGO, TOWN OF	481116
		PELICAN BAY, CITY OF	481653
		RENO, TOWN OF	480969
		RICHLAND HILLS, CITY OF	480608
		RIVER OAKS, CITY OF	480609
		ROANOKE, CITY OF	480785
		SAGINAW, CITY OF	480610
		SANSOM PARK, CITY OF	480611
		SOUTHLAKE, CITY OF	480612
		TROPHY CLUB, TOWN OF	481606
		WATAUGA, CITY OF	480613
		WESTLAKE, TOWN OF	480614
		WESTOVER HILLS, TOWN OF	480615
		WESTWORTH VILLAGE, CITY OF	480616
		WHITE SETTLEMENT, CITY OF	480617



REVISED: MARCH 21, 2019

Federal Emergency Management Agency

FLOOD INSURANCE STUDY NUMBER
48439CV001B



**NOTICE TO
FLOOD INSURANCE STUDY USERS**

Communities participating in the National Flood Insurance Program have established repositories of flood hazard data for floodplain management and flood insurance purposes. This Flood Insurance Study may not contain all data available within the repository. It is advisable to contact the community repository for any additional data.

Part or all of this Flood Insurance Study may be revised and republished at any time. In addition, part of this Flood Insurance Study may be revised by the Letter of Map Revision process, which does not involve republication or redistribution of the Flood Insurance Study. It is, therefore, the responsibility of the user to consult with community officials and to check the community repository to obtain the most current Flood Insurance Study components.

First Countywide FIS Effective Date: January 6, 1993

First Revised Countywide FIS Revision Date: Map revised August 2, 1995 to update corporate limits, to updated roads and road names, to incorporate previously issued letters of map revision, and to incorporate previously issued letters of map amendment.

Second Revised Countywide FIS Revision Date: Map revised August 23, 2000 to change base flood elevations, to change special flood hazard areas, to reflect updated topographic information, and to change floodway.

Third Revised Countywide FIS Revision Date: Map revised September 25, 2009 to update corporate limits, to change Base Flood Elevations, to change Special Flood Hazards Areas, to change zone descriptions, to add roads and road names, to incorporate previously issued Letters of Map Revision, and to reflect updated topographic information.

Fourth Revised Countywide FIS Revision Date: March 21, 2019 to update corporate limits, to change Base Flood Elevations, to change Special Flood Hazards Areas, to change zone descriptions, to add roads and road names, to incorporate previously issued Letters of Map Revision, and to reflect updated topographic information.

TABLE OF CONTENTS

VOLUME 1 – MARCH 21, 2019

	<u>Page</u>
1.0 <u>INTRODUCTION</u>	1
1.1 Purpose of Study	1
1.2 Authority and Acknowledgments	1
1.3 Coordination	8
2.0 <u>AREA STUDIED</u>	8
2.1 Scope of Study	8
2.2 Community Description.....	34
2.3 Principal Flood Problems.....	35
2.4 Flood Protection Measures	37
3.0 <u>ENGINEERING METHODS</u>	39
3.1 Hydrologic Analyses.....	40
3.1.1 New Detailed Study Streams	40
3.1.2 Redelineated Detailed Study Streams	44
3.2 Hydraulic Analyses.....	107
3.2.1 New Detailed Study Streams	108
3.2.2 Redelineated Detailed Study Streams	112
3.3 Vertical Datum.....	121

FIGURES

Figure 1 – Frequency Discharge, Drainage Area Curves	45
--	----

TABLES

Table 1 – Scope of Study	8
Table 2 – Stream Name Changes	26
Table 3 – Letters of Map Revisions	27
Table 4 – Summary of Discharges.....	56
Table 5 – Summary of Reservoir Elevations	106
Table 6 – Summary of Roughness Coefficients.....	113

VOLUME 2 – MARCH 21, 2019

4.0 <u>FLOODPLAIN MANAGEMENT APPLICATIONS</u>	123
4.1 Floodplain Boundaries	123
4.2 Floodways	123
5.0 <u>INSURANCE APPLICATIONS</u>	247
6.0 <u>FLOOD INSURANCE RATE MAP</u>	247

TABLE OF CONTENTS (continued)

VOLUME 2 (continued)

	<u>Page</u>
7.0 <u>OTHER STUDIES</u>	255
8.0 <u>LOCATION OF DATA</u>	255
9.0 <u>BIBLIOGRAPHY AND REFERENCES</u>	255

FIGURES

Figure 2 – Floodway Schematic	246
-------------------------------------	-----

TABLES

Table 7 – Floodway Data	125
Table 8 – Community Map History	249

VOLUME 3 – MARCH 21, 2019

EXHIBITS

Exhibit 1 – Flood Profiles

Arbor Creek	Panel	01(a)P
Ash Creek	Panels	01P – 02P
Big Bear Creek	Panels	03P – 13P
Tributary BB-1	Panel	14P
Tributary BB-2	Panel	15P
Tributary BB-3	Panel	16P
Tributary BB-5	Panels	17P – 18P
Tributary BB-6	Panels	19P – 20P
Tributary BB-7	Panel	21P
Tributary BB-8	Panel	22P
Tributary BB-9	Panel	23P
Tributary BB-10	Panels	24P – 25P
Tributary BB-11	Panel	26P
Tributary BB-12	Panels	27P – 27P(a)
Tributary BB-13	Panels	28P
Unnamed Tributary to Big Bear Creek	Panel	29P
Big Fossil Creek	Panels	30P – 38P
Western Center Split Flow	Panel	38P(a)
Stream BFC-1	Panel	39P
Stream BFC-2	Panels	40P-43P(a)
Stream BFC-2A	Panels	44P-45P(d)
Stream BFC-3	Panels	46P – 47P
Stream BFC-4	Panels	48P – 49P

TABLE OF CONTENTS (continued)

VOLUME 3 (continued)

EXHIBITS (continued)

Stream BFC-4A	Panels	50P – 51P
Unnamed Tributary to Stream BFC-4A	Panel	51P(a)
Stream BFC-4B	Panel	52P
Stream BFC-5	Panels	53P – 57P
Stream BFC-5A	Panels	58P – 60P
Stream BFC-5B	Panels	61P – 64P
Stream BFC-6	Panels	65P – 67P
Stream BFC-7	Panel	68P
Blessing Branch	Panels	69P – 70P
Boaz Creek	Panel	71P
Bowman Branch	Panels	72P – 74P
Stream BB-1	Panels	75P – 77P
Boyd Branch	Panels	78P – 80P
Briar Creek	Panels	81P – 82P
Buffalo Creek	Panels	83P – 85P
Old Buffalo Creek	Panel	86P
Bunker Hill Creek	Panels	87P – 89P

VOLUME 4 – MARCH 21, 2019

EXHIBITS (continued)

Calloway Branch	Panels	90P – 96P
Stream CB-1 (New)	Panels	97P – 98P
Stream CB-1 (Old)	Panel	99P
Stream CB-1 (Old) Diversion Channel	Panels	100P
Stream CB-2	Panels	101P – 102P
Cement Creek	Panels	103P – 104P
West Fork Cement Creek	Panels	105P – 107P
Chambers Creek	Panels	108P – 110P
North Fork Chambers Creek	Panels	111P – 113P
South Fork Chambers Creek	Panels	114P – 116P
Clear Fork Trinity River	Panels	117P – 119P
Stream CF-2	Panels	120P – 122P(a)
Stream CF-2A	Panel	122P(b)
Stream CF-2B	Panel	122P(c)
Stream CF-2B Tributary 1	Panel	122P(d)
Stream CF-3	Panels	123P – 124P
Stream CF-3A	Panels	125P – 127P
Stream CF-3B	Panels	128P – 129P
Stream CF-3C	Panels	130P – 130P(a)
Stream CF-4	Panel	131P
Stream CF-4A	Panels	132P – 133P

TABLE OF CONTENTS (continued)

VOLUME 4 (continued)

EXHIBITS (continued)

Stream CF-4A Diversion	Panel	134P
Stream CF-5	Panels	135P – 137P
Stream CF-6	Panels	138P – 139P
Cottonwood Branch	Panels	140P – 142P
Cottonwood Creek 1	Panels	143P – 146P
Unnamed Tributary to Cottonwood Creek 1	Panel	146P(a)
Cottonwood Creek 2	Panels	147P – 148P(a)
Stream CC-1	Panel	148P(b)
Stream CC-2	Panel	148P(c)
Stream CC-3	Panel	148P(d)
Stream CC-4	Panel	148P(e)
Unnamed Tributary to Cottonwood Creek 2	Panel	149P
South Fork of Cottonwood Creek 2	Panels	150P – 152P
Crowley Branch	Panel	153P
Cub Creek	Panel	154P
Deer Creek	Panels	155P – 158P
North Branch of Deer Creek	Panels	159P – 161P
Unnamed Tributary to North Branch of Deer Creek	Panels	162P – 163P
Unnamed Tributary to An Unnamed Tributary to North Branch of Deer Creek	Panel	164P
Northwest Branch of Deer Creek	Panels	165P – 168P
North Fork of Deer Creek	Panel	169P
South Fork of Deer Creek	Panels	170P – 171P
South Fork of North Branch of Deer Creek	Panels	172P – 174P
Denton Creek	Panels	175P – 176P
Dosier Creek	Panels	176P(a) – 176P(c)
South Dosier Creek	Panel	176P(d)
Tributary to South Dosier Creek	Panel	176P(e)
West Dosier Creek	Panel	176P(f)
Dove Creek	Panels	177P – 179P

VOLUME 5 – MARCH 21, 2019

EXHIBITS (continued)

Dry Branch	Panels	180P – 182P(a)
Dutch Branch	Panel	182P(b)
Tributary DB-3	Panel	183P
Edgecliff Branch	Panels	184P – 185P(a)
Stream EB-1	Panel	186P
Stream EB-A1	Panel	186P(a)

TABLE OF CONTENTS (continued)

VOLUME 5 (continued)

EXHIBITS (continued)

French Lake Creek	Panel	186P(b)
Misty Meadows Creek	Panel	186P(c)
Elm Branch	Panels	187P – 188P
Farmers Branch	Panels	189P – 196P
Unnamed Tributary to Farmers Branch	Panel	197P
Stream FB-1	Panels	198P – 202P
Unnamed Tributary to Stream FB-1	Panel	203P
Farris Branch	Panel	204P
Farris Branch East	Panel	205P
Fish Creek	Panels	206P – 210P(b)
Stream FC-1	Panels	210P(c) – 211P
Stream FC-2	Panels	212P – 213P
Stream FC-3	Panels	214P – 214P(a)
Stream FC-4	Panels	214P(b)-214P(c)
North Fork Fish Creek (Prairie Creek)	Panels	215P – 217P(b)
Stream NF-1	Panel	217P(c)
Stream NF-2	Panel	217P(d)
Stream NF-3	Panel	217P(e)
Stream NF-4	Panel	217P(f)
Willis Branch	Panel	217P(g)
Garden Branch	Panels	217P(h)-217P(i)
Hawkwood Branch	Panel	218P
Henrietta Creek	Panels	219P – 222P
Henrietta Creek 5	Panels	222P(a)
Henrietta Creek 6	Panels	223P – 224P
Henrietta Creek 6A	Panel	225P
Stream HEN-1	Panel	226P
Stream HEN-2	Panels	227P – 228P
Stream HEN-2A	Panels	229P – 229P(a)
Unnamed Tributary to Henrietta Creek	Panel	230P – 230P(a)
Unnamed Tributary to Unnamed Tributary to Henrietta Creek	Panels	231P
Higgins Branch	Panels	232P – 233P
Hogpen Branch	Panels	234P – 235P
Howards Branch	Panel	236P
Stream HB-1	Panels	237P – 238P
Hurricane Creek	Panels	239P – 243P
Stream HC-1	Panels	244P – 245P
Hurricane Creek Tributary 1	Panel	246P
East Fork Hurricane Creek	Panels	247P – 248P

TABLE OF CONTENTS (continued)

VOLUME 5 (continued)

EXHIBITS (continued)

North Fork West Branch Hurricane Creek	Panel	249P
West Branch Hurricane Creek	Panel	250P
Unnamed Tributary of Hurricane Creek	Panel	250P(a)
Johnson Creek	Panels	251P – 262P
Stream JC-2	Panels	263P – 264P
Stream JC-3	Panels	265P – 266P
Stream JC-4	Panel	267P
Stream JC-5	Panel	268P
Stream JC-6	Panel	268P(a)
Stream JC-6A	Panel	268P(b)
Stream JC-7	Panel	268P(c)
Stream JC-7A	Panel	268P(d)
Stream JC-8	Panel	268P(e)
Stream JC-9	Panel	268P(f) – 268P(g)
Stream JC-10	Panel	268P(h)
Stream JC-11	Panels	268P(i) – 268P(j)
Stream JC-11A	Panel	268P(k)
Stream JC-12	Panel	268P(l)
Kee Branch	Panels	269P – 272P
Stream KB-1	Panels	273P – 274P

VOLUME 6 – MARCH 21, 2019

EXHIBITS (continued)

Kings Branch	Panels	275P – 277P
Kirby Creek	Panel	278P
Kirkwood Branch	Panels	279P – 281P
Kirkwood Branch Tributary	Panel	282P
South Fork Kirkwood Branch	Panels	283P – 284P
Little Bear Creek	Panels	285P – 290P
Stream LB-1	Panels	291P – 293P
Stream LB-2	Panel	294P
Stream LB-3	Panel	295P
Stream LB-6	Panel	296P
Tributary Little Bear 1	Panels	297P – 298P
Tributary Little Bear 2	Panels	299P – 300P
Tributary Little Bear 3	Panel	300P(a)
Unnamed Tributary to Little Bear Creek	Panel	300P(b)
Little Fossil Creek	Panels	301P – 307P
Little Fossil Creek Split Flow	Panels	308P – 309P

TABLE OF CONTENTS (continued)

VOLUME 6 (continued)

EXHIBITS (continued)

Stream LFC-1	Panel	310P
Stream LFC-2	Panel	311P
Unnamed Tributary to Stream LFC-2	Panel	311P(a)
Unnamed Tributary 1 to Little Fossil Creek	Panel	311P(b)
Unnamed Tributary 2 to Little Fossil Creek	Panel	311P(c)
Unnamed Tributary of Unnamed Tributary 2 to Little Fossil Creek	Panel	311P(d)
Live Oak Creek	Panels	312P – 313P
Lorean Branch	Panels	314P – 316P
Unnamed Tributary to Lorean Branch	Panel	317P
Low Branch	Panels	318P – 321P
Lynn Creek	Panels	322P – 326P
Lynn Creek Diversion	Panel	326P(a)
Mackey Creek	Panels	327P – 333P
Mackey Creek Diversion North	Panel	334P – 337P
Marine Creek	Panels	338P – 341P
Marine Creek Split Flow	Panel	342P – 343P
MC-4 Creek	Panel	343P(a)
Stream MC-1	Panel	344P – 345P
Stream MC-2	Panel	345P(a)
Marshall Branch	Panels	346P – 347P

VOLUME 7 – MARCH 21, 2019

EXHIBITS (continued)

Marys Creek	Panels	348P – 355P
South Marys Creek	Panels	356P – 359P
Stream MSC-1	Panels	360P – 361P
Unnamed Tributary to Stream MSC-1	Panel	362P
Stream MSC-1A (Plantation West Creek)	Panels	363P – 364P
Stream MSC-2	Panels	365P – 366P
Stream MSC-2A	Panel	367P
Stream MSC-3	Panels	368P – 369P
Mesquite Branch	Panel	370P
Nichols Branch	Panels	371P – 373P
North Creek	Panels	374P – 375P
Pantego Branch	Panels	376P – 379P
Paschal Branch	Panels	380P – 381P
Plantation East Creek	Panels	382P – 383P
Pond Branch	Panels	384P – 387P

TABLE OF CONTENTS (continued)

VOLUME 7 (continued)

EXHIBITS (continued)

Ragland Branch	Panel	388P
Reynolds Branch	Panel	389P
Robertson Branch	Panels	390P – 391P
Rush Creek	Panels	392P – 399P
Forest Park Tributary of Rush Creek	Panels	400P – 401P
Northeast Tributary of Rush Creek	Panels	402P – 403P
Rush Creek Relief Channel	Panel	404P
Stream RC-1	Panels	405P – 406P
Stream RC-1(A)	Panels	407P – 408P
Stream RC-2	Panels	409P – 410P
Ryan's Branch	Panel	411P
Silver Creek	Panels	412P – 413P
Singing Hills Creek	Panels	414P – 417P
Unnamed Tributary to Singing Hills Creek	Panels	417P(a)
South Creek	Panels	418P – 420P
North Branch of North Fork of South Creek	Panels	421P – 422P
North Branch of North Fork of South Creek		
Split Flow	Panels	423P – 425P
North Fork of South Creek	Panels	426P – 427P
Sublett Creek	Panels	428P – 429P
Sulphur Branch	Panels	430P – 435P
Stream SB-1	Panels	436P – 437P
Stream SB-2	Panel	437P(a)
Unnamed Tributary to Sulphur Branch	Panel	437P(b)

VOLUME 8 – MARCH 21, 2019

EXHIBITS (continued)

Sycamore Creek	Panels	438P – 444P
Stream SC-1	Panels	445P – 446P
Stream SC-2	Panels	447P – 449P
Stream SC-3	Panels	450P – 451P
Stream SC-4	Panel	452P
Stream SC-5	Panels	453P – 454P
Stream SC-5 Bypass Channel	Panel	454P(a)
Stream SC-6	Panels	455P – 457P
Stream SC-7	Panels	458P – 459P
Stream SC-7A	Panel	460P
Unnamed Tributary 5 to Sycamore Creek	Panel	460P(a)
Unnamed Tributary 6 to Sycamore Creek	Panel	460P(b)

TABLE OF CONTENTS (continued)

VOLUME 8 (continued)

EXHIBITS (continued)

Unnamed Tributary 7 to Sycamore Creek	Panel	460P(c)
Unnamed Tributary to Unnamed Tributary 7 to Sycamore Creek	Panel	460P(d)
Timber Creek	Panels	461P – 463P
Timber Creek Diversion	Panels	464P – 465P
South Timber Creek	Panel	466P
Tributary B	Panels	467P – 468P
Tributary C	Panels	469P – 471P
Twin Springs Draw	Panel	472P
Valley View Branch	Panels	473P – 476P
Stream VVB-1	Panel	477P
Village Creek	Panels	478P – 488P
Stream VC(A)-1	Panels	489P – 490P
Stream VC(A)-2	Panel	491P
Stream VC-1	Panels	492P – 493P
Stream VC-2	Panels	494P – 495P
Stream VC-2A	Panel	496P
Stream VC-3	Panel	497P
Stream VC-4	Panel	498P
Stream VC-4A	Panel	499P
Stream VC-5	Panels	500P – 502P
Stream VC-6	Panels	503P – 506P
Stream VC-7	Panels	507P – 509P
Walker Branch	Panels	510P – 519P
Stream WKB-1	Panels	520P – 522P
Tributary W-4	Panel	523P
Walnut Creek 1	Panel	524P
Walnut Creek 2	Panels	525P – 528P
Unnamed Tributary to Walnut Creek 2	Panel	529P
Walnut Creek 3	Panels	530P – 534P

VOLUME 9 – MARCH 21, 2019

EXHIBITS (continued)

Warrior Creek	Panel	534P(a)
Watson Branch	Panels	535P – 537P
West Fork Trinity River	Panels	538P – 560P
West Fork Trinity River Split Flow	Panel	560P(a)
Stream WF(A)-1	Panels	561P – 563P
Stream WF(A)-2	Panels	564P – 565P

TABLE OF CONTENTS (continued)

VOLUME 9 – MARCH 21, 2019

EXHIBITS (continued)

Stream WF-1	Panels	566P – 567P
Stream WF-1A	Panels	568P – 569P
Stream WF-1B	Panels	570P – 571P
Stream WF-2	Panels	572P – 574P
Stream WF-2A	Panel	575P
Stream WF-3	Panels	576P – 579P
Stream WF-4	Panels	580P – 581P
Stream WF-5	Panels	582P – 585P
Menefee Creek	Panels	585P(a) – 585P(c)
Menefee Creek Tributary 1	Panel	585P(d)
Menefee Creek Tributary 2	Panel	585P(e)
Stream WF-7	Panels	586P – 589P
Stream WF-7A	Panels	590P – 591P
Stream WF-7B	Panels	592P – 593P
Stream WF-9	Panels	594P – 597P(a)
Stream WF-10	Panels	598P – 601P
Stream WF-10A	Panels	602P – 603P
Stream WF-11	Panels	604P – 605P
Unnamed Tributary to West Fork Trinity River	Panel	606P
Unnamed Tributary 1 to West Fork Trinity River	Panel	606P(a)
West Jones Branch	Panel	607P
Whites Branch	Panels	608P – 613P
Stream WB-1	Panels	614P – 615P
Unnamed Tributary to Stream WB-1	Panel	616P
Stream WB-2	Panel	617P
Stream WB-3	Panel	618P
Stream WB-3D	Panel	618P(a)
Stream WB-4	Panel	618P(b)
Wildcat Branch	Panels	619P – 620P
Stream WC-1	Panels	621P – 622P
Willow Bend Creek	Panels	623P – 626P
Willow Branch	Panels	627P – 628P

Exhibit 2 – Flood Insurance Rate Map Index
Flood Insurance Rate Map

**FLOOD INSURANCE STUDY
TARRANT COUNTY, TEXAS AND INCORPORATED AREAS**

1.0 INTRODUCTION

1.1 Purpose of Study

This Flood Insurance Study (FIS) revises and updates information on the existence and severity of flood hazards in the geographic area of Tarrant County, including the Cities of Arlington, Azle, Bedford, Benbrook, Blue Mound, Burleson, Colleyville, Crowley, Dalworthington Gardens, Euless, Everman, Forest Hill, Fort Worth, Grand Prairie, Grapevine, Haltom City, Haslet, Hurst, Keller, Kennedale, Lake Worth, Lakeside, Mansfield, North Richland Hills, Pelican Bay, Reno, Richland Hills, River Oaks, Roanoke, Saginaw, Sansom Park, Southlake, Watauga, Westworth Village, White Settlement; the Towns of Edgecliff Village, Flower Mound, Pantego, Trophy Club, Westlake, and Westover Hills; and the unincorporated areas of Tarrant County (referred to collectively herein as Tarrant County).

Please note that the Cities of Burleson and Crowley are geographically located in Tarrant and Johnson Counties; the Cities of Azle and Reno are geographically located in Tarrant and Parker Counties; the Cities of Roanoke and Southlake and the Towns of Flower Mound, Trophy Club, and Westlake are geographically located in Tarrant and Denton Counties; the City of Grand Prairie is geographically located in Tarrant, Dallas, and Ellis Counties; the City of Grapevine is geographically located in Tarrant, Dallas, and Denton Counties; the City of Fort Worth is geographically located in Tarrant, Denton, Parker, and Wise Counties; and the City of Mansfield is geographically located in Tarrant, Ellis, and Johnson Counties. See these separately published FIS reports and Flood Insurance Rate Maps (FIRMs) for the countywide map dates and flood hazard information outside of Tarrant County.

This FIS aids in the administration of the National Flood Insurance Act of 1968 and the Flood Disaster Protection Act of 1973. This FIS has developed flood risk data for various areas of the county that will be used to establish actuarial flood insurance rates. This information will also be used by Tarrant County to update existing floodplain regulations as part of the Regular Phase of the National Flood Insurance Program (NFIP), and will also be used by local and regional planners to further promote sound land use and floodplain development. Minimum floodplain management requirements for participation in the NFIP are set forth in the Code of Federal Regulations at 44 CFR, 60.3.

In some states or communities, floodplain management criteria or regulations may exist that are more restrictive or comprehensive than the minimum Federal requirements. In such cases, the more restrictive criteria take precedence and the state (or other jurisdictional agency) will be able to explain them.

1.2 Authority and Acknowledgments

The sources of authority for this FIS report are the National Flood Insurance Act of 1968 and the Flood Disaster Protection Act of 1973.

This FIS was prepared to include the unincorporated areas and incorporated communities within Tarrant County into a countywide FIS. The single-community FIS reports were incorporated into a countywide FIS report, effective January 6, 1993. Information on the

authority and acknowledgments for each of these studies, compiled from their previous effective narratives, is shown below.

Tarrant County

In the study effective August 4, 1987, the hydrologic and hydraulic analyses for the following streams were prepared by the U. S. Army Corps of Engineers (USACE) for the Federal Emergency Management Agency (FEMA) under Inter-Agency Agreement No. EMW-E-0941, Project Order No. 12: Bear Creek 1, Briar Creek, Chambers Creek, Deer Creek, Elm Branch, Marys Creek, South Marys Creek, Stream VC-5, Stream VC-6, Stream VC-7, Village Creek, Walnut Creek 3, West Fork Trinity River, and Willow Branch. That work was completed in March 1984 (Reference 1). Additional information for streams studied by detailed methods in the August 4, 1987 effective study was taken from the FISs for the Cities of Azle (Reference 2), Benbrook, Crowley, Fort Worth, Haslet, Mansfield, and Southlake.

City of Arlington

The hydrologic and hydraulic analyses for the revised study effective February 4, 1988 were prepared by the USACE for FEMA under Inter-Agency Agreement No. EMW-E-1153, Project Order No.1, Amendment Nos. 4 and 4b. That work was completed in September 1985 (Reference 3).

City of Bedford

The hydrologic and hydraulic analyses for the study effective July 18, 1977 were prepared by Black & Veatch, Consulting Engineers for FEMA under Contract No. H-3814. The analyses for the revision effective April 17, 1984 were prepared by Threadgill, Dowdy, and Associates and Teague, Na11, and Perkins, Inc., for FEMA. The analyses for the revision dated March 18, 1987 were prepared by the USACE, Washington/Wallace, Inc., and Anderson Engineers, Inc. That work was completed in August 1984. The analyses for the revision dated June 4, 1990 were prepared by Goodwin and Marshall, Inc., for FEMA. That work was completed in May 1989 (Reference 4).

City of Benbrook

The hydrologic and hydraulic analyses for the study effective July 2, 1979 were prepared by the USACE for FEMA under Inter-Agency Agreement No. IAA-H-7-76, Project Order No. 9. That work was completed in January 1977. The analyses for the study effective September 18, 1986 were performed by Farrington & Associates at Country Day Estates in Benbrook, and by the USACE during the preparation of the Flood Insurance Study for the City of Fort Worth. That work was completed in May 1984. For the revision effective January 18, 1989, the analyses were performed by the USACE. The work for that revision was completed in November 1987. For the revision dated November 16, 1990, the analyses were performed by the USACE. That work was completed in April 1989 (Reference 5).

City of Blue Mound

The hydrologic and hydraulic analyses for the study effective January 1980 were performed by the USACE for FEMA, under Inter-Agency Agreement No. IAA-H-18-78, Project Order No. 44. That work was completed in April 1979 (Reference 6).

City of Burleson

The hydrologic and hydraulic analyses for the study effective June 24, 1977 were performed by the USACE for FEMA under Inter-Agency Agreement No. IAA-H-16-75, Project Order No. 14, and Inter-Agency Agreement No. IAA-H-7-76, Project Order No. 19. The work for that study was completed in April 1976. The analyses for the revision effective December 3, 1987 were prepared by the USACE for FEMA under Inter-Agency Agreement No. EMW-E-1153, Project Order No.1, Amendment Nos. 30 and 30a. That work was completed in September 1985 (Reference 7).

City of Colleyville

The hydrologic and hydraulic analyses for the study effective June 1, 1982 were performed by the USACE for FEMA, under Inter-Agency Agreement No. IAA-H-979, Project Order No. 8. That work was completed in November 1980 (Reference 8).

City of Crowley

The hydrologic and hydraulic analyses for the study effective October 15, 1980 were performed by the USACE for FEMA, under Inter-Agency Agreement No. IAA-H-18-78, Project Order No. 44. That work was completed in October 1979 (Reference 9).

City of Dalworthington Gardens

The hydrologic and hydraulic analyses for the study effective November 17, 1981 were performed by the USACE for FEMA under Inter-Agency Agreement No. IAA-H-9-79, Project Order No. 8. That work was completed in October 1980 (Reference 10).

Town of Edgecliff Village

The hydrologic and hydraulic analyses for the study effective August 19, 1986 were performed by the USACE for FEMA under Inter-Agency Agreement No. EMW-E-0539, Project Order No. 6. That work was completed in March 1982 (Reference 11).

City of Euless

The hydrologic and hydraulic analyses for the study effective October 3, 1984 were performed by the USACE for FEMA under Inter-Agency Agreement No. EMW-E-0539, Project Order No. 6. That work was completed in March 1983 (Reference 12).

City of Everman

The hydrologic and hydraulic analyses for the study effective in March 1980 were performed by the USACE for FEMA under Inter-Agency Agreement No. IAA-H-18-78, Project Order No. 44. That work was completed in June 1979 (Reference 13).

City of Forest Hill

The hydrologic and hydraulic analyses for the study effective in February 1978 were performed by the USACE for FEMA under Inter-Agency Agreement No. IAA-H-16-75, Project Order No. 19 (Reference 14).

City of Fort Worth

The hydrologic and hydraulic analyses for the study effective June 4, 1980 were performed by Lockwood, Andrews and Newman, Inc., for FEMA, under Contract No. H-3730, and by the USACE. That work was completed in April 1976 (Reference 15). The analyses for the revision dated November 18, 1988 were performed by the USACE for FEMA under Inter-Agency Agreement No. EMW-E-0539, Project Order No. 7 and amendments thereto. That work was completed in April 1984 (Reference 16).

City of Grapevine

The hydrologic and hydraulic analyses for the study effective August 15, 1989 were performed by the USACE for FEMA, under Inter-Agency Agreement No. IAA-H-9-79, Project Order No. 8. That work was completed in January 1981 (Reference 17).

City of Haltom City

The hydrologic and hydraulic analyses for the study effective February 1, 1978 were prepared by the USACE for FEMA under Inter-Agency Agreement No. IAA-H-19-74, Project Order No. 17, and Inter-Agency Agreement No. IAA-H-16-75, Project Order No. 6. The analyses for the revision dated January 6, 1988 were performed by the USACE during the preparation of the Flood Insurance Study for the City of Fort Worth; that work was completed in April 1984. In that revision additional analyses were prepared by Graham Associates, Inc.; that work was completed in June 1986. In the revision dated June 4, 1990, the analyses were performed by Everage, Smith, Farrington and Associates, Inc., under agreement with FEMA; that work was completed in June 1988. Also included in that revision were analyses performed by the USACE during the preparation of the Flood Insurance Study for the City of North Richland Hills (Reference 18).

City of Haslet

The hydrologic and hydraulic analyses for the study effective October 15, 1985 were performed by the USACE for FEMA under Inter-Agency Agreement No. EMW-E-0941, Project Order No. 12. That work was completed in May 1984 (Reference 19).

City of Hurst

The hydrologic and hydraulic analyses for the study effective October 15, 1985 were performed by the USACE for FEMA under Inter-Agency Agreement No. EMW-E-0941, Project Order No. 1. That work was completed in August 1983 (Reference 20).

City of Keller

The hydrologic and hydraulic analyses for the study effective March 30, 1982 were performed by the USACE for FEMA under Inter-Agency Agreement No. IAA-H-9-79, Project Order No. 8. That work was completed in January 1981 (Reference 21).

City of Kennedale

The hydrologic and hydraulic analyses for the study effective May 15, 1984 (FIRM dated November 15, 1984) were performed by the USACE for FEMA under Inter-Agency

Agreement No. EMW-E-0539, Project Order No. 6. That work was completed in December 1982 (Reference 22).

City of Mansfield

The hydrologic and hydraulic analyses for the study effective December 18, 1985 were performed by the USACE for FEMA under Inter-Agency Agreement No. EMW-E-0539, Project Order No. 6. That work was completed in January 1983. The hydraulic analyses for the revision dated September 28, 1990 were performed by Carter & Burgess, Inc. FEMA reviewed and accepted those analyses for the purposes of that revision (Reference 23).

City of North Richland Hills

The hydrologic and hydraulic analyses for the study effective April 1, 1981 were performed by the Soil Conservation Service (SCS) for FEMA. That work was completed in 1980. The analyses for the revision effective November 15, 1985 were performed by the USACE for FEMA, under Inter-Agency Agreement No. EMW-E-0941, Project Order No.1; that work was completed in December 1983. The analyses for the revision effective December 16, 1988 were performed by Anderson Engineers, Inc., and Knowlton-English-Flowers, Inc. That work was completed in October 1987 (Reference 24).

Town of Pantego

The hydrologic and hydraulic analyses for the study effective in January 1980 were performed by the USACE for FEMA under Inter-Agency Agreement No. IAA-H-18-78, Project Order No. 44. That work was completed in February 1979 (Reference 25).

City of Richland Hills

The hydrologic and hydraulic analyses for the study effective February 16, 1977 were performed by the SCS for FEMA. The analyses for the revision effective January 3, 1985 were performed by the USACE for FEMA under Inter-Agency Agreement No. EMW-E-0941, Project Order No. 1. That work was completed in June 1983 (Reference 26).

City of River Oaks

The hydrologic and hydraulic analyses for the study effective December 19, 1984 were performed by the USACE for FEMA under Inter-Agency Agreement No. EMW-E-0941, Project Order No. 12. That work was completed in July 1983 (Reference 27).

City of Saginaw

The hydrologic and hydraulic analyses for the study effective in March 1980 were performed by the USACE for FEMA under Inter-Agency Agreement No. IAA-H-18-78, Project Order No. 44. That work was completed in April 1979 (Reference 28).

City of Southlake

The hydrologic and hydraulic analyses for the study effective January 5, 1982 were performed by the USACE for FEMA under Inter-Agency Agreement No. IAA-H-9-79, Project Order No. 8. That work was completed in February 1981 (Reference 29).

City of Watauga

The hydrologic and hydraulic analyses for the study effective June 1, 1982 were performed by the USACE for FEMA under Inter-Agency Agreement No. IAA-H-9-79, Project Order No.8. That work was completed in May 1980. The revision effective August 15, 1989 incorporated analyses performed by Dunaway Associates, Inc., of Fort Worth, and by Everage, Smith, Farrington, and Associates, Inc. Those analyses were completed in June 1987 and December 1987, respectively (Reference 30).

Town of Westover Hills

The hydrologic and hydraulic analyses for the study effective December 5, 1984 were performed by the USACE for FEMA under Inter-Agency Agreement No. EMW-E-0941, Project Order No. 12. That work was completed in October 1983 (Reference 31).

City of Westworth Village

The hydrologic and hydraulic analyses for the study effective June 3, 1986 were performed by the USACE for FEMA under Inter-Agency Agreement No. EMW-E-0941, Project Order No. 12. The study was completed in November 1983 (Reference 32).

City of White Settlement

The hydrologic and hydraulic analyses for the study effective July 17, 1986 were performed by the USACE for FEMA under Inter-Agency Agreement No. EMW-E-0941, Project Order No. 12. That work was completed in March 1984 (Reference 33).

Countywide FIS Report Major Revisions

Three major revisions were made to the original countywide FIS report. The first revision, effective on August 2, 1995, digitized previously published FIRM data on United States Geological Survey (USGS) quad maps and plotted the Texas Department of Transportation (TxDOT) road and highway centerline with the floodplains to produce the countywide FIRM. Several Letters of Map Revision (LOMR) were incorporated into the first revision (Reference 34).

The second major revision to the original countywide FIS report, effective on August 23, 2000, incorporated modifications to the flood hazard information along West Fork and Clear Fork Trinity River within the Cities of Grand Prairie, Fort Worth, Arlington, Westworth Village, River Oaks, and Benbrook. In addition, this revision included a Limited Map Maintenance Program (LMMP) project which restudied flood hazard data along the Sulphur Branch and its tributary, Stream SB-1, within the Cities of Fort Worth, Hurst, Euless, and Bedford (Reference 34). Several LOMRs were incorporated into the second revision.

The third major revision to the FIS report, effective on September 25, 2009, incorporated several new hydrologic and hydraulic analyses. A new detailed study was prepared by Halff Associates, Inc. under contract EMT – 2002 CO – 0051 for Big Bear Creek. Halff Associates, Inc. also prepared new detailed hydrology and hydraulics for Stream HEN-2 for the City of Haslet. Halff Associates, Inc. prepared new detailed studies for North Fork Fish Creek, Johnson Creek, and Stream JC-1 within the City of Grand Prairie for the City

of Grand Prairie as part of their Cooperating Technical Partner (CTP) agreement. Several existing studies within the City of Benbrook were incorporated as ‘Best Available’ floodplain study data. Teague Nall & Perkins (TNP) prepared new detailed hydraulic analysis of Stream MSC-1A (Plantation West Creek), Plantation East Creek, Timber Creek, and Willow Bend Creek. Several LOMRs were incorporated into the third revision (Reference 35). Several existing studies within the City of Mansfield were incorporated as ‘Best Available’ floodplain study data. TNP prepared new detailed hydraulic models (HEC-2) as part of the City of Mansfield’s Master Drainage Plan for the following flooding sources: Hogpen Branch, Low Branch, Nichols Branch, Pond Branch, Walnut Creek 3, and Watson Branch. Nave Engineering, Inc., in cooperation with Halff Associates, Inc., converted the TNP HEC-2 models to HEC-RAS models and updated the mapping, profiles, and floodway data information. The hydraulic analyses for these restudies were based on the prior effective FIS discharges.

March 21, 2019 PMR New Detailed Studies

As part of this most recent countywide revision, hydrologic and hydraulic analyses for Big Fossil Creek, Calloway Branch, Dry Branch, Sycamore Creek, and Walker Branch were prepared as a Physical Map Revision (PMR) by RAMPP, for FEMA, under contract No. HSFEHQ-09-D-0369. Under this same contract, a hydraulic analysis for West Fork Trinity River was also completed, and RAMPP incorporated the recently approved LOMR Case Number 11-06-1457P as another PMR, which revised the flood risk along the Fort Worth Floodway system within the City of Fort Worth. This work was completed in December 2011.

Additional hydrologic and hydraulic analyses within the City of Arlington were performed as part of the City of Arlington Cottonwood Creek and Fish Creek Watersheds Flood Protection Plan. The work was completed in January 2013.

As part of the recent stream study updates in Grand Prairie hydrologic and hydraulic analyses for the City of Grand Prairie CTP FY10 Risk MAP Study were performed by the City of Grand Prairie for FEMA, under Contract No. EMT-2010-CA-0013, Case No. 11-06-1592S. The work was completed in October 2011.

Additional hydrologic and hydraulic analyses of Johnson Creek were performed and incorporated as part of the City of Grand Prairie CTP FY12 Risk MAP Study, under Contract No. EMT-2012-CA-0006, Case No. 13-06-1185S. The work was completed in February 2014.

Base map information that was used for this PMR revision was derived from multiple sources. This information was compiled from the U.S. Geological Survey (USGS), 1989, the National Geodetic Survey, 2004, FEMA existing FIRM data, 2009, and the North Central Texas Council of Governments (NCTCOG), 2007 and 2010.

The projection used in the preparation of the FIRMs was North American Datum of 1983 (NAD 83), Texas State Plane, Zone North Central (FIPS 4202), in feet. The vertical datum was the North American Vertical Datum of 1988 (NAVD 88). Differences in datum, projection or State Plane zones used in the projection of the FIRMs for adjacent jurisdictions may result in slight positional differences across jurisdictional boundaries. These differences do not affect the accuracy of these FIRMs.

1.3 Coordination

The dates of the initial and final Consultation Coordination Officer (CCO) meetings held for Tarrant County and the incorporated communities within its boundaries prior to 2009 are not known because they were not documented in the 2009 countywide revision.

The initial CCO meeting for the September 25, 2009 revision was held in June 2004, and attended by representatives of FEMA, North Central Council of Governments (NCTCOG), Tarrant County, Tarrant Regional Water District (TRWD), TxDOT, Texas Commission on Environmental Quality (TCEQ), Michael Baker Jr., Inc., Belcheff & Associates, Halff Associates, Inc., the Cities of Arlington, Bedford, Benbrook, Burleson, Euless, Fort Worth, Grapevine, Haltom City, Haslet, Hurst, Mansfield, North Richland Hills, Southlake, Westworth Village and the Town of Westlake. The results of the study were reviewed at the final CCO meeting held on July 5, 2007, and attended by representatives of FEMA, the Communities and the Study Contractor. All problems raised at that meeting have been addressed in this study.

For the RAMPP Tarrant County PMR, an initial CCO meeting was held on October 27, 2009, and was attended by representatives of the community, the study contractor, and FEMA. A final CCO meeting was held on October 10, 2012, and attended by representatives of the community, the study contractor, and FEMA. All problems raised at that meeting have been addressed in this study.

For the Grand Prairie Tarrant County PMR, the CCO meeting was held on October 13, 2015, and was attended by representatives of the community, the study contractor, and FEMA.

2.0 AREA STUDIED

2.1 Scope of Study

This FIS report covers the geographic area of Tarrant County, Texas, including the incorporated communities listed in Section 1.1.

The areas studied by detailed methods were selected with priority given to all known flood hazards and areas of projected development or proposed construction.

Approximate analyses were used to study those areas having a low development potential or minimal flood hazards. The scope and methods of study were proposed to, and agreed upon, by FEMA and community officials.

The flooding sources studied by Detailed Method along with the limits of study are shown in Table 1 “Scope of Study.”

Table 1 – Scope of Study
Stream Reaches Studied by Detailed Methods

<u>Stream Name</u>	<u>Downstream Limit</u>	<u>Upstream Limit</u>	<u>Length (mi)</u>
<u>New Detailed Study Streams</u>			
Arbor Creek	350 feet above Tarrant Road	390 feet below Randol Mill Road	0.91
Big Fossil Creek	Confluence with West Fork Trinity River	500 feet upstream of Buffalo Hollow Court	21.4
Big Bear Creek	Tarrant County/ Dallas County	0.58 miles upstream of Old Denton Road	25.9
Calloway Branch	Confluence with Walker Branch	1,000 feet upstream of Windhaven Road	7.3
Cottonwood Creek 2	1,900 feet below Union Pacific Railroad	665 feet above Craig Hanking Drive	2.76
Dry Branch	Confluence with West Fork Trinity River	600 feet upstream of Blandin Street	3.0
Fish Creek	2,000 feet below Great Southwest Parkway	30 feet above Bardin Road	8.20
Johnson Creek	Dallas County / Tarrant County Boundary	Just below State Highway 360	2.28
North Fork of Fish Creek (Prairie Creek)	3,200 feet below Great Southwest Parkway	Just below Mayfield Road	5.17
South Fork of Cottonwood Creek 2	1,450 feet below Pioneer Parkway	Just below New York Avenue	3.20
Stream HEN-2	Confluence with Henrietta Creek	Avondale-Haslet Road	1.6
Hogpen Branch	Confluence with Walnut Creek 3	84 feet upstream of U.S. Hwy 287 Business	4.9
Stream JC-1	Tarrant County/ Dallas County	Duncan Perry Road	0.2
Low Branch	Confluence with Lake Joe Pool	1.18 miles upstream of U.S. Hwy 287	7.3
Stream MSC-1A (Plantation West Creek)	Confluence with Marys Creek	Upstream Face of Chapin Road	0.8
Nichols Branch	Confluence with Walnut Creek 3	0.73 miles upstream of Newt Petterson Road	1.0
Plantation East Creek	Confluence with Marys Creek	158 feet upstream of Chapin Road Headwall	0.8

Table 1 – Scope of Study (continued)
Stream Reaches Studied by Detailed Methods

<u>Stream Name</u>	<u>Downstream Limit</u>	<u>Upstream Limit</u>	<u>Length (mi)</u>
Pond Branch	Confluence with Walnut Creek 3	607 feet upstream of Dallas Street/Pond Street	0.8
South Fork of Cottonwood Creek 2	1,450 feet below Pioneer Parkway	Just below New York Avenue	3.20
Stream CC-1	Confluence with Cottonwood Creek 2	740 feet above Timberlake Drive	0.22
Stream CC-2	Confluence with Cottonwood Creek 2	Just below Harriett Street	1.18
Stream CC-3	Confluence with Stream CC-2	Just below Mitchell Street	0.83
Stream CC-4	Confluence with Cottonwood Creek 2	70 feet below Sherry Street	0.22
Stream FC-1	Confluence with Fish Creek	150 feet below Interstate Highway 20 Access Road	2.28
Stream FC-2	Confluence with Fish Creek	7,050 feet above Green Oaks Boulevard	1.61
Stream FC-3	Confluence with Fish Creek	90 feet below Bardin Road	1.49
Stream FC-4	Confluence with Fish Creek	150 feet below Interstate Highway 20 Access Road	1.53
Stream NF-1	Confluence with North Fork of Fish Creek	30 feet below Overbrook Drive	0.48
Stream NF-2	Confluence with North Fork of Fish Creek	Just below Mayfield Road	0.18
Stream NF-3	Confluence with North Fork of Fish Creek	130 feet above Allen Avenue	1.00
Stream NF-4	Confluence with North Fork of Fish Creek	Just below Mayfield Road	0.66
Sycamore Creek	Confluence with West Fork Trinity River	600 feet upstream of McCart Avenue	15.5
Timber Creek	Confluence with Clear Fork Trinity River	35 feet upstream of Mckinley Street	2.5
Walker Branch	1,500 feet downstream of confluence of Calloway Branch	600 feet upstream of Brookview Drive	6.3
Walnut Creek 3	Confluence with Lake Joe Pool	Tarrant County/Johnson County	11.6

Table 1 – Scope of Study (continued)
Stream Reaches Studied by Detailed Methods

<u>Stream Name</u>	<u>Downstream Limit</u>	<u>Upstream Limit</u>	<u>Length (mi)</u>
Warrior Creek	1,280 feet above Waterwood Drive	975 feet above downstream limit	0.19
Watson Branch	Confluence with Walnut Creek 3	160 feet upstream of FM 157	2.4
West Fork Trinity River	Dallas County/ Tarrant County	1.6 miles upstream of North Collins Street	10.5
Willow Bend Creek	Confluence with Marys Creek	Williams Road	1.3

Enhanced Approximate Methods Type I Streams

Garden Branch	Confluence with Fish Creek	Just below Camp Wisdom Road	1.39
Willis Branch	3,450 feet below Great Southwest Parkway	Just below Parking Lot at Great Southwest Parkway and Bardin Road (SE Corner)	0.59

Redelineation Detailed Study Streams

Ash Creek	1.14 miles upstream of Confluence of West Fork Trinity River	Tarrant County/ Parker County	3.7
Tributary BB-1	Confluence with Big Bear Creek	1900 feet upstream of Glade Road	0.6
Tributary BB-2	Confluence with Big Bear Creek	0.4 miles upstream of Trigg Road	1.2
Tributary BB-3	Confluence with Big Bear Creek	180 feet upstream of Pavestone Drive	0.5
Tributary BB-5	Confluence with Big Bear Creek	1185 feet upstream of Private Road	1.3
Tributary BB-6	Confluence with Big Bear Creek	0.64 miles upstream of Longford Drive	1.5
Tributary BB-7	Confluence with Big Bear Creek	0.51 miles upstream of Eagle Bend	0.7
Tributary BB-8	Confluence with Big Bear Creek	0.45 miles upstream of Continental Boulevard	1.1
Tributary BB-9	Confluence with Big Bear Creek	1775 feet upstream of FM 1709	1.8

Table 1 – Scope of Study (continued)
Stream Reaches Studied by Detailed Methods

<u>Stream Name</u>	<u>Downstream Limit</u>	<u>Upstream Limit</u>	<u>Length (mi)</u>
<u>Redelineation Detailed Study Streams</u>			
Tributary BB-10	Confluence with Big Bear Creek	1050 feet upstream of Dana Drive	2.1
Tributary BB-11	Confluence with Big Bear Creek	1140 feet upstream of J.T. Ottinger Road	1.0
Tributary BB-12	Confluence with Big Bear Creek	1400 feet upstream of FM 1709	1.2
Unnamed Tributary to Big Bear Creek	Keller-Hicks Road	0.44 miles upstream of Park Vista Boulevard	0.7
Stream BFC-1	Confluence with Big Fossil Creek	North Beach Street	2.1
Stream BFC-2	Confluence with Big Fossil Creek	725 feet upstream of U.S. Route 287/81	3.9
Stream BFC-2	9500 feet upstream U.S. Route 287	1070 feet upstream of Harmon Road	0.2
Stream BFC-2A	Confluence with Stream BFC-2	1.29 miles upstream of Confluence with Stream BFC-2	1.3
Stream BFC-3	Confluence with Big Fossil Creek	450 feet upstream of Harmon Road	1.8
Stream BFC-4	Confluence with Big Fossil Creek	400 feet upstream of U.S. Route 287/81	3.3
Stream BFC-4A	Confluence with Stream BFC-4	350 feet upstream of U.S. Route 287/81	1.5
Stream BFC-4B	Confluence with Stream BFC-4	1.05 miles upstream of BNSF Railroad	1.5
Stream BFC-5	Confluence with Big Fossil Creek	Hardisty Street	2.3
Stream BFC-5A	Confluence with Stream BFC-5	80 feet upstream of State Route 183	0.5
Stream BFC-5B	Confluence with Stream BFC-6	1715 feet upstream of Allena Lane	0.8

Table 1 – Scope of Study(continued)
Stream Reaches Studied by Detailed Methods

<u>Stream Name</u>	<u>Downstream Limit</u>	<u>Upstream Limit</u>	<u>Length</u> <u>(mi)</u>
<u>Redelineation Detailed Study Streams</u>			
Stream BFC-6	Confluence with Big Fossil Creek	985 feet upstream of Diamondback Oaks Drive	0.7
Stream BFC-7	Confluence with Big Fossil Creek	1130 feet upstream of Confluence with Big Fossil Creek	0.2
Blessing Branch	0.14 miles downstream of Fuller Wiser Road	75 feet upstream of North Main Street	1.1
Boaz Creek	Confluence with Walnut Creek 2	0.38 miles upstream of Confluence with Walnut Creek 2	0.4
Bowman Branch	Confluence with Lake Joe Pool	Matlock Road	5.2
Stream BB-1	Confluence with Bowen Branch	0.95 miles upstream of Confluence with Bowen Branch	0.9
Boyd Branch	1750 feet downstream of South Main Street	930 feet upstream of Villa Road	4.7
Briar Creek	0.69 miles above Confluence with Eagle Mountain Lake	Tarrant County/ Parker County	1.9
Buffalo Creek	Confluence with Henrietta Creek	2.75 miles upstream of Harmon Road	3.6
Old Buffalo Creek	Confluence with Henrietta Creek	150 feet upstream of Interstate Route 35W	0.7
Bunker Hill Creek	Confluence with Singing Hills Creek	740 feet upstream of North Park Drive	2.6
Stream CB-1 (New)	Confluence with Calloway Branch	1915 feet upstream of Chapman Drive	1.3
Stream CB-1 (Old)	Confluence with Calloway Branch	400 feet upstream of Confluence of Stream CB-1 (Old) Diversion Channel	0.4
Stream CB-1 (Old) Diversion	Confluence with Calloway Branch	Diversion from Stream CB-1 (Old)	0.2
Stream CB-2	Confluence with Calloway Branch	Starnes Road	1.4
Cement Creek	Confluence with Marine Creek	1260 feet upstream of Private Road	2.4

Table 1 – Scope of Study(continued)
Stream Reaches Studied by Detailed Methods

<u>Stream Name</u>	<u>Downstream Limit</u>	<u>Upstream Limit</u>	<u>Length (mi)</u>
<u>Redelineation Detailed Study Streams</u>			
West Fork Cement Creek	1340 feet above Confluence with Cement Creek	1600 feet upstream of Longhorn Road	0.8
Chambers Creek	Confluence with Village Creek	Confluence of North Fork Chambers Creek and South Fork Chambers Creek	2.6
North Fork Chambers Creek	Confluence with Chambers Creek	1970 feet upstream of Oak Grove Road	3.2
South Fork Chambers Creek	Confluence with Chambers Creek	1250 feet upstream of Oak Grove Road	2.8
Clear Fork Trinity River	Confluence with Trinity River	2.34 miles upstream of Confluence of Stream CF-6	12.3
Stream CF-2	Confluence with Clear Fork Trinity River	0.8 miles upstream of Vickery Boulevard	1.1
Stream CF-3	Confluence with Clear Fork Trinity River	300 feet upstream of Trail Lake Drive	2.6
Stream CF-3A	Confluence with Stream CF-3	0.52 miles upstream of Overton Park West	0.5
Stream CF-3B	Confluence with Stream CF-3	80 feet upstream of Bilgrade Road	0.8
Stream CF-3C	Park Place Drive	Warner Street	1.1
Stream CF-4	Confluence with Clear Fork Trinity River	0.61 miles upstream of Clayton Road East	1.7
Stream CF-4A	West Vickery Boulevard	700 feet upstream of Clayton Road	1.2
Stream CF-4A Diversion	Confluence with Stream CF-4	0.47 miles upstream of Confluence with Stream CF-4	0.5
Stream CF-5	Confluence with Clear Fork Trinity River	1.22 miles upstream of Overton Ridge Boulevard	3.2
Stream CF-6	Confluence with Clear Fork Trinity River	0.46 miles upstream of Bryant Irvin Road	1.8
Cottonwood Branch	Tarrant County/ Dallas County	0.88 miles upstream of DART (St. Louis & Southwestern Railway)	2.7

Table 1 – Scope of Study(continued)
Stream Reaches Studied by Detailed Methods

<u>Stream Name</u>	<u>Downstream Limit</u>	<u>Upstream Limit</u>	<u>Length (mi)</u>
<u>Redelineation Detailed Study Streams</u>			
Cottonwood Creek 1	Confluence with Village Creek	1000 feet upstream of Milam Street	4.7
Cottonwood Creek 2	Tarrant County/ Dallas County	1800 feet upstream of Susan Drive	1.1
Unnamed Tributary to Cottonwood Creek 2	Confluence with Cottonwood Creek 2	780 feet upstream of Timberlake Drive	0.2
South Fork of Cottonwood Creek 2	Tarrant County/ Dallas County	1590 feet upstream of State Route 360 Right-Frontage Road	2.6
South Fork of Cottonwood Creek 2	40 feet downstream of Brazos Drive	900 feet upstream of Brazos Drive	0.2
Crowley Branch	Confluence with Stream SC-7	80 feet upstream of Chance Boulevard	0.6
Cub Creek	300 feet downstream of Cheek Sparger Road	0.4 miles upstream of Cheek Sparger Road	0.5
Deer Creek	Confluence with Village Creek	0.45 miles upstream of Hampton Road	7.7
North Branch of Deer Creek	Confluence with Deer Creek	0.67 miles upstream of Confluence of South Fork of North Branch of Deer Creek	2.7
Unnamed Tributary to North Branch of Deer Creek	Confluence with North Branch of Deer Creek	1030 feet upstream of Old Cleburne Crowley Junction	1.3
Unnamed Tributary to an Unnamed Tributary to North Branch of Deer Creek	Confluence with Unnamed Tributary to North Branch of Deer Creek	1160 feet upstream of Confluence with Unnamed Tributary to North Branch of Deer Creek	0.2
Northwest Branch of Deer Creek	Confluence with Deer Creek	1.53 miles upstream of Confluence with Deer Creek	1.5
North Fork of Deer Creek	BNSF Railroad	1740 feet upstream of BNSF Railroad	0.3
South Fork of Deer Creek	Confluence with Deer Creek	1.44 miles upstream of BNSF Railroad	1.7
South Fork of North Branch of Deer Creek	Confluence with North Branch of Deer Creek	1.07 miles upstream of Confluence with North Branch of Deer Creek	1.1

Table 1 – Scope of Study(continued)
Stream Reaches Studied by Detailed Methods

<u>Stream Name</u>	<u>Downstream Limit</u>	<u>Upstream Limit</u>	<u>Length (mi)</u>
<u>Redelineation Detailed Study Streams</u>			
Denton Creek	Tarrant County/ Dallas County	Grapevine Dam	2.3
Dove Creek	195 feet downstream of Park Road 4	230 feet upstream of West Highland Street	2.6
Dutch Branch	675 feet downstream of U.S. Highway 377	600 feet upstream of Confluence with Tributary DB-3	1.1
Tributary DB-3	475 feet upstream confluence with Dutch Branch	0.45 miles upstream of Confluence with Dutch Branch	0.4
Edgecliff Branch	Confluence with Sycamore Creek	0.42 miles upstream of Woodway Drive	4.6
Stream EB-1	Edgecliff Road	575 feet upstream of Crowley Road	0.5
Elm Branch	Confluence with Village Creek	150 feet upstream of Rendon-New Hope Road	1.9
Farmers Branch	Confluence with West Fork Trinity River	1690 feet upstream of Little Fox Lane	6.9
Unnamed Tributary to Farmers Branch	Interstate Loop 820	0.41 miles upstream of Settlement Plaza Drive	0.7
Stream FB-1	Confluence with Farmers Branch	60 feet upstream of George Street	0.3
Stream FB-1	0.66 miles upstream of Confluence with Farmers Branch	195 feet upstream of West Point Boulevard	0.5
Unnamed Tributary to Stream FB-1	Confluence with Stream FB-1	Upstream Face of West Point Boulevard Culvert	0.3
Farris Branch	0.40 miles downstream of Dove Road	725 feet upstream of West Wall Street	1.2
Farris Branch East	Confluence with Farris Branch	1125 feet upstream of West Wall Street	0.6
Fish Creek	Tarrant County/ Dallas County	0.41 miles upstream of Matlock Road	7.2
Stream FC-1	Confluence with Fish Creek	1.11 miles upstream of New York Avenue	1.6

Table 1 – Scope of Study(continued)
Stream Reaches Studied by Detailed Methods

<u>Stream Name</u>	<u>Downstream Limit</u>	<u>Upstream Limit</u>	<u>Length</u> <u>(mi)</u>
<u>Redelineation Detailed Study Streams</u>			
Stream FC-2	Confluence with Fish Creek	1.8 miles upstream of Confluence with Fish Creek	1.8
North Fork Fish Creek	100 feet Downstream of State Hwy 360 Access Road	Collins Street	1.4
Hawkwood Branch	Confluence with Crowley Branch	1850 feet upstream of Crowley Road	0.4
Henrietta Creek	Confluence with Elizabeth Creek	0.45 miles upstream of Keller-Haslet Road	9.1
Henrietta Creek 6	1050 feet upstream of Confluence with Henrietta Creek	0.68 miles upstream of Diamondback Lane	1.4
Henrietta Creek 6A	Confluence with Henrietta Creek 6	0.41 miles upstream of Sendera Ranch Boulevard	0.5
Stream HEN-1	Confluence with Henrietta Creek	0.59 miles upstream of Confluence with Henrietta Creek	0.6
Stream HEN-2A	Confluence with Stream Hen-2	0.45 miles upstream of Private Dam	1.5
Unnamed Tributary to Henrietta Creek	1400 feet upstream with Henrietta Creek	330 feet upstream of Keller-Haslet-Roanoke Road	1.2
Higgins Branch	Confluence with Kirkwood Branch	1650 feet upstream of Plantation Drive	1.3
Howards Branch	Confluence with West Fork Trinity River	0.38 miles upstream of Lynncrest Drive	1.2
Stream HB-1	Confluence with Howards Branch	75 feet upstream of North Bellaire Drive	0.9
Hurricane Creek	Confluence with West Fork Trinity River	0.78 miles upstream of Bedford Road	5.1
Stream HC-1	Confluence with Hurricane Creek	0.45 miles upstream of Bedford Road	2.2
Hurricane Creek Tributary 1	Confluence with Hurricane Creek	1.21 miles upstream of Confluence with Hurricane Creek	1.2
East Fork Hurricane Creek	Confluence with Hurricane Creek	760 feet upstream of Park Avenue	0.8

Table 1 – Scope of Study(continued)
Stream Reaches Studied by Detailed Methods

<u>Stream Name</u>	<u>Downstream Limit</u>	<u>Upstream Limit</u>	<u>Length (mi)</u>
<u>Redelineation Detailed Study Streams</u>			
North Fork West Branch Hurricane Creek	Confluence with West Branch Hurricane Creek	1100 feet upstream of Confluence with West Branch Hurricane Creek	0.2
West Branch Hurricane Creek	Confluence with Hurricane Creek	650 feet upstream of Parkplace Avenue	1.0
Johnson Creek	25 feet Downstream of State Hwy 360 Access Road	20 feet upstream of High Point Road	8.9
Stream JC-1	Duncan Perry Road	0.83 miles upstream of Duncan Perry Road	0.8
Stream JC-2	Confluence with Johnson Creek	300 feet upstream of East Tucker Boulevard	0.6
Stream JC-3	Confluence with Johnson Creek	300 feet upstream of Access Road	1.2
Kee Branch	Confluence with Rush Creek	50 feet upstream of Swiney Heitt Road	5.4
Stream KB-1	Confluence with Kee Branch	530 feet upstream of Green Oaks Boulevard	0.9
Kings Branch	Confluence with Farmers Branch	400 feet upstream of Ridgemar Mall Exit/Entrance	2.5
Kirby Creek	Tarrant County/ Dallas County	0.42 miles upstream of Kirbywood Trail	0.5
Kirkwood Branch	Denton County/ Tarrant County	1820 feet upstream of Dove Street	2.9
Kirkwood Branch Tributary	Confluence with Kirkwood Branch	215 feet upstream of Village Access Drive	0.2
South Fork Kirkwood Branch	Confluence with Kirkwood Branch	0.53 miles upstream of Dove Street	2.0
Little Bear Creek	900 feet upstream of Big Gear Creek	1.47 miles upstream of Keller-Smithfield Road	14.7
Stream LB-1	Confluence with Little Bear Creek	360 feet upstream of Starnes Road	1.4
Stream LB-2	Confluence with Little Bear Creek	1600 feet upstream of North Tarrant Parkway	1.1

Table 1 – Scope of Study(continued)
Stream Reaches Studied by Detailed Methods

<u>Stream Name</u>	<u>Downstream Limit</u>	<u>Upstream Limit</u>	<u>Length (mi)</u>
<u>Redelineation Detailed Study Streams</u>			
Stream LB-3	Confluence with Little Bear Creek	1200 feet upstream of North Tarrant Parkway	0.5
Stream LB-6	Confluence with Little Bear Creek	1300 feet upstream of Confluence with Little Bear Creek	0.2
Tributary Little Bear 1	Confluence with Little Bear Creek	805 feet upstream of Private Dam	0.6
Tributary Little Bear 2	Confluence with Little Bear Creek	435 feet upstream of Quails Path	1.8
Little Fossil Creek	Confluence with Big Fossil Creek	70 feet upstream of Abandoned Railroad	11.9
Little Fossil Creek Split Flow	Confluence with Big Fossil Creek	Divergence from Little Fossil Creek	1.3
Stream LFC-1	Confluence with Little Fossil Creek	0.44 miles upstream of Middleton Drive	2.3
Stream LFC-2	Confluence with Little Fossil Creek	0.86 miles upstream of Quorum Drive	1.1
Live Oak Creek	Confluence with Lake Worth	75 feet upstream of Unnamed Road	4.2
Lorean Branch	Confluence with Walker Branch	75 feet upstream of Martin Road	5.5
Unnamed Tributary to Lorean Branch	Confluence with Lorean Branch	0.38 miles upstream of Confluence with Lorean Branch	0.4
Lynn Creek	Confluence with Walnut Creek 3	950 feet upstream of Matlock Road	6.3
Mackey Creek	Confluence with Big Fossil Creek	1170 feet upstream of Victoria Avenue	2.4
Mackey Creek Diversion North	Confluence with Big Fossil Creek	150 feet upstream of Richland Plaza Drive	0.7
Marine Creek	Confluence with West Fork Trinity River	1.38 miles upstream of Marine Creek Lake Dam	6.6
Marine Creek	Cromwell Marine Creek Road	0.39 miles upstream of Cromwell Marine Creek Road	0.4

Table 1 – Scope of Study(continued)
Stream Reaches Studied by Detailed Methods

<u>Stream Name</u>	<u>Downstream Limit</u>	<u>Upstream Limit</u>	<u>Length</u> <u>(mi)</u>
<u>Redelineation Detailed Study Streams</u>			
Marine Creek Split Flow	Confluence with Marine Creek	Origin of split flow into Commerce Street from Marine Creek	0.4
MC-4 Creek	1875 feet upstream of Confluence with Marine Creek	0.94 miles upstream of Confluence with Marine Creek	0.6
Stream MC-1	Confluence with Marine Creek	1800 feet upstream of Long Avenue	1.9
Stream MC-2	Confluence with Marine Creek	1.14 miles upstream of Confluence with Marine Creek	1.1
Marshall Branch	Denton County/ Tarrant County	1.55 miles upstream of Roanoke Road	1.9
Marys Creek	Confluence with Clear Fork Trinity River	0.66 miles upstream of North Access Road Interstate 30	7.8
South Marys Creek	Confluence with Marys Creek	Tarrant County/ Parker County	3.5
Stream MSC-1	Interstate Loop 820	0.41 miles upstream of Santa Clara Drive	1.7
Unnamed Tributary to Stream MSC-1	Confluence with Stream MSC-1	1690 feet upstream of Confluence with Stream MSC-1	0.3
Stream MSC-1A (Plantation West Creek)	Upstream Face of Chapin Road	500 feet upstream of Chamita Lane	1.3
Stream MSC-2	Confluence with Marys Creek	465 feet upstream of Chapin Road	1.4
Stream MSC-2A	Confluence with Stream MSC-2	U.S. Route 80	0.8
Stream MSC-3	Confluence with Marys Creek	0.48 miles upstream of Interstate Route 30	0.6
Mesquite Branch	Confluence with Lorean Branch Culvert	70 feet upstream of Precinct Line Road	0.03
North Creek	Tarrant County/ Johnson County	75 feet upstream of McAlister Road	2.3
Pantego Branch	Confluence with Rush Creek	1860 feet upstream of Smith-Barry Road	1.8

Table 1 – Scope of Study(continued)
Stream Reaches Studied by Detailed Methods

<u>Stream Name</u>	<u>Downstream Limit</u>	<u>Upstream Limit</u>	<u>Length (mi)</u>
<u>Redelineation Detailed Study Streams</u>			
Paschal Branch	Confluence with Ash Creek	70 feet upstream of Silver Creek Azle Road	0.7
Plantation East Creek	158 feet upstream of Chapin Road Headwall	1375 feet upstream of Bangor Drive	0.6
Ragland Branch	Confluence with Walnut Creek 3	1360 feet upstream of Ragland Road	0.9
Reynolds Branch	Confluence with Ash Creek	Tarrant County/ Parker County	0.4
Robertson Branch	1000 feet above Confluence with Big Fossil Creek	1.04 miles upstream of Confluence of Big Fossil Creek	0.9
Rush Creek	Confluence with Village Creek	0.53 miles upstream of Willow Oak Lane	14.0
Forest Park Tributary of Rush Creek	290 feet upstream of confluence with Rush Creek	510 feet upstream of Forest Park Drive	0.1
Northeast Tributary of Rush Creek	270 feet upstream of confluence with Rush Creek	195 feet upstream of Forest Park Drive	0.1
Rush Creek Relief Channel	Convergence with Village Creek	Divergence From Rush Creek	0.7
Stream RC-1	Confluence with Rush Creek	110 feet upstream of Bowen Road	1.7
Stream RC-1(A)	Confluence with Stream RC-1	65 feet upstream of Bowen Road	0.7
Stream RC-2	Confluence with Rush Creek	50 feet upstream of Arkansas Lane	1.0
Ryan's Branch	Confluence with Rush Creek	315 feet upstream of Roosevelt Drive	0.9
Silver Creek	Confluence with West Fork Trinity River	90 feet upstream of Silver Creek Road	0.6
Singing Hills Creek	Confluence with Big Fossil Creek	125 feet upstream of Starnes Road	4.2
South Creek	Confluence with Village Creek	25 feet upstream of Wichita Street	3.2

Table 1 – Scope of Study(continued)
Stream Reaches Studied by Detailed Methods

<u>Stream Name</u>	<u>Downstream Limit</u>	<u>Upstream Limit</u>	<u>Length (mi)</u>
<u>Redelineation Detailed Study Streams</u>			
North Branch of North Fork of South Creek	Confluence with North Fork of South Creek	85 feet upstream of Wichita Street	0.4
North Branch of North Fork of South Creek Split Flow	Confluence with North Fork of South Creek	Divergence from North Branch of North Fork of South Creek	0.9
North Fork of South Creek	Confluence with South Creek	75 feet upstream of Wichita Street	1.0
Sublett Creek	Confluence with Rush Creek	1.29 miles upstream of U.S. Route 287	4.4
Sulphur Branch	Confluence with Walker Branch	1600 feet upstream of Spring Lake Drive	4.9
Stream SB-1	Confluence with Sulphur Branch	Parkwood Drive	1.6
Unnamed Tributary to Sulphur Branch	Confluence with Sulphur Branch	East Hurst Boulevard	0.4
Stream SC-1	Confluence with Sycamore Creek	930 feet upstream of Collard Street	1.4
Stream SC-2	Confluence with Sycamore Creek	100 feet upstream of Union Pacific Railroad	1.0
Stream SC-3	Confluence with Sycamore Creek	40 feet upstream of Glen Gardens Avenue	1.0
Stream SC-4	Confluence with Sycamore Creek	1450 feet upstream of Yuma Avenue	0.7
Stream SC-5	Confluence with Sycamore Creek	1360 feet upstream of Drew Street	1.3
Stream SC-6	Confluence with Sycamore Creek	160 feet upstream of Gravel Road	1.0
Stream SC-6	1.37 miles upstream of Confluence with Sycamore Creek	1.61 miles upstream of Confluence with Sycamore Creek	0.2
Stream SC-7	Confluence with Sycamore Creek	275 feet upstream of Risinger Road	4.3
Stream SC-7A	Confluence with Stream SC-7	0.4 miles upstream of Hulen Park Circle	0.5

Table 1 – Scope of Study(continued)
Stream Reaches Studied by Detailed Methods

<u>Stream Name</u>	<u>Downstream Limit</u>	<u>Upstream Limit</u>	<u>Length</u> <u>(mi)</u>
<u>Redelineation Detailed Study Streams</u>			
Timber Creek Diversion	500 feet downstream Winscott Plover Road	Cozby West Storm Drain Outlet	0.3
South Timber Creek	Cozby West Storm Drain Inlet	565 feet upstream of Cozby West Storm Drain Inlet	0.1
Tributary B	Confluence with Big Fossil Creek	1295 feet upstream of Union Pacific Railroad	1.0
Tributary C	Confluence with Little Fossil Creek	405 feet upstream of DART (St. Louis & Southwestern Railway)	1.1
Twin Springs Draw	Confluence with Rush Creek	60 feet upstream of Bowen Road	0.5
Valley View Branch	Confluence with Walker Branch	1875 feet upstream of Louella Drive	4.0
Stream VVB-1	Confluence with Valley View Branch	1020 feet upstream of Yates Avenue	0.4
Village Creek	Confluence with West Fork Trinity River	Tarrant County/ Johnson County	23.0
Village Creek	Tarrant County/ Johnson County	Tarrant County/ Johnson County	0.3
Stream VC(A)-1	Confluence with Village Creek	50 feet upstream of Fielder Road	2.0
Stream VC(A)-2	Confluence with Village Creek	1200 feet upstream of Lake Arlington Road	0.7
Stream VC-1	Confluence with Lake Arlington	70 feet upstream of Freshfield Road	2.3
Stream VC-2	Confluence with Lake Arlington	190 feet upstream of U.S. Business 287	3.5
Stream VC-2A	Confluence with Stream VC-2	225 feet upstream of Martin Street	0.6
Stream VC-3	Confluence with Village Creek	County Road 2056	1.7
Stream VC-4	Confluence with Village Creek	1.11 miles upstream of Averett Road	2.4

Table 1 – Scope of Study(continued)
Stream Reaches Studied by Detailed Methods

<u>Stream Name</u>	<u>Downstream Limit</u>	<u>Upstream Limit</u>	<u>Length (mi)</u>
<u>Redelineation Detailed Study Streams</u>			
Stream VC-4A	Confluence with Stream VC-4	1650 feet upstream of County Road 2025	0.6
Stream VC-5	Confluence with Village Creek	1095 feet upstream of Oak Grove Road	4.9
Stream VC-6	Confluence with Village Creek	75 feet upstream of Old Grove Road	3.0
Stream VC-7	Confluence with Village Creek	1675 feet upstream of Airport Road	2.5
Walker Branch*	Confluence with West Fork Trinity River	530 feet upstream of Brookview Lane	11.2
Stream WKB-1	Confluence with Walker Branch	1025 feet upstream of Mid-Cities Boulevard	0.5
Tributary W-4	Confluence with Walker Branch	1300 feet upstream of Confluence with Walker Branch	0.2
Walnut Creek 1	Confluence with West Fork Trinity River	Tarrant County/ Parker County	1.7
Walnut Creek 2	Confluence with Marys Creek	2.55 miles upstream of Union Pacific Railroad	4.3
West Fork Trinity River*	Dallas County/ Tarrant County	Confluence with Eagle Mountain Lake	58.4
Stream WF(A)-1	Confluence with West Fork Trinity River	65 feet upstream of Ball Park Way	2.7
Stream WF(A)-2	Confluence with West Fork Trinity River	125 feet upstream of North Cooper Street	1.9
Stream WF-1	Confluence with West Fork Trinity River	0.49 miles upstream of Randol Mill Road	1.9
Stream WF-1A	Confluence with Stream WF-1	1410 feet upstream of Confluence with Stream WF-1	0.3
Stream WF-1B	Confluence with Stream WF-1	0.76 miles upstream of Confluence with Stream WF-1	0.8

*Portions of these reaches were studied in detail as part of this PMR.

Table 1 – Scope of Study(continued)
Stream Reaches Studied by Detailed Methods

<u>Stream Name</u>	<u>Downstream Limit</u>	<u>Upstream Limit</u>	<u>Length</u> <u>(mi)</u>
<u>Redelineation Detailed Study Streams</u>			
Stream WF-2	Confluence with West Fork Trinity River	1.27 miles upstream of Brentwood Stair Road	2.7
Stream WF-2A	Confluence with Stream WF-2	1550 feet upstream of Confluence with Stream WF-2	0.3
Stream WF-3	Confluence with West Fork Trinity River	1000 feet upstream of Forest Lake Dam	1.8
Stream WF-4	Confluence with West Fork Trinity River	85 feet upstream of Deridder Street	3.7
Stream WF-4	470 feet downstream of OK & T Railroad	1240 feet upstream of OK & T Railroad	0.3
Stream WF-5	Confluence with West Fork Trinity River	700 feet upstream of Long Avenue	1.8
Stream WF-7	Confluence with West Fork Trinity River	505 feet upstream of Nine Mile Bridge Road	1.4
Stream WF-7A	Confluence with Stream WF-7	0.87 miles upstream of Confluence with Stream WF-7	0.9
Stream WF-7B	Confluence with Lake Worth	950 feet upstream of Joe Elle Lane	0.6
Stream WF-9	Confluence with West Fork Trinity River	510 feet upstream of State Route 183	1.6
Stream WF-10	Confluence with West Fork Trinity River	60 feet upstream of Indian Creek Drive	1.7
Stream WF-10A	Confluence with Stream WF-10A	75 feet upstream of Springs Road	0.3
Stream WF-11	Confluence with Lake Worth	0.55 miles upstream of Las Vegas Trail	2.1
Unnamed Tributary to West Fork Trinity River	60 feet above Pipeline Road	1655 feet upstream of Summerbrook Drive	0.4
West Jones Branch	900 feet downstream of Dove Road	75 feet upstream of Kimball Avenue	1.1
Whites Branch	Confluence with Big Fossil Creek	875 feet upstream of Shriver Road	7.1

Table 1 – Scope of Study(continued)
Stream Reaches Studied by Detailed Methods

<u>Stream Name</u>	<u>Downstream Limit</u>	<u>Upstream Limit</u>	<u>Length (mi)</u>
<u>Redelineation Detailed Study Streams</u>			
Stream WB-1	Confluence with Whites Branch	1.21 miles upstream of Heritage Glen Drive	2.2
Unnamed Tributary to Stream WB-1	1100 feet above Confluence with Stream WB-1	0.58 miles upstream of Heritage Trace Parkway	0.7
Stream WB-2	750 feet above Shriver Road	0.8 miles upstream of Shiver Road	0.7
Stream WB-3	Confluence with Whites Branch	325 feet upstream of North Tarrant Parkway	1.0
Wildcat Branch	Confluence with Lake Arlington	0.49 miles upstream of Village Creek Road	2.2
Stream WC-1	Confluence with Wildcat Branch	650 feet upstream of Ramey Avenue	1.3
Willow Bend Creek	Williams Road	1580 feet upstream of Chapin Road	0.4
Willow Branch	Confluence with Walnut Creek 3	2.12 miles upstream of Confluence with Walnut Creek 3	2.1

Table 2, “Stream Name Changes” lists those streams whose name has changed or differs from those published in the previous FIS for Tarrant County or any of the communities within.

This FIS also incorporates, where applicable, the determinations of letters issued by FEMA resulting in map changes (Letter of Map Revision [LOMR], and Letter of Map Revision Based on Fill [LOMR-F]). Letters of Map Revision incorporated as part of this PMR have been shown in Table 3, Letters of Map Revision,” and are reflected in Table 2, “Floodway Data,” and Exhibit 1, “Flood Profiles.”

Table 2 – Stream Name Changes

<u>Community Name</u>	<u>Old Stream Name</u>	<u>New Stream Name</u>
City of Grand Prairie	North Fork of Fish Creek	North Fork of Fish Creek (Prairie Creek)
City of Grand Prairie and City of Arlington	Stream JC-1	Arbor Creek

Table 3 – Letters of Map Revision

<u>Case Number</u>	<u>Effective Date</u>	<u>Flooding Sources</u>	<u>Community Name</u>	<u>Panel Number</u>
05-06-A230P	11/30/2006	Dosier Creek	City of Fort Worth, Tarrant County Unincorporated Areas	48439C0045L
09-06-1017P*	07/20/2009	Kings Branch	City of Fort Worth	48439C0280K and 48439C0285L
09-06-1669P	10/28/2009	Little Fossil Creek	Cities of Blue Mound and Fort Worth	48439C0180L
09-06-2005P	08/19/2010	Stream LB-3	City of Keller	48439C0090L
09-06-3519P	10/13/2010	Unnamed Tributary to Singing Hills Creek	City of Watauga	48439C0205L
10-06-0163P	04/01/2010	Big Bear Creek	City of Keller	48439C0090L
10-06-0318P	01/25/2010	Tributary BB-12	City of Keller	48439C0090L
10-06-0337P	06/18/2010	Unnamed Tributary to Sycamore Creek	City of Fort Worth	48439C0320L
10-06-0419P	02/05/2010	Stream SC-7 and Hawkwood Branch	City of Fort Worth	48439C0315L and 48439C0430L
10-06-0960P*	05/19/2011	Little Fossil Creek	City of Saginaw	48439C0045L, 48439C0065L, 48439C0160K 48439C0180L
10-06-1011P*	07/28/2010	Mesquite Branch	City of North Richland Hills	48439C0205K and 48439C0210L
10-06-1224P*	05/05/2010	Tributary BB-9	City of Southlake	48439C0080K, 48439C0090L 48439C0095K

*LOMR was partially incorporated.

Table 3 – Letters of Map Revision (continued)

<u>Case Number</u>	<u>Effective Date</u>	<u>Flooding Sources</u>	<u>Community Name</u>	<u>Panel Number</u>
10-06-1411P	04/14/2010	LB4 Tributary and Little Bear Creek	City of North Richland Hills	48439C0090L
10-06-1455P	08/26/2010	Mesquite Branch	City of North Richland Hills	48439C0205L
10-06-1517X	03/16/2010	Robertson Branch	City of Fort Worth	48439C0065L
10-06-1675P	11/17/2010	Stream BFC-2 and Stream BFC-2A	City of Fort Worth	48439C0065L
10-06-1790P	10/03/2011	Kirby Creek	City of Grand Prairie	48439C0360L
10-06-1946P	06/10/2010	West Fork Trinity River	City of Fort Worth	48439C0215L and 48439C0220L
10-06-1954P	02/09/2011	Unnamed Tributary 1 to West Fork Trinity River	City of Fort Worth	48439C0195L and 48439C0310L
10-06-2029P*	07/15/2010	Unnamed Tributary 5 to Sycamore Creek	City of Fort Worth	48439C0315L
10-06-2537P	08/31/2010	Little Fossil Creek	City of Fort Worth	48439C0180L
10-06-2633P	08/24/2010	Hurricane Creek	City of Euless	48439C0230L
10-06-2635P	08/17/2010	Little Bear Creek	Cities of Bedford and Euless	48439C0230L
10-06-2742P*	08/30/2010	Unnamed Tributary 7 to Sycamore Creek and Unnamed Tributary to Unnamed Tributary 7 to Sycamore Creek	Tarrant County (Unincorporated Areas)	48439C0410K and 48439C0430L

*LOMR was partially incorporated.

Table 3 – Letters of Map Revision (continued)

<u>Case Number</u>	<u>Effective Date</u>	<u>Flooding Sources</u>	<u>Community Name</u>	<u>Panel Number</u>
10-06-2761P	09/12/2011	Stream WF-4	Cities of Fort Worth and Saginaw	48439C0180L
10-06-2936P	08/20/2010	Stream SC-7	City of Fort Worth	48439C0315L
10-06-2938P	10/13/2010	Henrietta Creek	City of Fort Worth and Tarrant County (Unincorporated Areas)	48439C0035L
10-06-2944P	10/14/2010	Unnamed Tributary to Stream LFC-2	City of Fort Worth	48439C0185L
10-06-2947P	09/28/2010	Henrietta Creek 6A, Henrietta Creek 6	City of Fort Worth and Tarrant County (Unincorporated Areas)	48439C0035L
10-06-2950P	10/15/2010	Stream SC-4	City of Fort Worth	48439C0310L
10-06-3064P	07/11/2011	Boyd Branch	City of Euless	48439C0230L
10-06-3318P	10/26/2010	Tributary BB-12	City of Keller	48439C0090L
10-06-3379P*	11/02/2010	West Fork Cement Creek	City of Fort Worth	48439C0160k and 48439C0180L
11-06-0089P	12/29/2010	South Fork Chambers Creek	City of Fort Worth	48439C0315L and 48439C0320L
11-06-0198P	03/08/2011	Stream BFC-2 and Stream BFC-2A	City of Fort Worth	48439C0065L
11-06-0468X	01/18/2011	Mesquite Branch	City of North Richland Hills	48439C0205L

*LOMR was partially incorporated.

Table 3 – Letters of Map Revision (continued)

<u>Case Number</u>	<u>Effective Date</u>	<u>Flooding Sources</u>	<u>Community Name</u>	<u>Panel Number</u>
11-06-0636P	07/07/2011	Little Bear Creek	Cities of Keller and North Richland Hills	48439C0090L
11-06-1037P*	03/09/2012	South Fork Deer Creek	City of Crowley	48439C0420K, 48439C0430L, 48439C0440K
11-06-1407P*	11/02/2011	Henrietta Creek, Henrietta Creek 5	City of Fort Worth	48439C0035L, 48439C0065L, 48121C0610G
11-06-1741P	03/29/2011	Henrietta Creek 6	City of Fort Worth	48439C0035L
11-06-2181P*	10/31/2011	Big Bear Creek	City of Keller	48439C0090L and 48439C0095K
11-06-2290P	06/21/2011	Stream BFC-2A	City of Fort Worth	48439C0065L
11-06-2332P	06/21/2011	Stream BFC-2A	City of Fort Worth and Tarrant County (Unincorporated Areas)	48439C0065L
11-06-2943P	08/11/2011	Stream CB-1 (New)	City of North Richland Hills	48439C0205L
11-06-4292X	10/07/2011	Little Bear Creek	City of North Richland Hills	48439C0090L
12-06-0532P	01/11/2012	Deer Creek	City of Fort Worth	48439C0430L
12-06-0679P	01/04/2012	Stream BFC-3	City of Fort Worth	48439C0065L
12-06-1037P	03/16/2012	Unnamed Tributary to Sulphur Branch	City of Fort Worth	48439C0220L

*LOMR was partially incorporated.

Table 3 – Letters of Map Revision (continued)

<u>Case Number</u>	<u>Effective Date</u>	<u>Flooding Sources</u>	<u>Community Name</u>	<u>Panel Number</u>
12-06-1456P*	10/31/2013	West Fork Cement Creek	City of Saginaw and City of Fort Worth	48439C0160K and 48439C0180L
12-06-1459P	05/20/2013	Kings Branch	City of Fort Worth	48439C0170L
12-06-3084P	07/11/2013	Boyd Branch	City of Fort Worth	48439C0230L
12-06-3303P	05/20/2013	Stream BFC-2A	City of Fort Worth	48439C0065L
13-06-0279P	08/12/2013	Big Bear Creek	City of Keller	48439C0090L
13-06-1283P	09/05/2013	Stream BFC-3	City of Fort Worth	48439C0065L
13-06-1913P	12/9/2013	North Branch of North Fork of South Creek	City of Forest Hill	48439C0320L
13-06-2205P	11/12/2013	Lynn Creek	City of Arlington	48439C0365L
13-06-3009P	05/29/2014	Stream BFC-2	City of Fort Worth	48439C0065L
13-06-3819P	09/29/2014	Unnamed Tributary 1 to Little Fossil Creek Unnamed Tributary 2 to Little Fossil Creek Unnamed Tributary of Unnamed Tributary 2 to Little Fossil Creek	City of Fort Worth	48439C0180L
14-06-1000P	12/17/2014	Unnamed Tributary of Hurricane Creek	City of Fort Worth	48439C0240L
14-06-1709P	04/01/2015	Lynn Creek	City of Grand Prairie	48439C0365L
14-06-2312P	08/05/2015	Little Bear Creek	City of North Richland Hills	48439C0090L
14-06-2601P	04/03/2015	Stream WF-5	City of Fort Worth	48439C0170L
14-06-3505P	07/29/2015	Stream BFC-4B	City of Fort Worth	48439C0065L

*LOMR was partially incorporated.

Table 3 – Letters of Map Revision (continued)

<u>Case Number</u>	<u>Effective Date</u>	<u>Flooding Sources</u>	<u>Community Name</u>	<u>Panel Number</u>
14-06-3506P*	08/03/2015	Big Bear Creek	City of Fort Worth	48439C0065L and 48439C0070K
14-06-4247P	05/22/2015	Stream BFC-2A	City of Fort Worth	48439C0065L
14-06-4249P	10/20/2015	Little Bear Creek	Cities of Bedford, Colleyville, and Euless	48439C0230L
15-06-0295P	08/25/2015	Stream BFC-2	City of Fort Worth	48439C0065L
15-06-0370P	11/13/2015	Clear Fork Trinity River	City of Fort Worth	48439C0285L
15-06-0830P	05/31/2016	Stream SC-5	City of Fort Worth	48439C0305L, 48439C0310L
15-06-2415P	04/13/2016	Stream WF-9	City of Forest Hill	48439C0215L
15-06-2612P	01/08/2016	West Fork Trinity River	City of Fort Worth	48439C0195L
15-06-2903X	11/10/2015	North Branch of North Fork of South Creek	City of Forest Hill	48439C0320L
15-06-4177P	08/11/2016	Little Bear Creek	City of Colleyville	48439C0230L
16-06-1109P	03/31/2016	West Fork Trinity River	City of Fort Worth	48439C0190L
16-06-1158P	09/30/2016	Stream SB-2	City of Fort Worth	48439C0220L
16-06-1438P	01/19/2017	Stream BFC-4, Stream BFC-4A	City of Fort Worth	48439C0065L
16-06-1790P*	06/06/2016	Sulphur Branch	City of Fort Worth	48439C0220L
16-06-2056P*	03/31/2017	Big Bear Creek	City of Keller	48439C0090L
16-06-3443P	08/03/2017	Tributary B	City of Haltom City	48439C0185L
17-06-0350P	12/11/2017	Stream LB-1	City of North Richland Hills	48439C0090L
17-06-0497P	12/01/2017	Stream BFC-4	City of Fort Worth	48439C0065L

*LOMR was partially incorporated.

Table 3 – Letters of Map Revision (continued)

<u>Case Number</u>	<u>Effective Date</u>	<u>Flooding Sources</u>	<u>Community Name</u>	<u>Panel Number</u>
17-06-0630P	08/17/2017	Clear Fork Trinity River	City of Fort Worth	48439C0190L
17-06-0726P	04/26/2017	Little Bear Creek	Cities of Colleyville and Euless	48439C0230L
17-06-1745P	01/25/2018	Little Fossil Creek	City of Saginaw	48439C0180L
17-06-2290P	04/05/2018	Farmers Branch	City of Westworth Village	48439C0170L
17-06-2864P	01/25/2018	Johnson Creek	City of Grand Prairie	48439C0245L
17-06-3146P*	06/29/2018	Johnson Creek and Tributaries	Cities of Arlington and Grand Prairie	48439C0240L, 48439C0245L, 48439C0355L, 49439C0365L
17-06-4048P	05/18/2018	Little Bear Creek	City of Euless	48439C0230L
17-06-4075P	07/16/2018	Stream CF-2	City of Fort Worth	48439C0285L
17-06-4076P	05/24/2018	Crestwood Sump	City of Fort Worth	48439C0170L
17-06-4077P*	07/13/2018	Edgecliff Branch, Misty Meadows Creek, Stream EB-1, Stream EB-1A	Town of Edgecliff Village	48439C0295K and 48439C0315L
17-06-4079P	05/24/2018	Marlborough Channel (Unnamed Tributary 6 to Sycamore Creek)	City of Fort Worth	48439C0315L
17-06-4080P	04/27/2018	Menefee Creek, Menefee Creek Tributary 1, Menefee Creek Tributary 2	City of Fort Worth	48439C0170L
17-06-4081P	05/14/2018	Stream WB-4	City of Haltom City	48439C0185L
17-06-4082P	07/16/2018	Warner Channel	City of Fort Worth	48439C0305L

*LOMR was partially incorporated.

2.2 Community Description

Tarrant County is located in north central Texas. It is bordered by Parker County to the west; Johnson County to the south; Dallas County to the east; Denton and Wise Counties to the north; and Ellis County to the southeast.

Tarrant County, which is comprised principally of the City of Fort Worth and its suburbs, is one of the great metropolitan counties within Texas. It has an area of approximately 898 square miles, with 75.2 square miles in the Big Fossil Creek Watershed. The population of Tarrant County was 1,446,219 in 2000; and 1,809,034 in 2010 (References 36 and 37). These figures include all the incorporated communities in the county.

Tarrant County has terrain characteristics of the Blackland Prairie. The topography throughout most of the county ranges from gently rolling to almost level, and elevations range from approximately 535 feet to approximately 850 feet.

The soils in the vicinity of Watauga, Blue Mound, Saginaw, Crowley, and Everman are generally deep and clayey with underlying limestone. The native vegetation in these areas consists of bunch and short grasses with scattered mesquite trees.

Around Southlake, Dallaswington Gardens, and Colleyville, the soils are generally deep loamy surface soils with clayey subsoils. The soils in the City of Keller are predominantly sandy loam except for the upper portion of Bear Creek, which is clay. The native vegetation in these areas consists of bunch and short grasses with scattered oak and mesquite trees.

The climate in the area is generally mild with a large range of annual and daily temperatures. Average rainfall is 32.30 inches. The maximum rainfall occurring during past years was 51.03 inches in 1932 and the minimum was 17.91 inches in 1921. The mean relative humidity is 65 percent, and the average temperature is 65.8 degrees Fahrenheit (°F) (Reference 38). Freezing temperatures and snowfall are occasionally experienced during the winter months. Summer temperatures are hot with moderately warm nights. The maximum recorded temperature extremes recorded in the county were 113°F and -8°F.

Big Fossil Creek originates in Tarrant County and flows southeast through the northeastern corporate limits of Fort Worth, through Haltom City, North Richland Hills, Richland Hills and Fort Worth to its confluence with the West Fork Trinity River. Little Fossil Creek is the major tributary to Big Fossil Creek and drains a large portion of the developed areas within the city. It originates near the northern corporate limits of Saginaw and flows southeast through Blue Mound, Fort Worth, Haltom City, and Fort Worth before joining Big Fossil Creek near its mouth. Whites Branch, a left bank tributary of Big Fossil Creek, originates north of Watauga and flows south through Watauga and northeast Fort Worth to its confluence with Big Fossil Creek just upstream of U.S. Route 377. Big Fossil Creek lies within the Grand Prairie and East Cross Timbers sections of the West Gulf Coastal Plain physiographic province.

Farmers Branch flows east through the City of White Settlement and into the West Fork Trinity River in the northern part of the City of Westworth Village. It has a drainage area of approximately 11.4 square miles.

The West Fork Trinity River is a major water course in Tarrant County. The West Fork Trinity River flows from the northwestern limits of the county to the eastern extent of the county. It flows through the Cities of Pelican Bay, Azle, Lakeside, Lake Worth, Fort Worth,

River Oaks, Westworth Village, Haltom City, Arlington, Grand Prairie, and the Town of Westover Hills. At the Fort Worth gage the West Fork Trinity River has a drainage area of approximately 2,615 square miles.

The City of Fort Worth, which is located in Tarrant, Denton, Parker, and Wise Counties, is the county seat of Tarrant County. The estimated 2009 population of the City of Fort Worth was 727,577, a 33.9 percent increase from the 2000 population (Reference 37). Fort Worth is located near the confluence of the Clear Fork Trinity River and the West Fork Trinity River. Fort Worth is on the eastern edge of the Fort Worth Prairie or Grand Prairie. Rolling blackland, with some rocky channels and steep slopes, are the dominant natural topographic features of the region, especially near and alongside streambeds. The main types of trees in the area include oak, pecan, elm, mesquite, and juniper.

2.3 Principal Flood Problems

Generally, the major floods experienced in Tarrant County are produced by heavy rainfall from frontal type storms which occur in the spring and summer months. Major flooding can be produced by the intense rainfall usually associated with localized thunderstorms. These thunderstorms may occur at any time during the year but are more prevalent in the spring and summer months.

Tarrant County has experienced a number of major flood events since its settlement in 1849. The following are brief descriptions of past flood events on several streams in Tarrant County. Although most of these descriptions relate to the incorporated areas of Tarrant County, they are indicative of the flood potential of the entire county.

Large floods occurred in the Bear Creek Watershed in 1935, 1942, 1949, 1957, 1962, 1964, and 1966 (Reference 39). Other lesser floods have occurred, such as those on May 7, 1969, and June 1961, but little definite information is available on them. The USGS has maintained a stream gaging station on Bear Creek at State Route 26 (Old Highway 121) since 1966. The historical flood information on Big Bear and Little Bear Creeks was obtained from the Bear Creek floodplain information report published in 1971 (Reference 39).

Significant floods occurred in the Little Bear Creek Watershed seven times during the period from 1935 to 1966. The most substantial flood in this period occurred in September 1964.

Large floods occurred in the Big Fossil Creek Watershed in September 1900, May 1908, April 1922, September 1932, April 1942, May 1949, May 1957, October 1959, June 1961, September 1962, September 1964, March 1968, and October 1981. Heavy rains on April 26, 1958, resulted in flash flooding on Little Fossil Creek and caused a death by drowning at a low water crossing. Another flood-related drowning occurred on March 20, 1968 on Little Fossil Creek downstream of the City of Blue Mound.

Floodwaters from Calloway Branch caused damage to structures in October 1971, September 20, 1974, and in October 1981.

Little specific flood data for Chambers Creek are available. Records show that damage-causing floods have occurred on Chambers Creek in 1922, 1949, 1952, and 1969 (Reference 40).

Some records of overbank flooding of Cottonwood Creek 2 in the City of Arlington were obtained from the Dallas Power and Light Company (DP&L), which operates the electric power plant at Mountain Creek Lake. Water from Mountain Creek Lake is used in the power plant, and the lake is kept at or near a set level. In order to operate the reservoir efficiently, DP&L maintains a system of stream flow and rainfall gages in the Mountain Creek Watershed that is used to predict the amount of water entering the reservoir. A staff gage was installed in 1937 just downstream of the Southwest Third Street bridge over Cottonwood Creek 2 and has been used by DP&L since that time to predict runoff based on flood heights from the Cottonwood Creek 2 Watershed. Data at the Cottonwood Creek 2 (Southwest Third Street) staff gage have only been collected during periods when Cottonwood Creek 2 flood flows were of real concern to reservoir operation. Data were gathered at the Southwest Third Street gage by DP&L that gave indications of moderate to major flooding at that point during 1949, 1957, 1962, 1964, 1965, and 1966. Evidence also shows that floods occurred twice in April 1942 and on April 26, 1957. Little specific data are available due to the lack of damageable structures in this portion of the floodplain.

The stream gage on Denton Creek located at State Route 121 in the City of Grapevine was established by the USGS in October 1947 (Reference 41). According to local resident interviews, historical data for Denton Creek begin in 1908 with a major flood which is the maximum known in the lower basin. However, no high water marks or related stage heights have been recorded. A flood in April 1942 reached 35.9 stage feet (from highwater marks) at the gage and is thought to be the second largest. Grapevine Dam, completed in 1952, regulates flow at the gage except from a 10.3 square mile local area between the dam and the gage.

Based on information from several nearby basins, it appears that floods occurred on Fish Creek in the following years: April 1942; May 1949; April 1957, 1962, and 1964; May 1965 and 1966; March 1968, 1971, 1974, and 1977; and April 1979.

Five inches of rain were measured in the Hogpen Branch Watershed in a 45-minute period on May 22, 1982. Storm data logs from the National Weather Service indicate probable flooding on October 6, 1982.

Historical flood information on Marine Creek began in 1907; however, no stage elevation data are available. Large floods occurred on Marine Creek in 1908, April 1922, February 1938, April 1942, and 1957. The largest known flood occurred in April 1942, with an estimated discharge of 22,300 cubic feet per second (cfs).

Large floods are known to have occurred in April 1922 and May 1949 in the Marys Creek Watershed. No estimate of the recurrence intervals of these floods is available.

Records indicate that flooding occurred on Rush Creek in 1922, 1949, 1957, and 1968; however, no structural flood damages were recorded for the City of Dalworthington Gardens (Reference 42).

The USGS has maintained a gaging station on Sycamore Creek at the upstream side of Interstate Route 35W since 1969. From this source and the State Department of Highways and Public Transportation, it is known that major floods occurred in 1938, 1977, and 1979.

Flooding problems occurred along the upper portion of Timber Creek in the City of Benbrook on a regular basis prior to 1982; the area is relatively flat, and natural drainage

patterns were poorly defined. In 1982, the city completed a concrete-lined drainage channel, which has alleviated flooding from smaller storms.

A similar problem exists on Plantation East Creek, where encroachments on the floodplain have caused frequent flooding of streets and houses. Floods occurred on Plantation East Creek in August 1974, July 1975, May 1989, and May 1990. The estimated recurrence intervals of these floods ranged from 10 to 25 years.

A search of the historical information indicates that large flows occurred on the West Fork Trinity River in May 1866, May 1908, April 1922, June 1941, May 1949, May 1957, and November 1981. The May 1866 flood caused considerable damage along the Trinity River, but no specific data related to this flood are available. The May 1908 flood produced a peak discharge of 184,000 cfs in Dallas County. Based on present conditions, a flood of this magnitude would have a recurrence interval of approximately 500 years. No major floods have occurred on the Clear Fork of Trinity River in the Benbrook area since Lake Benbrook was put into operation in 1952.

There are no existing stream gaging stations in the Village Creek Watershed; however, there was a gage in the lower portion of Village Creek during from June 1925 through March 1930 (Reference 41). The description for this gage indicates that the flood of April 1922 was the largest flood known at that time. Subsequent information obtained from residents and newspaper accounts indicates that the floods of May 1949 and April 1957 were of approximately the same magnitude as the 1922 flood. The recurrence interval for these floods was between 20 and 40 years. The 1949 flood was observed to have overtopped the New Orleans (Southern Pacific) Railroad bridge in Kennedale by at least one foot. Other floods of lesser magnitude occurred on Village Creek in 1916, 1945, 1962, 1964, 1965, 1968, 1969, 1979, 1970, 1976, 1977, 1979, 1980, and 1985. Estimates of frequencies of these floods are unavailable.

Historical flood information on Walnut Creek 3 has been documented since about 1900. Since that date, the highest stage probably occurred on May 25, 1922 (stage unknown). Another large flood occurred on September 26 and 27, 1936, when 7.47 inches of rain fell in two days. The USGS established a water-stage recording gage on Walnut Creek 3 at County Road 2016 in September 1960. Since the installation of the gage, the highest stage, 559.1 feet, was recorded during the floods of May 6 and 7, 1969, and June 4, 1973.

It is seldom possible to determine the conditions that existed at the sites of the historical high-water marks or discharge estimate. The hydrologic determinations for this study are based on existing stream and watershed conditions which may differ from the conditions that existed at the time of the historic flood. Additionally, the frequency of occurrence estimates that were mentioned previously may not be valid because the watersheds have changed from the time of historic floods.

2.4 Flood Protection Measures

Lake Joe Pool is a reservoir that is located primarily in the City of Grand Prairie. It does, however, affect the following streams: Bowman Branch within the City of Arlington; Low Branch in the City of Mansfield and in the unincorporated areas of the county; and Lynn Creek and Walnut Creek 3 within the unincorporated areas of the county. This reservoir was designed for the purposes of water supply and also to provide flood protection.

A detailed master drainage plan was developed for the Sulphur Branch Watershed in the Bedford area. The preliminary report for the plan was published in March 1975 (Reference 43).

Benbrook Dam is the only major flood control project in the City of Benbrook. Benbrook Lake and Benbrook Dam are operated by the USACE. The plan for regulation of this lake limits 100-year discharges to the Clear Fork Trinity River to 6,000 cfs. Numerous small channel dams in the city have no effect in reducing flooding.

Man-made reservoirs have significantly altered flood flows in the vicinity of the City of Fort Worth. The major reservoirs in this region are Lake Worth, Eagle Mountain Lake, and Lake Bridgeport on the West Fork Trinity River; Benbrook Lake on the Clear Fork Trinity River; and Lake Arlington on Village Creek. Flood control reservoirs on Marine Creek and Cement Creek also have a substantial impact on local runoff. There are numerous minor dams within the city.

Lake Worth is owned by the City of Fort Worth. Eagle Mountain Lake and Lake Bridgeport are owned and operated by Tarrant Regional Water District. These reservoirs do not contain storage space specifically allocated for flood control. They are primarily designed and operated for water supply but do significantly reduce peak flows on the West Fork Trinity River.

Lake Arlington is owned and operated by the City of Arlington. This reservoir and its structure are intended to provide a reliable water supply and minimize storm flows in the lower portions of Village Creek.

Grapevine Dam on Denton Creek is the only major flood control project affecting the City of Grapevine. The reservoir, which provides flood control, water supply, and recreation, began operation in 1952. Grapevine Lake also affects the City of Southlake.

There are no significant flood damage prevention measures along Little Fossil Creek in the vicinity of Haltom City. There have been several studies made of the flood problems along the stream, with recommended improvements to alleviate the flooding (Reference 44). A study prepared by Rady & Associates, Inc., proposed channel improvements from the Missouri-Kansas-Texas Railroad upstream to Haltom Road (Reference 45).

FEMA specifies that all levees meet and continue to meet, minimum design, operation, and maintenance standards consistent with the level of protection sought through the comprehensive flood plain management criteria established by 44 CFR 65.10. The levees described below meet these requirements.

A series of levees was constructed along the West Fork Trinity River and the Clear Fork Trinity River. The levees in Fort Worth minimize the flood hazard from the 1-percent-annual-chance flood with a minimum of 10 feet of freeboard above the 1-percent-annual-chance flood elevation. These levees were constructed by the USACE. The local sponsor of the project, the TRWD operates and maintains these levees. These levees are inspected annually by the USACE and TRWD. The natural ground elevation at the landside toe of the levee on the right bank of the West Fork Trinity River in the North Park Drive area just downstream of Interstate Highway 35, the left bank of the Clear Fork Trinity River in the area of West Lancaster Avenue and Stayton Street, the right bank of the Clear Fork Trinity River in the Holly Water Treatment Plant area near West Lancaster Avenue just north of Interstate Highway 30, and the right bank of the Clear Fork Trinity River just

downstream of the confluence with Stream CF-3 near South Hulen Street and Riverglen Drive is higher than the 1-percent-annual-chance flood elevation.

Work on a flood control project on Big Fossil Creek was completed on January 5, 1967. This improvement involved new channel alignment, channel enlargement, and a levee with interior drainage facilities behind and through the levee system. The area behind the levee on the east bank of Big Fossil Creek, however, is still subject to some flooding from interior drainage sources. This flooding would result from heavy rainfall on the 1.5 square miles that drain into the levee sump area and would be primarily only nuisance flooding up to 1-percent-annual-chance flood. The levee is constructed along the southwestern boundary of Richland Hills from Baker Boulevard to State Route 121. Haltom City lies on the right bank of this improvement project. Floodwaters either drain by gravity or are pumped into Big Fossil Creek. This project was designed and constructed to provide protection against a standard project flood on Big Fossil Creek (Reference 44). The standard project flood has been defined as the largest flood that can be expected from the most severe storm. The local sponsor of the project is the City of North Richland Hills and maintains the levees as part of overall project operation.

This FIS reflects the construction of three separate levees on Village Creek owned and maintained by the City of Fort Worth Water Department. The City of Fort Worth provides continuous maintenance and improvement on the levees. The levees are located in the Vicinity of Greenbelt and Green Oaks Boulevard. The sites are the wastewater treatment plant, the sludge only landfill and the sludge drying bed site. The levee system exceeds the 1-percent-annual-chance protection level with the required freeboard. In 1993, the treatment plant levee was raised to elevation 488 feet msl. The sludge only landfill levee is elevation 487.7 feet msl, and the sludge drying bed levee is at elevation 484 feet msl.

The Riverbend levee is located on West Fork Trinity River in the vicinity of Randol Mill Road and Interstate Loop 820. The Riverbend levee is owned and maintained by the TRWD. The City of Fort Worth maintains and operates the pump station at this location. This levee meets minimum design, operation, and maintenance standards consistent with the level of protection sought though the comprehensive flood plain management criteria established by 44CFR65.10.

Channelization projects have been used to help alleviate flooding problems on many streams within the county, especially as they pass through developed areas.

Non-structural measures of flood protection in the form of land-use regulations are being used to aid in the prevention of future flood damage in Tarrant County and its incorporated areas.

3.0 ENGINEERING METHODS

For the flooding sources studied by detailed methods in the county, standard hydrologic and hydraulic study methods were used to determine the flood-hazard data required for this study. Flood events of a magnitude that is expected to be equaled or exceeded once on the average during any 10-, 50-, 100-, or 500-year period (recurrence interval) have been selected as having special significance for floodplain management and for flood insurance rates. These events, commonly termed the 10-, 50-, 100-, and 500-year floods, have a 10-, 2-, 1-, and 0.2-percent chance, respectively, of being equaled or exceeded during any year. Although the recurrence interval represents the long-term, average period between floods of a specific magnitude, rare floods could occur at short intervals or even within the same year. The risk of experiencing a rare flood increases

when periods greater than 1 year are considered. For example, the risk of having a flood that equals or exceeds the 1-percent-annual-chance flood in any 50-year period is approximately 40 percent (4 in 10); for any 90-year period, the risk increases to approximately 60 percent (6 in 10). The analyses reported herein reflect flooding potentials based on conditions existing in the community at the time of completion of this study. Maps and flood elevations will be amended periodically to reflect future changes.

3.1 Hydrologic Analyses

Hydrologic analyses were carried out to establish peak discharge-frequency relationships for each flooding source studied by detailed methods affecting the community.

3.1.1 New Detailed Study Streams

2009 Countywide Revision

Hydrologic methods used for the 2009 revision are in accordance with FEMA Guidelines and Specifications for Flood Hazard Mapping Partners dated April 2003 (Reference 46). The analytical approach generally followed the Natural Resources Conservation Service (NRCS), formerly the SCS, procedures as outlined in Technical Release Number 55 (TR-55) (Reference 47). The hydrologic rainfall/runoff model developed by the USACE Hydrologic Engineering Center (HEC), HEC-HMS Version 2.2.2 (May 2003), was used to estimate peak discharges in Tarrant County (Reference 48).

The primary source of terrain data used for this study was provided from the NCTCOG. NCTCOG provided the 2001 Light Detection and Ranging (LIDAR) topographical data for stream corridors in Tarrant County, TX. Additional topographical data sources were provided by National Geospatial-Intelligence Agency (NGA), and the Cities of Burleson, Grand Prairie, Haltom City, Hurst, and Keller. Each of these datasets was provided as best available data for their locations. The terrain data was used along with the HEC-GeoHMS extension to generate the sub-basin delineations.

Tarrant County rainfall totals for the frequency floods were obtained from the USGS Atlas of Depth-Duration Frequency of Precipitation Annual Maxima for Texas, Scientific Investigations Report 2004-5041. A 24-hour duration triangular balance distributed hypothetical storm was used for the various frequency event simulations in HEC-HMS.

Soils information was obtained from the U.S. Department of Agriculture, NRCS Soil Survey Geographic (SSURGO) database for Tarrant County published in September 2002 (Reference 49). Hydrologic Soil type D is generally the dominant soil in the study watersheds. An existing 2000 land use map was obtained from the NCTCOG and confirmed using the 2003 digital orthophotos.

Runoff losses were computed using the NRCS Loss Rate Method. Composite, soil based curve numbers were computed for each sub-basin using GIS Tools. Percent impervious values were computed based on the composite land use for each sub-basin.

The NRCS dimensionless unit hydrograph was selected to compute the unit hydrograph. The time of concentration calculations were split into three sections including overland, shallow, and channel flow. Overland flow was calculated using the coefficient of velocity. Times of concentration (t_c) were computed using a modified velocity method outlined in

the NRCS Technical Release 55 for shallow, and channel flow (Reference 47). Lag time (t_{lag}) for each watershed was calculated by using the equation $t_{lag} = (0.6)t_c$.

The Modified PULS method was selected to route the hydrographs for most reaches. Discharge-storage relationships were computed using the HEC-RAS models developed for the hydraulic studies for Tarrant County. The RAS models were generated using HEC-GeoRAS and the Triangular Irregular Network (TIN) developed specifically for this study from available topography.

New detailed hydrologic analyses were prepared for Big Bear Creek and Stream HEN-2. Many aspects of these new detailed analyses are the same as the general discussion in Section 3.1.1, with the following exceptions.

Big Bear Creek

In preparation of a new hydrologic model for the Big Bear Creek, the primary source of terrain data was developed from the NCTCOG 2001 LIDAR. The NCTCOG 2001 LIDAR terrain data was supplemented with 2005 topographic data provided by the City of Keller, 2003 LIDAR data acquired by NGA and 2 foot contour interval topography terrain data provided by the city of Grand Prairie, Texas.

Areal reduction of point rainfall was estimated for selected storm areas using the method outlined in the National Weather Service (NWS) Technical Paper No. 40 (TP-40) (Reference 50), which is incorporated in the HEC-HMS model. This method was only applied to contributing drainage areas greater than 10 sq. mi. Simulations were computed for each storm event with varying storm areas. Adjustments were automatically made to the frequency storm by HEC-HMS based on exceedance probability. The resulting peak flow rates were tabulated and each design point was interpolated to the closest storm area to determine the peak discharge for each subbasin.

The new detailed hydrologic modeling of Big Bear Creek calculated new hydrology for several tributaries of Big Bear Creek, including Little Bear Creek, for Big Bear Creek hydrology purposes only. The hydrology calculated for the Big Bear Creek tributaries, including Little Bear Creek, in this detailed study does not update or substitute the prior effective hydrology for these tributaries.

Stream HEN-2

The primary source of terrain data used for this hydrologic study was developed from the NCTCOG 2001 LIDAR data obtained from the City of Haslet. The terrain data was used along with the HEC-GeoHMS extension to generate the sub-basin delineations.

The new detailed hydrologic modeling of Stream HEN-2 calculated new hydrology for several tributaries of Stream HEN-2, including Stream HEN-2A, for Stream HEN-2 hydrology purposes only. The hydrology calculated for the Stream HEN-2 tributaries, including Stream HEN-2A, in this detailed study does not update or substitute the prior effective hydrology for these tributaries.

March 21, 2019 PMR New Detailed Studies

2010 RAMPP Study

The hydrologic analyses of discharges for this study were based on design storms computed using HEC-HMS Version 3.5 (August 2010), was used to estimate peak discharges in Tarrant County for Big Fossil Creek, Calloway Branch, Dry Branch, Sycamore Creek, and Walker Branch (Reference 51). The HEC-HMS computer program computes flood hydrographs using a unit hydrograph defined by the SCS method parameters. The estimated SCS Curve Number, the lag time (t_p), drainage basin characteristics coefficient, the storm rainfall, and drainage areas were defined as input parameters. The SCS Curve Number method and the Snyder's Unit Hydrograph method were used to determine the loss-rate and to transform rainfall excess into surface runoff. The Modified Puls method was used to route the flow through the channel of the streams being studied. The Muskingum-Cunge method was used to route the flow through the streams which contribute to the study streams, but were not studied. Rainfall data was obtained from the NCTCOG Integrated Stormwater Policy Guidebook & Design Manual for Development/Redevelopment (Reference 52) and is based on the USGS Depth-Duration Frequency of Precipitation for Texas, Water Resource Investigations Report 98-40441.

Areal reduction of point rainfall was estimated for selected storm areas using the method outlined in the National Weather Service (NWS) Technical Paper No. 40 (TP-40) (Reference 50), which is incorporated in the HEC-HMS models for Big Fossil Creek and Sycamore Creek. This method was only applied to contributing drainage areas greater than 10 sq. mi. Simulations were computed for each storm event with varying storm areas. Adjustments were automatically made to the frequency storm by HEC-HMS based on exceedance probability. The resulting peak flow rates were tabulated and each design point was interpolated to the closest storm area to determine the peak discharge for each subbasin.

The primary source of terrain data used for this study was the 2009 LiDAR topographical data for Tarrant County, Texas, which was provided from the Texas Natural Resources Information System (TNRIS). The terrain data was used along with the HEC-GeoHMS extension to generate the sub-basin delineations.

New detailed hydrologic modeling was not performed for West Fork Trinity River and will not substitute the prior effective hydrology for this reach.

City of Arlington Cottonwood Creek and Fish Creek Watersheds Flood Protection Plan Study

Peak discharges for all reaches in this study were computed using HEC-HMS Version 3.4. Hydrologic parameters for the models used in this study were obtained from the following sources:

The terrain data used for this study was the 2001 NCTCOG LiDAR topographical data. This terrain data, along with digital storm sewer information, USGS survey data, and current aerial photography, was used to generate the sub-basin delineations.

Rainfall data for the streams in this study was obtained from the *U.S. Department of Commerce, Technical Paper No. 40* (May, 1961) and *National Oceanic and Atmospheric Administration, Technical Memorandum Hydro-35* (June, 1977).

Soil data for this study was obtained from the NRCS SSURGO database for Tarrant County, dated October 2009.

Runoff losses were computed using NRCS curve numbers. Soil and land use data were used to compute the curve numbers for each watershed.

The Modified Puls method was selected to route the hydrographs for all reaches in this study.

City of Grand Prairie CTP FY10 Risk MAP Study

Peak discharges for all reaches in this study were computed using HEC-HMS Version 3.5. Hydrologic parameters for the models used in this study were obtained from the following sources:

The terrain data used for this study was the 2009 LiDAR topographical data provided by the City of Grand Prairie, Texas. This terrain data, along with digital storm sewer information and current aerial photography, was used to generate the sub-basin delineations.

Rainfall data for the streams in this study was obtained from the *City of Grand Prairie Drainage Design Manual* dated November 2008.

Soil data for this study was obtained from the NRCS SSURGO database for Tarrant and Dallas Counties, dated October 2009.

Runoff losses were computed using NRCS curve numbers. Soil and land use data were used to compute the curve numbers for each watershed.

The Modified Puls method was selected to route the hydrographs for all reaches in this study.

City of Grand Prairie CTP FY12 Risk MAP Study

Peak discharges for all reaches in this study were computed using HEC-HMS Version 3.5. Hydrologic parameters for the models used in this study were obtained from the following sources:

The terrain data used for this study was the 2009 LiDAR topographical data provided by the City of Grand Prairie, Texas. This terrain data, along with digital storm sewer information and current aerial photography, was used to generate the sub-basin delineations.

Rainfall data for this study was obtained from the *City of Grand Prairie Drainage Design Manual* dated November 2008.

Soil data for this study was obtained from the NRCS SSURGO database for Tarrant and Dallas Counties, dated October 2009.

Runoff losses were computed using NRCS curve numbers. Soil and land use data were used to compute the curve numbers for each watershed.

The Modified Puls method was selected to route the hydrographs for all reaches in this study.

3.1.2 Redelineation Detailed Study Streams

The redelineated streams were initially studied by detailed methods. These flooding sources include all those listed in the redelineation section of Table 1 unless identified otherwise below.

The effective and revised hydrologic analyses in the previous FIS reports for Tarrant County and its incorporated areas were derived from a variety of methods. In general, the synthetic unit hydrograph method, the rational method, NUDALLS, SCS TR-20, and HEC-1 computer programs were used to compute the peak discharges in the watersheds of each stream studied by detailed methods (Reference 53). Routing of the flood hydrographs through each sub-basin reach was accomplished using a Modified PULS reservoir routing. The HEC-2 backwater model provided the elevation-discharge storage relationships for each reach (References 54 and 55).

In order to ensure continuity across jurisdictional boundaries in the countywide FIS, hydrologic data was adjusted or added in some areas in the vicinity of the jurisdictional boundaries.

NWS TP-40, National Oceanic and Atmospheric Administration (NOAA) Technical Memorandum NWS Hydro-35, and USACE Civil Engineer Bulletin No. EM 1110-2-1411 were used in developing the 10-, 2-, and 1-percent-annual-chance flood events (Reference 50). The 0.2-percent-annual-chance flood event was based on extrapolated data from these sources.

For the City of Fort Worth, the hydrologic analyses for Stream BFC-4B, Stream CF-3C, Stream CF-4, Stream CF-4A, Stream MSC-1A, Stream MSC-2A, Stream SC-4, Stream EB-1, Stream WF-2A, Stream WF-7B, and Stream VC-2A were developed by semi-log graphic extrapolation of frequency equations from 2 to 100 years. The 10-, 2-, 1-, and 0.2-percent-annual-chance discharges were determined by this method for selected points on each stream. Discharge-frequency curves for these streams are presented in Figure 1.

The new detailed studies included in the 2009 revision for North Fork Fish Creek, Hogpen Branch, Johnson Creek, Stream JC-1, Low Branch, Stream MSC-1A (Plantation West Creek), Nichols Branch, Plantation East Creek, Pond Branch, Timber Creek, Walnut Creek 3, Watson Branch, West Fork Trinity River, and Willow Bend Creek use the previous effective FIS discharges and do not update or substitute the prior effective hydrology.

Peak discharge-drainage area relationships for the streams studied by detail methods are shown in Table 4, “Summary of Discharges”.




FIGURE 1

FEDERAL EMERGENCY MANAGEMENT AGENCY
TARRANT COUNTY, TX
AND INCORPORATED AREAS

FREQUENCY-DISCHARGE, DRAINAGE AREA CURVES

STREAM BFC-4B




FIGURE 1

FEDERAL EMERGENCY MANAGEMENT AGENCY

TARRANT COUNTY, TX
AND INCORPORATED AREAS

FREQUENCY-DISCHARGE, DRAINAGE AREA CURVES

STREAM CF-3C




FIGURE 1

FEDERAL EMERGENCY MANAGEMENT AGENCY
TARRANT COUNTY, TX
AND INCORPORATED AREAS

FREQUENCY-DISCHARGE, DRAINAGE AREA CURVES

STREAM CF-4




FIGURE 1

FEDERAL EMERGENCY MANAGEMENT AGENCY

TARRANT COUNTY, TX
AND INCORPORATED AREAS

FREQUENCY-DISCHARGE, DRAINAGE AREA CURVES

STREAM CF-4A




FIGURE 1

FEDERAL EMERGENCY MANAGEMENT AGENCY

TARRANT COUNTY, TX
AND INCORPORATED AREAS

FREQUENCY-DISCHARGE, DRAINAGE AREA CURVES

STREAM EB-1





FIGURE 1

FEDERAL EMERGENCY MANAGEMENT AGENCY
TARRANT COUNTY, TX
AND INCORPORATED AREAS

FREQUENCY-DISCHARGE, DRAINAGE AREA CURVES

STREAM MSC-1A

FIGURE 1



FEDERAL EMERGENCY MANAGEMENT AGENCY

TARRANT COUNTY, TX
AND INCORPORATED AREAS

FREQUENCY-DISCHARGE, DRAINAGE AREA CURVES

STREAM MSC-2A

PEAK DISCHARGE
1000 (CUBIC FEET PER SECOND)




FIGURE 1


FEDERAL EMERGENCY MANAGEMENT AGENCY
TARRANT COUNTY, TX
AND INCORPORATED AREAS

FREQUENCY-DISCHARGE, DRAINAGE AREA CURVES

STREAM SC-4

FIGURE 1
FEDERAL EMERGENCY MANAGEMENT AGENCY
TARRANT COUNTY, TX
AND INCORPORATED AREAS

FREQUENCY-DISCHARGE, DRAINAGE AREA CURVES
STREAM WF-2A



PEAK DISCHARGE
1000 (CUBIC FEET PER SECOND)




FIGURE 1

FEDERAL EMERGENCY MANAGEMENT AGENCY

TARRANT COUNTY, TX
AND INCORPORATED AREAS

FREQUENCY-DISCHARGE, DRAINAGE AREA CURVES

STREAM WF-7B

PEAK DISCHARGE
1000 (CUBIC FEET PER SECOND)




FIGURE 1

FEDERAL EMERGENCY MANAGEMENT AGENCY
TARRANT COUNTY, TX
AND INCORPORATED AREAS

FREQUENCY-DISCHARGE, DRAINAGE AREA CURVES

STREAM VC-2A

TABLE 4 – SUMMARY OF DISCHARGES

FLOODING SOURCE AND LOCATION	DRAINAGE AREA (sq. mile)	PEAK DISCHARGES (cfs)				
		10% Annual Chance	2 % Annual Chance	1% Annual Chance	0.2% Annual Chance	
<u>New Detailed Study Streams</u>						
ARBOR CREEK						
At Duncan Perry Road	1.14	2,600	3,200	3,500	4,000	
Below Tarrant Road	1.32	2,500	3,700	4,000	4,800	
BIG BEAR CREEK						
At State Route 183	77.13	15,500	25,270	31,080	46,330	
At the confluence with Tributary BB-1	43.20	9,850	16,740	19,920	29,800	
Approximately 2,800 feet downstream of State Highway 26	30.26	9,750	16,080	18,530	28,480	
Approximately 800 feet downstream of the confluence with Tributary BB-15	25.03	9,310	14,820	17,410	26,280	
Approximately 500 feet downstream of Davis Boulevard	17.90	8,220	12,580	14,810	22,710	
At US Highway 377	6.89	3,870	6,130	7,270	10,330	
BIG FOSSIL CREEK						
At confluence with West Fork Trinity River	76.63	21,040	34,780	41,050	59,590	
Upstream of confluence of Little Fossil Creek	56.34	18,520 ²	27,810	30,970 ²	43,590	
Upstream of confluence of Stream BFC-5	54.35	18,550 ²	27,660 ²	31,370 ²	43,190 ²	
Upstream of confluence of Mackey Creek	52.80	18,670	27,690	31,570	43,490	
Upstream of confluence of Singing Hills Creek	44.03	18,150	26,390	30,160	40,700	
Upstream of confluence of Whites Branch	32.37	12,920	20,200	23,550	33,460	
Upstream of confluence of Stream BFC-2	22.42	10,230	15,970	18,590	24,810	
Upstream of confluence of Stream BFC-3	18.12	9,210	13,700	15,750	20,170	
Upstream of confluence of Stream BFC-4	9.18	4,800	6,490	7,200	10,740	
Approximately 2,200 feet upstream of BNSF Railroad	6.63	3,830	5,770	6,730	9,090	
Approximately 800 feet downstream of Wagley Robertson Road	4.69	3,050	4,450	5,160	6,990	
Approximately 3,000 feet downstream of Hicks Road	2.76	2,070	3,010	3,470	4,670	

TABLE 4 – SUMMARY OF DISCHARGES (continued)

FLOODING SOURCE AND LOCATION	DRAINAGE AREA (sq. mile)	PEAK DISCHARGES (cfs)				
		10% Annual Chance	2 % Annual Chance	1% Annual Chance	0.2% Annual Chance	
<u>New Detailed Study Streams</u>						
COTTOWOOD CREEK 2						
640 feet above Craig Hanking Drive	0.29	750	1,050	1,150	1,500	
At Chicory Lane	0.38	750	1,050	1,150	1,500	
100 feet above Carter Drive	0.53	1,000	1,450	1,600	2,000	
170 feet above long culverts under State Highway 360	0.93	1,900	2,600	2,900	3,600	
70 feet below State Highway 360	1.06	1,950	2,600	3,000	3,900	
650 feet above Susan Drive	1.14	2,000	2,700	3,200	4,200	
800 feet above the confluence with Stream CC-2	1.18	2,100	2,800	3,200	4,300	
1,100 feet above Timberlake Drive	2.39	4,400	5,700	6,400	7,800	
300 feet above Timberlake Drive	2.49	4,500	5,900	6,600	8,100	
At Timberlake Drive	2.78	4,900	6,600	7,400	9,200	
At the confluence with Stream CC-1	3.00	5,200	7,000	7,900	10,000	
30 feet above Great Southwest Parkway	3.13	5,400	7,300	8,200	10,300	
100 feet below Great Southwest Parkway	3.71	6,400	8,800	9,800	12,400	
4,700 feet above the confluence with Daniels Branch	3.93	6,500	9,000	10,000	12,600	
UNNAMED TRIBUTARY TO STREAM BFC-4A						
Downstream of US Highway 81	0.22	312	467	540	754	
At confluence with Stream BFC-4A	0.39	345	505	589	814	
STREAM BFC-4B						
Approximately 960 feet upstream of BNSF Railroad	0.80	1,247	1,947	2,299	3,426	
Approximately 5,630 feet upstream of BNSF Railroad	0.36	568	874	1,026	1,510	
CALLOWAY BRANCH						
At its confluence with Walker Branch	6.94	3,400	5,660	6,870	10,890	
Immediately downstream of I-820	4.71	3,600	5,650	6,680	10,120	
Downstream of confluence of Stream CB-1 (Old) Diversion Channel	2.10	2,040	3,280	3,910	5,890	
Immediately upstream of confluence with Stream CB-2	1.07	1,040	1,670	1,990	3,000	
At Hightower Drive	0.42	410	670	780	1,180	
At Starnes Road	0.23	220	360	430	650	

TABLE 4 – SUMMARY OF DISCHARGES(continued)

FLOODING SOURCE AND LOCATION	DRAINAGE AREA (sq. mile)	PEAK DISCHARGES (cfs)				
		10% Annual Chance	2 % Annual Chance	1% Annual Chance	0.2% Annual Chance	
<u>New Detailed Study Streams</u>						
DOSIER CREEK						
Just upstream of Morris Dido Newark Road	3.51	3,420	5,113	5,886	7,684	
Just downstream of its confluence with West Dosier Creek	1.86	1,870	2,789	3,206	4,180	
Approximately 380 feet upstream of its confluence with West Dosier Creek	1.34	1,330	1,979	2,272	2,957	
Approximately 3,690 feet upstream of its confluence with West Dosier Creek	1.12	1,108	1,642	1,884	2,449	
SOUTH DOSIER CREEK						
At its confluence with Dosier Creek	1.42	1,439	2,125	2,436	3,160	
At its confluence with Tributary to South Dosier Creek	0.90	909	1,345	1,543	2,001	
TRIBUTARY TO SOUTH DOSIER CREEK						
At its confluence with South Dosier Creek	0.45	500	730	833	1,072	
WEST DOSIER CREEK						
At its confluence with Dosier Creek	0.52	543	815	939	1,226	
DRY BRANCH						
At its confluence with West Fork Trinity River	3.69	2,530	4,370	5,360	8,060	
Approximately 600 feet downstream of Haltom Road	3.40	2,470 ²	4,270 ²	5,230 ²	8,200 ²	
Approximately 700 feet downstream of SH121	3.28	2,960	4,710	5,550	8,210	
Immediately downstream of Robinwood Drive	1.53	1,930	3,110	3,580	4,710	
FISH CREEK						
At Bardin Road	0.13	275	375	425	500	
At Embercrest Drive	0.19	375	500	600	750	
At Wimbledon Drive	0.39	850	1,150	1,300	1,600	
At Green Oaks Boulevard	0.57	1,300	1,800	2,000	2,500	
At Nathan Lowe Road	0.82	1,850	2,500	2,700	3,500	
At Matlock Road	1.31	2,400	3,300	3,700	4,800	
At Silo Road	2.05	3,100	4,400	5,000	6,400	
1430 above Stream FC-2	2.50	3,700	5,300	6,000	7,700	
330 below Stream FC-2	4.05	5,800	8,500	9,700	12,600	

TABLE 4 – SUMMARY OF DISCHARGES (continued)

<u>FLOODING SOURCE AND LOCATION</u>	<u>DRAINAGE AREA (sq. mile)</u>	<u>PEAK DISCHARGES (cfs)</u>				
		<u>10% Annual Chance</u>	<u>2% Annual Chance</u>	<u>1% Annual Chance</u>	<u>0.2% Annual Chance</u>	
<u>New Detailed Study Streams</u>						
FISH CREEK (CONTINUED)						
At Collins Street	4.18	5,900	8,500	9,800	12,700	
250 feet above New York Avenue	4.76	5,700	8,400	9,600	12,800	
1,050 feet above confluence with Stream FC-1	4.97	5,600	8,300	9,500	12,700	
360 feet below confluence with Stream FC-1	7.31	7,200	11,200	13,000	17,300	
280 feet above State Highway 360	7.63	7,100	11,100	12,900	17,300	
At confluence with Stream FC-3	8.43	7,400	11,500	13,400	18,000	
At confluence with Stream FC-4	9.71	8,000	12,300	14,400	19,500	
5,250 feet above Great Southwest Parkway	10.22	8,300	12,500	14,500	19,700	
2,870 feet above Great Southwest Parkway	11.24	9,300	13,600	15,500	21,200	
40 feet above Great Southwest Parkway	12.17	10,500	14,800	16,800	22,500	
40 feet below Great Southwest Parkway	12.36	10,600	14,900	16,900	22,700	
STREAM HEN-2						
At confluence with Henrietta Creek	8.45	4,270	6,790	7,900	10,730	
At confluence of Stream HEN-2A	6.68	3,570	5,600	6,540	8,500	
STREAM HEN-2 (CONTINUED)						
Approximately 750 feet upstream of Burlington Northern and Santa Fe Railroad	5.97	3,400	5,370	6,310	8,830	
HOGPEN BRANCH						
At confluence with Walnut Creek	5.80	3,400	4,900	5,850	7,650	
At FM 157	2.90	2,750	3,850	4,350	5,450	
UNNAMED TRIBUTARY OF HURRICANE CREEK						
Approximately 1,290 feet upstream of the confluence with Hurricane Creek	0.14	255	373	429	640	
Approximately 600 feet upstream of the confluence with Hurricane Creek	0.18	346	507	581	872	
JOHNSON CREEK						
2,800 feet above Carrier Parkway	18.26	12,700	17,100	18,400	22,300	
Just above Duncan Perry Road	17.70	12,600	16,900	18,200	22,300	
3,650 feet above Duncan Perry Road	17.00	12,400	16,700	18,000	22,100	

TABLE 4 – SUMMARY OF DISCHARGES (continued)

FLOODING SOURCE AND LOCATION	DRAINAGE AREA (sq. mile)	PEAK DISCHARGES (cfs)				
		10% Annual Chance	2% Annual Chance	1% Annual Chance	0.2% Annual Chance	
<u>New Detailed Study Streams</u>						
JOHNSON CREEK (CONTINUED)						
Just above Railroad	16.35	12,300	16,600	17,900	22,000	
Just below upstream State Highway 360 Access Road	16.07	12,300	16,500	17,900	22,000	
Approximately 100 feet downstream of Interstate Route 30 (most downstream lane)	15.04	12,369	16,996	18,341	22,432	
At Confluence with Stream JC-8	10.61	11,111	16,109	18,309	21,336	
At East Abram Street	8.38	10,872	15,636	17,941	22,316	
Downstream of confluence of Stream JC-2	5.11	7,682	11,045	12,568	16,769	
Upstream of confluence of Stream JC-2	4.19	6,874	9,914	11,273	14,683	
Downstream of confluence of Stream JC-3	2.31	4,482	6,286	7,049	7,320	
At Mayfield Road	0.97	2,624	3,480	3,787	4,564	
At Waverly Drive	0.70	1,892	2,487	2,705	3,273	
At High Point Road	0.43	1,189	1,560	1,722	2,096	
STREAM JC-1						
At confluence with Johnson Creek	1.79	2,210	2,970	3,060	3,210	
At Interstate Route 30	1.37	2,170	2,480	2,570	2,770	
STREAM JC-2						
At confluence with Johnson Creek	0.92	2,518	3,296	3,640	4,459	
At headwaters	0.46	2,061	2,674	2,647	3,571	
STREAM JC-3						
At confluence with Johnson Creek	0.77	1,490	1,960	2,173	2,688	
At Station Drive	0.60	1,074	1,402*	1,581	2,070	
Approximately 0.45 mile upstream of Station Drive	0.39	1,066	1,417	1,570	1,921	
Approximately 0.60 mile upstream of Station Drive	0.31	877	1,160	1,283	1,564	
STREAM JC-4						
At confluence with Johnson Creek	0.43	1,141	1,508	1,668	2,040	
STREAM JC-5						
At confluence with Johnson Creek	0.06	157	210	233	283	
STREAM JC-6						
At confluence with Johnson Creek	0.24	595	794	880	1,087	

*Discharge decreases in the downstream direction due to storage routing effects

TABLE 4 – SUMMARY OF DISCHARGES (continued)

FLOODING SOURCE AND LOCATION	DRAINAGE AREA (sq. mile)	PEAK DISCHARGES (cfs)			
		10% Annual Chance	2% Annual Chance	1% Annual Chance	0.2% Annual Chance
<u>New Detailed Study Streams</u>					
STREAM JC-6A					
Below New Haven Street	0.24	148	193	227	271
Above New Haven Street	0.24	128	167	192	229
STREAM JC-7					
At confluence with Johnson Creek	0.79	2,131	2,821	3,122	3,824
At Center Street	0.48	1,366	1,805	1,996	2,426
STREAM JC-7A					
At confluence with Johnson Creek	0.07	234	305	335	401
STREAM JC-8					
At confluence with Johnson Creek	0.17	504	662	730	881
STREAM JC-9					
At confluence with Johnson Creek	0.83	2,275	2,975	3,265	3,961
At Sandford Street	0.70	1,651	2,516	2,270	3,373
STREAM JC-10					
At confluence with Johnson Creek	0.89	1,787	2,400	2,635	3,198
STREAM JC-11					
At confluence with Johnson Creek	1.10	2,315	3,137	3,490	4,309
At Cooper Street	0.87	1,988	2,686	2,982	3,694
Above confluence with Stream JC-11A	0.36	779	1,060	1,279	1,594
STREAM JC-11A					
At confluence with Johnson Creek	0.24	630	838	928	1,139
STREAM JC-12					
At confluence with Johnson Creek	1.24	2,164	2,989	3,355	4,260
Below West Pioneer Parkway	0.75	1,658	2,278	2,550	3,233
Above West Pioneer Parkway	0.34	707	962	1,073	1,347
UNNAMED TRIBUTARY OF HURRICANE CREEK					
Approximately 1,290 feet upstream of the confluence with Hurricane Creek	0.14	255	373	429	640
Approximately 600 feet upstream of the confluence with Hurricane Creek	0.18	346	507	581	872
UNNAMED TRIBUTARY 1 TO LITTLE FOSSIL CREEK					
Approximately 1,360 feet upstream of the confluence with Little Fossil Creek	0.20	497	729	839	1,137

TABLE 4 – SUMMARY OF DISCHARGES (continued)

FLOODING SOURCE AND LOCATION	DRAINAGE AREA (sq. mile)	PEAK DISCHARGES (cfs)				
		10% Annual Chance	2% Annual Chance	1% Annual Chance	0.2% Annual Chance	
<u>New Detailed Study Streams</u>						
UNNAMED TRIBUTARY 2 TO LITTLE FOSSIL CREEK						
Approximately 540 feet upstream of the confluence with Little Fossil Creek	0.29	691	1,019	1,175	1,599	
Approximately 1,780 feet upstream of the confluence with Little Fossil Creek	0.16	369	551	637	827	
UNNAMED TRIBUTARY OF UNNAMED TRIBUTARY 2 TO LITTLE FOSSIL CREEK						
Approximately 900 feet upstream of the confluence with Unnamed Tributary 2 to Little Fossil Creek	0.11	319	458	522	696	
LOW BRANCH						
At the confluence with Lake Joe Pool	6.90	5,150	7,200	8,200	10,250	
At Seeton Road	4.30	4,950	6,750	7,600	9,550	
At Mitchell-Mansfield Road	2.80	4,300	5,750	6,400	8,100	
At U.S. Route 287	0.70	1,700	2,200	2,400	3,050	
STREAM MSC-1A (PLANTATION WEST CREEK)						
At confluence with Marys Creek	0.94	1,790	2,370	2,630	3,200	
At Chapin Road	0.81	1,790	2,350	2,600	3,160	
At Guadalupe Road	0.64	1,660	2,160	2,380	2,900	
At U.S. Highway 80	0.54	1,500	1,950	2,150	2,620	
At South Normandale Street	0.44	1,240	1,610	1,780	2,160	
Downstream of left bank tributary approximately 500 feet upstream of Chamita Lane	0.25	1,020	1,310	1,440	1,750	
MESQUITE BRANCH						
Approximately 120 feet upstream of Mid Cities Boulevard	0.18	**	**	478	**	
Approximately 150 feet downstream of Martin Drive	0.13	**	**	390	**	
Approximately 490 feet upstream of Martin Drive	0.07	**	**	229	**	
NORTH FORK OF FISH CREEK (PRAIRIE CREEK) / NORTH FORK OF FISH CREEK						
At Mayfield Road	0.22	600	800	900	1,100	
At Collins Street	0.50	1,150	1,600	1,800	2,200	
At Allen Avenue	0.95	2,200	3,000	3,200	4,100	
760 feet above confluence with Stream NF-4	1.26	2,800	3,800	4,200	5,300	
At confluence with Stream NF-3	2.17	4,300	5,900	6,600	8,400	
At confluence with Stream NF-2	2.52	5,000	6,900	7,700	9,800	

TABLE 4 – SUMMARY OF DISCHARGES (continued)

FLOODING SOURCE AND LOCATION	DRAINAGE AREA (sq. mile)	PEAK DISCHARGES (cfs)				
		10% Annual Chance	2% Annual Chance	1% Annual Chance	0.2% Annual Chance	
<u>New Detailed Study Streams</u>						
NORTH FORK OF FISH CREEK (PRAIRIE CREEK) / NORTH FORK OF FISH CREEK (CONTINUED)						
430 feet below confluence with Stream NF-2	2.57	5,100	7,000	7,800	9,900	
260 feet below the confluence with Stream NF-1	2.92	5,800	8,100	9,000	11,300	
230 feet above State Highway 360	3.11	6,000	7,900	9,000	11,500	
1,400 feet below State Highway 360	3.66	6,700	8,700	9,900	12,800	
3,485 feet above Great Southwest Parkway	4.06	6,700	9,000	10,200	13,300	
192 feet above Great Southwest Parkway	4.44	6,300	8,800	10,200	13,500	
SOUTH FORK OF COTTONWOOD CREEK 2						
At New York Avenue	0.27	650	900	1,000	1,200	
At Park Avenue	0.38	900	1,200	1,350	1,700	
65 feet above Springcrest Drive	0.41	950	1,300	1,450	1,800	
330 feet above Brazos Drive	0.58	1,300	1,850	2,000	2,500	
At Sherry Street	0.62	1,350	1,950	2,100	2,600	
200 feet above Carter Drive	0.68	1,450	2,100	2,300	2,900	
At State Highway 360	0.96	2,000	2,800	3,200	3,700	
1,670 feet above Forum Drive	1.36	2,700	3,800	4,300	5,200	
At Forum Drive	1.49	2,800	4,000	4,600	5,600	
610 feet below Forum Drive	1.66	2,900	4,200	4,900	6,100	
At Great Southwest Parkway	1.86	3,100	4,700	5,400	6,800	
75 feet above State Highway 303	1.91	2,800	4,500	5,300	6,800	
75 feet below State Highway 303	2.01	2,900	4,600	5,400	7,100	
850 feet below State Highway 303	2.09	2,900	4,600	5,400	7,300	
STREAM CC-1						
700 feet above Timberlake Drive	0.22	500	700	800	1,000	
STREAM CC-2						
At Harriett Street	0.05	100	150	175	225	
140 feet above Carter Drive	0.32	650	900	1,000	1,250	
At the confluence with Stream CC-3	0.80	1,550	2,100	2,300	2,700	
450 feet above State Highway 360	0.96	1,900	2,500	2,800	3,300	
380 feet above Plaza Street	1.13	2,200	2,900	3,300	3,900	
At Buena Vista Drive	1.14	2,200	2,900	3,300	3,800	
135 feet above Susan Drive	1.16	2,300	2,900	3,300	3,900	

TABLE 4 – SUMMARY OF DISCHARGES (continued)

FLOODING SOURCE AND LOCATION	DRAINAGE AREA (sq. mile)	PEAK DISCHARGES (cfs)				
		10% Annual Chance	2% Annual Chance	1% Annual Chance	0.2% Annual Chance	
<u>New Detailed Study Streams</u>						
STREAM CC-3						
At Mitchell Street	0.21	425	600	650	850	
At Hillcrest Drive	0.28	550	750	850	1,100	
At Sherry Street	0.35	700	950	1,000	1,200	
At Greenway Street	0.44	850	1,200	1,300	1,550	
At Carter Drive	0.47	900	1,250	1,350	1,550	
STREAM CC-4						
1,130 feet above confluence with Cottonwood Creek 2	0.15	350	500	550	700	
STREAM FC-1						
At Interstate Highway 20	1.26	2,000	2,800	3,200	4,100	
At Bardin Road	1.26	2,000	2,800	3,200	4,100	
2,150 feet above New York Avenue	1.63	2,400	3,500	4,000	5,200	
At New York Avenue	1.84	2,600	3,700	4,200	5,500	
800 feet above Green Oaks Boulevard	2.34	3,300	4,700	5,400	7,100	
STREAM FC-2						
5,950 feet above Green Oaks Boulevard	0.82	1,800	2,500	2,800	3,500	
1,400 feet above Green Oaks Boulevard	1.55	2,700	3,800	4,300	5,500	
STREAM FC-3						
At Bardin Road	0.44	950	1,300	1,450	1,850	
320 feet above Creek Crossing Lane	0.66	1,200	1,700	1,900	2,400	
160 feet above State Highway 360	0.80	1,350	1,950	2,200	2,800	
STREAM FC-4						
At Interstate Highway 20	0.38	800	1,100	1,250	1,600	
At Bardin Road	0.38	800	1,100	1,250	1,600	
100 feet above State Highway 360	0.92	1,800	2,600	2,900	3,600	
200 feet below State Highway 360	0.97	1,750	2,500	2,900	3,700	
STREAM NF-1						
81 feet below Overbrook Drive	0.16	450	600	700	850	
At Mayfield Road	0.32	800	1,050	1,200	1,450	

TABLE 4 – SUMMARY OF DISCHARGES (continued)

FLOODING SOURCE AND LOCATION	DRAINAGE AREA (sq. mile)	PEAK DISCHARGES (cfs)			
		10% Annual Chance	2% Annual Chance	1% Annual Chance	0.2% Annual Chance
<u>New Detailed Study Streams</u>					
STREAM NF-2					
At Mayfield Road	0.29	650	900	1,000	1,250
STREAM NF-3					
115 above Allen Avenue	0.22	450	600	700	900
At Overbrook Drive	0.50	1,000	1,400	1,600	2,000
At New York Avenue	0.64	1,250	1,750	2,000	2,500
At Mayfield Road	0.70	1,350	1,900	2,100	2,700
STREAM NF-4					
At Mayfield Road	0.16	350	475	550	700
At Chesapeake Drive	0.18	375	550	600	750
At Doolittle Drive	0.19	400	550	600	800
At Allen Avenue	0.23	450	650	700	900
WARRIOR CREEK					
At upstream limit of study	0.38	750	1,000	1,100	1,400
NICHOLS BRANCH					
At confluence with Walnut Creek	1.00	1,150	1,600	1,800	2,250
PLANTATION EAST CREEK					
Approximately 500 feet above confluence with Marys Creek	1.10	2,200	2,900	3,300	4,200
At U.S. Route 80	0.50	1,600	2,100	2,400	3,000
POND BRANCH					
At confluence with Walnut Creek	1.00	1,330	1,680	1,850	2,260
At Dallas Road	0.70	1,390	1,830	2,030	2,550
UNNAMED TRIBUTARY TO SINGING HILLS CREEK					
At confluence with Singing Hills Creek	0.28	**	**	1,428	**
SYCAMORE CREEK					
At its confluence with West Fork Trinity River	37.00	16,910	24,540 ²	28,870 ²	39,480 ²
Upstream of confluence of Stream SC- 1	33.40	16,860	24,640	29,140	39,790
Upstream of E. Maddox Avenue	31.47	16,500	24,370	28,690	38,680
Upstream of confluence of SC Unnamed Tributary 2	28.45	15,570	23,100	27,160	36,520

TABLE 4 – SUMMARY OF DISCHARGES (continued)

FLOODING SOURCE AND LOCATION	DRAINAGE AREA (sq. mile)	PEAK DISCHARGES (cfs)			
		10% Annual Chance	2% Annual Chance	1% Annual Chance	0.2% Annual Chance
<u>New Detailed Study Streams</u>					
SYCAMORE CREEK (CONTINUED)					
Upstream of confluence of Stream SC-3	27.15	15,280	22,650	26,610	35,780
Upstream of confluence of Stream SC-5	22.20	13,910	20,800	24,640	33,600
Approximately 400 feet upstream of E. Seminary Drive	19.64	13,240	19,560	23,030	32,020
Upstream of confluence of Stream SC-6	16.10	11,930	17,750	20,720	29,000
Upstream of confluence of Edgecliff Branch	9.47	6,610	9,920	11,550	17,400
Upstream of confluence of Stream SC-7	2.84	1,890	3,090	3,600	5,030
Approximately 3,100 feet downstream of W. Risinger Road	1.28	1,260	1,960	2,310	3,280
Approximately 300 feet downstream of N. Crowley Cleburne Road	1.06	1,110	1,720	2,040	2,930
Upstream of confluence of Unnamed Tributary 7 to Sycamore Creek	0.61	780	1,210	1,430	2,050
Approximately 300 feet downstream of Poynter Street	0.51	720	1,100	1,290	1,900
Approximately 1,300 feet downstream of McCart Avenue	0.28	460	690	810	1,180
Approximately 50 feet downstream of McCart Avenue	0.22	420	620	720	1,090
UNNAMED TRIBUTARY 5 TO SYCAMORE CREEK					
At confluence with Sycamore Creek	0.33	570	840	950	1,240
UNNAMED TRIBUTARY 6 TO SYCAMORE CREEK					
Upstream of Missouri Kansas Railroad	0.91	1,520	2,210	2,590	3,930
UNNAMED TRIBUTARY 7 TO SYCAMORE CREEK					
At confluence with Sycamore Creek	0.37	599	881	1,043	1,340
UNNAMED TRIBUTARY TO UNNAMED TRIBUTARY 7 TO SYCAMORE CREEK					
Approximately 300 feet upstream of confluence with Unnamed Tributary to Sycamore Creek	0.17	251	372	442	571
TIMBER CREEK					
Upstream of confluence with Clear Fork of Trinity River	2.10	3,830	5,060	5,590	6,870
Approximately 745 feet downstream of Timber Creek Drive	1.01	2,520	3,080	3,320	4,170
At downstream face of Timber Creek Drive	0.72	1,715	2,050	2,180	2,670
At downstream face of Warden Street	0.46	1,110	1,420	1,540	2,020

TABLE 4 – SUMMARY OF DISCHARGES (continued)

<u>FLOODING SOURCE AND LOCATION</u>	<u>DRAINAGE AREA (sq. mile)</u>	<u>PEAK DISCHARGES (cfs)</u>			
		<u>10% Annual Chance</u>	<u>2% Annual Chance</u>	<u>1% Annual Chance</u>	<u>0.2% Annual Chance</u>
<u>New Detailed Study Streams</u>					
TIMBER CREEK (CONTINUED)					
Approximately 101 feet upstream of Childers Street	0.21	610	780	840	1,090
Approximately 187 feet downstream of Bryant Street	0.14	470	590	640	900
WALKER BRANCH					
Approximately 1,850 feet downstream confluence of Calloway Branch	12.34	6,440	10,470	12,580	19,680
Upstream of confluence of Calloway Branch	5.34	3,030	4,820	5,720	8,730
Approximately 800 feet downstream of West Pipeline Road	4.56	2,590	4,120	4,880	7,460
Approximately 100 feet downstream of Harwood Road	2.46	1,620	2,560	3,040	4,540
Approximately 700 feet downstream of Main Street	0.95	630	1,000	1,190	1,770
WALNUT CREEK 3					
At Holland Watson Britton Road	65.7	11,700 ²	22,000 ²	27,500 ²	38,300 ²
At the confluence of Ragland Branch	62.6	13,200 ²	22,400 ²	28,000 ²	38,700 ²
Downstream of confluence of Hogpen Branch	61.3	14,300	23,100	28,300	39,000
At the confluence of Watson Branch	54.2	12,500	22,400	27,600	37,700
Upstream of confluence of Willow Branch	38.5	11,100	19,000	22,800	29,800
WATSON BRANCH					
At confluence with Walnut Creek	1.50	1,650	2,350	2,700	3,400
At a point 0.76 mile below FM 157	1.00	1,350	1,850	2,050	2,650
At FM 157	0.50	960	1,300	1,400	1,800
WEST FORK TRINITY RIVER					
Approximately 1,000 feet upstream of County Line Road	2,572	33,800 ²	66,800 ²	87,100 ²	147,900 ²
UNNAMED TRIBUTARY 1 TO WEST FORK TRINITY RIVER					
Just upstream of Interstate 30	0.06	75	118	137	196
WILLOW BEND CREEK					
At confluence with Marys Creek	0.80	1,755	2,315	2,535	3,050
At Meadowside Drive	0.68	1,575	2,055	2,250	2,720
At Pinewood Drive	0.36	1,035	1,340	1,470	1,785
At Ferndale Drive	0.27	855	1,095	1,205	1,465

TABLE 4 – SUMMARY OF DISCHARGES (continued)

<u>FLOODING SOURCE AND LOCATION</u>	<u>DRAINAGE AREA (sq. mile)</u>	<u>PEAK DISCHARGES (cfs)</u>			
		<u>10% Annual Chance</u>	<u>2% Annual Chance</u>	<u>1% Annual Chance</u>	<u>0.2% Annual Chance</u>
<u>New Detailed Study Streams</u>					
WILLOW BEND CREEK (CONTINUED)					
At Chapin Road	0.19	635	815	890	1,080
Approximately 1,300 feet upstream of Chapin Road	0.12	430	545	600	730
<u>Redelineation Detailed Study Streams</u>					
ASH CREEK					
At Eagle Mountain	25.92	11,200	17,100	20,200	28,000
Upstream of confluence of Paschal Branch	24.01	11,200	17,000	19,900	27,000
Upstream of confluence of Reynolds Branch	21.26	11,000	16,600	19,400	26,100
Approximately 2,500 feet downstream of FM 730 ¹	20.78	11,200	17,000	19,900	26,200
TRIBUTARY BB-1					
Upstream of confluence with Big Bear Creek	1.17	1,200	1,700	1,900	2,400
TRIBUTARY BB-2					
Upstream of confluence with Big Bear Creek	1.26	1,400	1,950	2,200	2,750
At Trigg Street	1.11	1,400	1,950	2,200	2,750
TRIBUTARY BB-3					
Upstream of confluence with Big Bear Creek	1.72	2,000	2,800	3,150	3,950
Downstream of confluence of Tributary BB-3A	1.66	2,000	2,800	3,150	3,950
Upstream of confluence of Tributary BB-3A	1.03	1,250	1,750	1,950	2,500
TRIBUTARY BB-5					
Upstream of confluence with Big Bear Creek	1.86	2,050	2,900	3,250	4,150
Downstream of confluence of Tributary BB-5A	1.81	2,050	2,900	3,250	4,150
Upstream of confluence of Tributary BB-5A	0.93	900	1,300	1,450	1,850
TRIBUTARY BB-6					
Upstream of confluence with Big Bear Creek	1.87	1,950	2,750	3,100	3,950
At Continental Boulevard	1.30	1,700	2,400	2,650	3,400

TABLE 4 – SUMMARY OF DISCHARGES (continued)

FLOODING SOURCE AND LOCATION	DRAINAGE AREA (sq. mile)	PEAK DISCHARGES (cfs)			
		10% Annual Chance	2% Annual Chance	1% Annual Chance	0.2% Annual Chance
<u>Redelineation Detailed Study Streams</u>					
TRIBUTARY BB-7					
At Eagle Bend	0.32	**	**	987	**
TRIBUTARY BB-8					
Upstream of confluence with Big Bear Creek	2.25	2,550	3,500	3,950	5,000
Upstream of left bank tributary 500 feet upstream of Continental Boulevard	1.22	1,450	2,000	2,250	2,900
TRIBUTARY BB-9					
Upstream of confluence with Big Bear Creek	1.97	1,950	2,750	3,100	3,950
At Southlake corporate limits	1.33	1,700	2,350	2,650	3,400
TRIBUTARY BB-10					
At confluence with Big Bear Creek	**	3,050	4,250	4,800	6,100
Downstream of confluence of left bank tributary (approximately 1,900 feet downstream of the Johnson Road crossing	**	2,500	3,450	3,900	4,950
Upstream of confluence of left bank tributary approximately 1,900 feet downstream of the Johnson Road crossing	**	1,450	2,000	2,250	2,850
TRIBUTARY BB-11					
At confluence with Big Bear Creek	1.18	2,700	3,375	4,302	5,225
TRIBUTARY BB-12					
At confluence with Big Bear Creek	**	2,400	3,300	3,700	4,600
At FM 1709	**	2,000	2,700	3,000	3,750
TRIBUTARY BB-13					
Approximately 1,500 feet upstream of its confluence with Big Bear Creek	0.45	755	1,105	1,276	1,651
UNNAMED TRIBUTARY TO BIG BEAR CREEK					
Approximately 800 feet upstream of Keller-Hicks Road	0.35	**	**	521	**
STREAM BFC-1					
At confluence with Big Fossil Creek	2.34	4,070	5,420	6,010	7,320
At North Beach Street	2.26	4,070	5,410	6,000	7,310
At Western Center Boulevard	2.00	3,830	5,080	5,630	6,860

TABLE 4 – SUMMARY OF DISCHARGES (continued)

FLOODING SOURCE AND LOCATION	DRAINAGE AREA (sq. mile)	PEAK DISCHARGES (cfs)				
		10% Annual Chance	2% Annual Chance	1% Annual Chance	0.2% Annual Chance	
<u>Redelineation Detailed Study Streams</u>						
STREAM BFC-1 (CONTINUED)						
Downstream of right bank tributary approximately 1,200 feet upstream of Western Center boulevard	1.58	3,340	4,410	4,880	5,940	
Upstream of right bank tributary approximately 2,700 feet upstream of Western Center Boulevard	1.27	2,660	3,520	3,890	4,740	
At Basswood Boulevard	1.10	2,390	3,150	3,480	4,240	
At Prewitt Road	0.77	1,820	2,390	2,650	3,220	
STREAM BFC-2						
At confluence with Big Fossil Creek	6.45	5,350	7,500	8,400	10,600	
Downstream of confluence of Stream BFC-2A	4.55	4,450	6,050	6,750	8,450	
Upstream of confluence of Stream BFC-2A	1.93	2,000	2,850	3,150	3,950	
At North Tarrant Parkway	0.97	1,450	2,130	2,460	2,540	
Just upstream of Presido Vista Drive	0.56	880	1,280	1,470	1,510	
At Harmon Road	0.32	**	**	355	**	
STREAM BFC-2A						
At confluence with Stream BFC-2	2.62	2,500	3,400	3,800	4,750	
At North Tarrant Parkway	1.89	1,350	1,820 ¹⁷	2,100 ¹⁷	2,590	
Approximately 1,300 feet upstream of Presidio Vista Drive	1.42	1,290	1,900	2,210	2,330	
Approximately 1,100 feet downstream of Heritage Trace Parkway	1.32	1,850	2,730	3,060	3,960	
At Heritage Trace Parkway	1.14	1,450	2,160	2,440	3,180	
Approximately 1.8 miles upstream of Heritage Trace Parkway	0.41	680	990	1,100	1,420	
STREAM BFC-3						
At confluence with Big Fossil Creek	1.19	1,653	2,299	2,596	3,177	
STREAM BFC-4						
At confluence with Big Fossil Creek	6.62	7,100 ²	9,900	11,200	14,200	
Downstream of confluence of Stream BFC-4A	6.28	7,150	9,800	11,000	13,850	
Upstream of confluence of Stream BFC-4A	4.36	4,900 ²	6,800	7,600	9,650 ²	
Downstream of confluence of unnamed tributary approximately 1.57 miles upstream of confluence with Big Fossil Creek	4.17	4,950	6,750	7,600	9,700	
Upstream of confluence with Stream BFC-4B	3.07	3,610	5,630	6,590	9,220	

TABLE 4 – SUMMARY OF DISCHARGES (continued)

FLOODING SOURCE AND LOCATION	DRAINAGE AREA (sq. mile)	PEAK DISCHARGES (cfs)				
		10% Annual Chance	2% Annual Chance	1% Annual Chance	0.2% Annual Chance	
<u>Redelineation Detailed Study Streams</u>						
STREAM BFC-4 (CONTINUED)						
Approximately 150 feet downstream of West Bonds Ranch Road	2.45	3,570	5,380	6,232	8,910	
Upstream of U.S Route 81/U.S. Route 287	1.55	2,410	3,640	4,220	6,100	
STREAM BFC-4A						
At confluence with Stream BFC-4	1.92	2,600	3,500	3,900	4,900	
At confluence with Unnamed Tributary to Stream BFC-4A	1.17	1,190	1,550	1,750	2,370	
Approximately 230 feet upstream of U.S. Route 81/U.S. Route 287	0.67	790	1,060	1,190	1,850	
STREAM BFC-5						
Downstream of confluence of Stream BFC-5A	0.89	2,100	2,700	2,900	3,800	
Upstream of confluence of Stream BFC-5A	0.69	1,600	2,100	2,300	2,900	
At Baker Boulevard	0.47	1,200	1,500	1,700	2,100	
At Hovenkamp Avenue	0.38	950	1,200	1,350	1,700	
At Dover Lane	0.26	650	850	950	1,200	
At Richlynn Terrace	0.20	510	660	720	910	
At Glen Hills Road	0.14	360	470	520	650	
At Hardisty Street	0.10	260	330	370	460	
STREAM BFC-5A						
At confluence with Stream BFC-5	0.20	510	660	720	900	
At Kings Court	0.17	440	560	620	780	
At Baker Boulevard	0.14	360	470	520	650	
STREAM BFC-5B						
Approximately 1,000 feet upstream of confluence with Stream BFC-5	0.19	260	340	370	460	
Approximately 1,550 feet upstream of confluence with Stream BFC-5	0.12	210	270	300	370	
Approximately 0.46 mile upstream of confluence with Stream BFC-5	0.06	150	190	210	260	
Approximately 0.51 mile upstream of confluence with Stream BFC-5	0.05	140	180	200	250	
Approximately 0.66 mile upstream of confluence with Stream BFC-5	0.03	110	140	155	195	
Approximately 0.84 mile upstream of confluence with Stream BFC-5	0.01	40	50	55	65	

TABLE 4 – SUMMARY OF DISCHARGES (continued)

FLOODING SOURCE AND LOCATION	DRAINAGE AREA (sq. mile)	PEAK DISCHARGES (cfs)				
		10% Annual Chance	2% Annual Chance	1% Annual Chance	0.2% Annual Chance	
<u>Redelineation Detailed Study Streams</u>						
STREAM BFC-6						
At confluence with Big Fossil Creek	0.95 ³	2,300	2,980	3,280	4,220	
Approximately 1,090 feet downstream of Diamond Oaks Road	0.67	1,690	2,180	2,400	3,100	
Approximately 1,000 feet upstream of Diamond Oaks Road	0.35	940	1,210	1,330	1,740	
STREAM BFC-7						
At confluence with Big Fossil Creek	0.60	1,380	1,870	2,090	2,460	
BLESSING BRANCH						
At Minters Chapel Road	1.70	3,090	4,100	4,560	5,750	
At Fuller Wiser Road	1.10	2,420	3,190	3,540	4,460	
At Main Street	0.70	1,630	2,120	2,340	2,940	
BOAZ CREEK						
Approximately 500 feet upstream of confluence with Walnut Creek 2	2.60	3,300	4,500	5,100	6,300	
Approximately 1,500 feet upstream of confluence with Walnut Creek 2	1.63	2,200	3,100	3,500	4,300	
BOWMAN BRANCH						
At confluence with Walnut Creek 3	5.89	4,800 ²	6,950	8,050	10,150	
Downstream of Arlington-Webb Britton Road	5.19	4,600 ²	6,650	7,600	9,450	
Approximately 2,000 feet downstream of confluence of Stream BB-1	3.50	4,850	6,600	7,350	9,000	
Downstream of Mansfield Webb Road	2.45	3,400	4,600	5,150	6,250	
STREAM BB-1						
At confluence with Bowman Branch	1.05	1,994	2,755	3,129	4,379	
BOYD BRANCH						
At confluence with West Fork Trinity River	4.11	4,410	6,340	6,790	8,520	
At Trinity Railroad Express	2.78	3,950	5,330	5,950	7,500	
At South Pipeline Road	1.85	3,640	4,810	5,340	6,720	
At South Pipeline Road	1.85	3,640	4,810	5,340	6,720	
At State Route 10	1.30	2,980	3,870	4,300	5,400	
Approximately 800 feet upstream of State Route 10 ¹⁸	1.00	227	927	1,237	2,107	
At a point approximately 800 feet upstream of Villa Road ¹⁸	0.60	0.01	47	267	857	

TABLE 4 – SUMMARY OF DISCHARGES (continued)

FLOODING SOURCE AND LOCATION	DRAINAGE AREA (sq. mile)	PEAK DISCHARGES (cfs)				
		10% Annual Chance	2% Annual Chance	1% Annual Chance	0.2% Annual Chance	
<u>Redelineation Detailed Study Streams</u>						
BRIAR CREEK						
Approximately 1,900 feet downstream of Liberty School Road	7.72	6,150	8,850	10,150	12,900	
Approximately 1,600 feet upstream of Liberty School Road	6.66	5,700	8,050	9,200	11,650	
Approximately 1,300 feet upstream of FM 730 (Boyd Road)	5.34	5,400	7,700	8,700	10,750	
BUFFALO CREEK						
At confluence with Henrietta Creek	4.70	4,300	6,200	7,050	8,850	
Approximately 800 feet upstream of divergence of Old Buffalo Creek	2.48	2,550	3,700	4,200	5,350	
Downstream of confluence of left and right bank tributaries located approximately 1.06 miles upstream of Harmon Road	1.87	2,450	3,400	3,900	4,800	
Approximately 100 feet upstream of tributaries located approximately 1.06 miles upstream of Harmon Road	0.96	1,150	1,650	1,850	2,350	
Approximately 100 feet downstream of confluence of left bank tributary located approximately 0.57 mile downstream of Blue Mound Road	0.71	1,500	1,950	2,150	2,700	
OLD BUFFALO CREEK						
At confluence with Henrietta Creek	**	900	1,200	1,350	1,700	
At downstream face of Interstate Route 35W	**	250	300	350	450	
BUNKER HILL CREEK						
At confluence with Singing Hills Creek	1.79	2,350	3,250	3,600	4,500	
BUNKER HILL CREEK (CONTINUED)						
Approximately 500 feet upstream of Chapman Road	1.34	2,050	2,800	3,100	3,850	
Approximately 1,400 feet upstream of Hightower Road	1.07	1,750	2,350	2,600	3,250	
STREAM CB-1 (NEW)						
At DART Railroad	0.38	750	990	1,100	1,380	
At Chapman Drive	0.29	560	740	820	1,040	
At Storm Drain Outlet	0.20	360	480	540	590	
Upstream of Frankie Street	0.15	0.01 ¹¹	0.01 ¹¹	0.01 ¹¹	76 ¹¹	

TABLE 4 – SUMMARY OF DISCHARGES (continued)

FLOODING SOURCE AND LOCATION	DRAINAGE AREA (sq. mile)	PEAK DISCHARGES (cfs)			
		10% Annual Chance	2% Annual Chance	1% Annual Chance	0.2% Annual Chance
<u>Redelineation Detailed Study Streams</u>					
STREAM CB-1 (OLD)					
At confluence with Calloway Branch	0.75	560	780	880	1,130
At Bogart Drive	0.75	1,090	1,500	1,670	2,120
STREAM CB-1 (OLD) DIVERSION					
At confluence with Stream CB-1	**	530	720	790	990
STREAM CB-2					
At Hightower Drive	0.45	890	1,170	1,290	1,630
At Starnes Road	0.11	220	290	330	410
CEMENT CREEK					
At confluence with Marine Creek	4.90	1,300	2,280	2,740	3,440
Approximately 1,800 feet upstream-of NY 35th Street	4.70	1,090	1,900	2,280	2,860
Downstream of cement plant reservoir	4.40	830	1,440	1,730	2,160
Upstream of cement plant reservoir	3.70	580	720	790	930
Approximately 2,000 feet upstream of cement plant reservoir dam	3.60	460	570	620	730
At Cement Creek Reservoir dam	3.50	100	110	120	130
WEST FORK CEMENT CREEK					
At Longhorn Road	1.08	1,650	2,200	2,500	3,100
CHAMBERS CREEK					
At confluence with Village Creek	7.02	6,450	9,000	10,150	13,250
At Anglin Drive	6.56	6,400	8,700	9,750	12,650
At Stead Road	6.54	6,100	8,400	9,400	11,900
Downstream of confluence of North and South Forks	5.40	6,000	8,200	9,200	11,500
NORTH FORK CHAMBERS CREEK					
At confluence with Chambers and South Fork Chambers Creeks	2.65	3,050	4,200	4,700	5,900
At Wichita Street	1.66	2,500	3,400	3,750	4,750
Approximately 0.42 mile downstream of Oak Grove Road	0.95	1,800	2,550	2,820	3,570
At Oak Grove Road	0.69	1,260	1,690	1,880	2,380
SOUTH FORK CHAMBERS CREEK					
At confluence with Chambers and North Fork Chambers Creeks	2.75	3,050 ²	4,450 ²	4,950 ²	6,400 ²
At Everman Parkway	1.96	3,450	4,600	5,150	6,500
At Oak Grove Road	0.68	1,390	1,850	2,050	2,600

TABLE 4 – SUMMARY OF DISCHARGES (continued)

FLOODING SOURCE AND LOCATION	DRAINAGE AREA (sq. mile)	PEAK DISCHARGES (cfs)			
		10% Annual Chance	2% Annual Chance	1% Annual Chance	0.2% Annual Chance
<u>Redelineation Detailed Study Streams</u>					
CLEAR FORK TRINITY RIVER					
At confluence with West Fork Trinity River	91.7	15,100	25,000	30,000	46,000 ³
At Interstate Route 30	87.7	13,800	24,600	29,800	46,000 ³
Downstream of confluence of Marys Creek	63.2	11,700	20,700	25,400	46,000 ³
Upstream of confluence of Marys Creek	8.50	6,000 ³	8,400	13,000 ³	46,000 ³
STREAM CF-2					
At confluence with Clear Fork Trinity River	2.48	2,885	3,532	3,703	4,106
Upstream of UPRR	2.12	2,440	2,841	2,956	3,186
Upstream of Vickery Boulevard	1.46	1,214	2,415	2,505	2,682
Approximately 1,850 feet downstream of Lake Como	1.31	1,926	2,820	3,258	4,127
Approximately 500 feet downstream of Lake Como	1.24	1,870	2,729	3,150	3,976
At Lake Como Spillway	1.16	1,764	2,560	2,949	3,712
Upstream of Lake Como	0.18	507	696	782	959
STREAM CF-2A					
At confluence with Stream CF-2	0.65	1,555	2,065	2,260	2,530
At UPRR	0.58	1,448	2,035	2,310	2,865
STREAM CF-2B					
At Lake Como Drive	0.79	1,321	1,857	2,110	2,620
At confluence of Stream CF-2B Tributary 1	0.14	299	406	453	543
At Lovell Avenue	0.10	302	408	456	555
STREAM CF-2B Tributary 1					
At confluence with Stream CF-2B	0.63	1,107	1,557	1,770	2,204
STREAM CF-3					
At confluence with Clear Fork Trinity River	4.28	6,090	8,090	9,070	11,500
At Overton Park West	4.02	5,810	7,610	8,540	10,910
Approximately 0.40 mile upstream of Ranch View Road	3.75	5,920	7,930	8,800	11,030
At confluence of Stream CF-3B	2.44	4,250	5,590	6,200	7,850
At Burlington Northern and Santa Fe Railroad	1.00	2,150	2,810	3,100	3,900
At Granbury Road (Tidal Lake Drive)	0.78	1,620	2,120	2,340	2,940

TABLE 4 – SUMMARY OF DISCHARGES (continued)

FLOODING SOURCE AND LOCATION	DRAINAGE AREA (sq. mile)	PEAK DISCHARGES (cfs)			
		10% Annual Chance	2% Annual Chance	1% Annual Chance	0.2% Annual Chance
<u>Redelineation Detailed Study Streams</u>					
STREAM CF-3A					
At confluence with Stream CF-3	1.22	1,810	2,430	2,710	3,410
STREAM CF-3B					
At confluence with Stream CF-3	1.07	1,600	2,150	2,390	3,010
STREAM CF-3C					
Approximately 510 feet upstream of Forest Park Boulevard	0.60	870 ²	1,667	2,059	3,134
Approximately 1,005 feet upstream of Warner Road	0.39	971	1,332	1,506	2,233
STREAM CF-5					
At confluence with old Clear Fork Trinity River streambed	3.83	4,700	6,250	6,800	7,800
Approximately 400 feet downstream of Bellaire Drive	3.62	4,000 ²	5,300 ²	5,700 ²	6,500 ²
At Interstate Route 20	2.48	4,100	5,700	6,450	7,300
Approximately 1.04 mile downstream of Hulen Street	1.80	3,650	5,000	5,550	6,750
Approximately 0.49 mile downstream of Hulen Street	1.34	2,200	3,000	3,300	4,200
STREAM CF-6					
At confluence with Clear Fork Trinity River	2.76	3,000	4,100	4,600	5,800
Approximately 1.04 mile upstream of confluence with Clear Fork Trinity River	1.43	2,600	3,500	4,000	5,000
Approximately 1.69 mile upstream of confluence with Clear Fork Trinity River	0.51	2,200	3,000	3,300	4,200
COTTONWOOD BRANCH					
At State Road	4.69	3,600	5,000	5,600	7,100
At Bethel Road	3.64	3,600	5,000	5,600	7,100
COTTONWOOD CREEK 1					
At confluence with Village Creek	5.12	4,400	6,450	7,400	9,400
Downstream of Bentley Village Parkway	4.40	4,550	6,500	7,100	8,950
Downstream of Interstate Route 30	3.87	3,900	5,450	6,100	7,700
Upstream of Interstate Route 30	3.46	3,750	5,250	5,900	7,500
Upstream of Ederville Road	2.72	2,950	4,100	4,650	5,900
Downstream of Shady Lane	1.23	2,200	2,950	3,300	4,150

TABLE 4 – SUMMARY OF DISCHARGES (continued)

FLOODING SOURCE AND LOCATION	DRAINAGE AREA (sq. mile)	PEAK DISCHARGES (cfs)				
		10% Annual Chance	2% Annual Chance	1% Annual Chance	0.2% Annual Chance	
<u>Redelineation Detailed Study Streams</u>						
COTTONWOOD CREEK 2						
Approximately 1,100 feet downstream of Carrier Parkway	10.31	10,800	15,000	17,100	21,600	
Downstream of Carrier Parkway	5.65	5,700 ²	8,200 ²	9,300 ²	11,600 ²	
Upstream of West Freeway	5.15	5,600 ²	7,950 ²	8,900 ²	11,000 ²	
Upstream of unnamed north bank tributary	4.50	5,150 ²	7,300 ²	8,200 ²	10,150 ²	
Downstream of Greater Southwest Parkway	3.27	6,660	8,920	9,780	12,150	
Downstream of confluence of North Fork Cottonwood Creek	2.52	5,600	7,300	8,050	10,100	
Upstream of confluence of North Fork Cottonwood Creek	1.21	2,600	3,400	3,750	4,700	
At State Route 360	0.88	2,400	3,100	3,400	4,400	
UNNAMED TRIBUTARY TO COTTONWOOD CREEK 1						
Downstream of Ederville Road	0.69	**	**	2,144	**	
UNNAMED TRIBUTARY TO COTTONWOOD CREEK 2						
At the confluence with Cottonwood Creek 2	0.27	**	**	914	**	
SOUTH FORK COTTONWOOD CREEK 2						
Approximately 1,650 feet downstream of Greater Southwest Parkway	1.95	3,650	4,900	5,450	6,900	
Approximately 860 feet upstream of Forum Drive	0.90	2,200	2,850	3,100	4,000	
CROWLEY BRANCH						
Approximately 100 feet downstream of Burlington Northern and Santa Fe Railroad	0.47	1,034	1,427	1,542	2,075	
CUB CREEK						
Approximately 250 feet downstream of Cheek-Sparger Road	0.31	**	**	784	**	
Approximately 2,075 feet upstream of Cheek-Sparger Road	0.18	**	**	532	**	
DEER CREEK						
At confluence with Village Creek	21.43	15,200	21,600	24,700	30,400	
Approximately 0.66 mile upstream of Forest Hill-Everman County Line Road	20.08	15,000	20,400	23,500	28,900	
At Interstate Route 35W	18.12	13,500	18,900	21,400	26,000	

TABLE 4 – SUMMARY OF DISCHARGES (continued)

FLOODING SOURCE AND LOCATION	DRAINAG E AREA (sq. mile)	PEAK DISCHARGES (cfs)			
		10% Annual Chance	2% Annual Chance	1% Annual Chance	0.2% Annual Chance
<u>Redelineation Detailed Study Streams</u>					
DEER CREEK (CONTINUED)					
Approximately 1,800 feet upstream of Union Pacific Railroad	16.99	12,900 ²	18,100 ²	20,400 ²	24,700 ²
Downstream of Northwest Branch	16.86	13,500	19,000	21,500	27,500
Approximately 2,000 feet upstream of Missouri-Kansas-Texas Railroad	15.29	11,800 ²	16,500 ²	18,700 ²	22,800 ²
Upstream of Northwest Branch	15.23	12,500 ²	17,600 ²	19,800 ²	25,300 ²
Downstream of North Branch	14.31	13,000	18,200	20,500	26,100
Upstream of North Branch	8.28	7,400	10,300	11,600	14,800
Upstream of Farm Road 731	7.54	7,900	10,900	12,200	15,500
Downstream of confluence of North Fork Deer Creek	7.16	7,000	9,700	10,900	13,900
Upstream of confluence of North Fork Deer Creek	6.38	6,500	9,100	10,200	12,900
Downstream of confluence of South Fork Deer Creek	5.45	6,400	8,900	10,000	12,600
Upstream of confluence of South Fork Deer Creek	1.13	1,700	2,300	2,600	3,250
Upstream of Tarrant County boundary	0.91	1,400	1,900	2,100	2,550
NORTH BRANCH OF DEER CREEK					
At confluence with Deer Creek	6.09	6,000	8,400	9,400	12,000
Upstream of Burlington Northern and Santa Fe Railroad	5.53	6,300	8,700	9,800	12,400
Downstream of confluence of South Fork of North Branch of Deer Creek	4.80	6,400	8,900	9,900	12,500
Upstream of confluence of South Fork of North Branch of Deer Creek	1.98	2,800	3,900	4,350	5,500
AN UNNAMED TRIBUTARY TO NORTH BRANCH OF DEER CREEK					
Just upstream of the confluence with North Branch of Deer Creek	0.97	1,836	2,629	3,082	3,902
AN UNNAMED TRIBUTARY TO AN UNNAMED TRIBUTARY TO NORTH BRANCH DEER CREEK					
Just upstream of the confluence with an unnamed tributary to an unnamed tributary to North Branch of Deer Creek	0.42	665	952	1,116	1,414
NORTHWEST BRANCH OF DEER CREEK					
At confluence with Deer Creek	1.63	2,350	3,200	3,600	4,500

TABLE 4 – SUMMARY OF DISCHARGES (continued)

FLOODING SOURCE AND LOCATION	DRAINAG E AREA (sq. mile)	PEAK DISCHARGES (cfs)			
		10% Annual Chance	2% Annual Chance	1% Annual Chance	0.2% Annual Chance
<u>Redelineation Detailed Study Streams</u>					
NORTH FORK OF DEER CREEK					
Just upstream of Burlington Northern and Santa Fe Railroad	0.65	**	**	700	**
SOUTH FORK OF DEER CREEK					
At confluence with Deer Creek	4.32	5,100	7,000	7,800	9,900
Downstream of confluence of North Tributary of South Fork of Deer Creek	4.19	5,400	7,400	8,300	10,500
Upstream of confluence of North Tributary of South Fork of Deer Creek	3.61	4,600	6,300	7,100	9,000
SOUTH FORK OF NORTH BRANCH OF DEER CREEK					
At confluence with North Branch of Deer Creek	2.82	3,750	5,100	5,700	7,200
DENTON CREEK					
At Tarrant County boundary ⁴	3.96	6,000	8,300	9,400	36,200
Below Tributary D-1 ⁴	3.61 ⁵	5,900	8,000	9,400	36,200
Above Tributary D-1 ⁴	2.42 ⁵	4,050	5,500	9,400	36,200
Above Tributary D-2 ⁴	1.60	2,550	3,500	3,900	4,900
Above Grapevine Lake outlet channel	1.19	2,050	2,800	3,100	3,900
DOVE CREEK					
At Grapevine Lake	3.22	2,650	3,750	4,250	5,500
At Dove Street	2.14	2,150	3,000	3,400	4,350
At Carroll Avenue	1.51	1,850	2,600	2,900	3,700
DUTCH BRANCH					
At Benbrook Lake	7.30	6,900	9,500	10,900	13,800
Approximately 1.52 miles upstream of Benbrook Lake	4.90	5,700	7,900	9,000	11,300
TRIBUTARY DB-3					
Approximately 480 feet upstream of the confluence with Dutch Branch	0.52	917	1,366	1,479	2,059
EDGECLIFF BRANCH					
Above its confluence with Sycamore Creek	6.52	5,800	8,250	9,300	11,400
Downstream of left bank tributary located east of Chelsea Drive	5.92	5,750	8,250	9,300	11,850
Upstream of left bank tributary located east of Chelsea Drive	5.04	5,050	7,250	8,150	10,400

TABLE 4 – SUMMARY OF DISCHARGES (continued)

FLOODING SOURCE AND LOCATION	DRAINAGE AREA (sq. mile)	PEAK DISCHARGES (cfs)				
		10% Annual Chance	2% Annual Chance	1% Annual Chance	0.2% Annual Chance	
<u>Redelineation Detailed Study Streams</u>						
EDGECLIFF BRANCH (CONTINUED)						
Above Burlington Northern and Santa Fe Railroad	4.51	5,700	7,800	8,700	11,100	
At McCart Street crossing	1.98	3,410	4,630	5,320	6,990	
At confluence with French Lake Creek	1.31	2,380	3,480	4,110	6,270	
At Kingswood Drive	0.31	650	900	1,020	1,540	
MISTY MEADOWS CREEK						
Approximately 1,500 feet upstream of confluence with Edgecliff Branch	0.39	1,040	1,430	1,620	2,570	
Approximately 4,250 feet upstream of confluence with Edgecliff Branch	0.15	430	570	640	1,010	
FRENCH LAKE CREEK						
At confluence with Edgecliff Branch	0.82	1,540	2,290	2,710	4,220	
At Wind Chime Drive	0.75	1,480	2,270	2,670	4,080	
At Hulen Street	0.34	930	1,270	1,440	2,300	
STREAM EB-1						
At confluence with Edgecliff Branch	0.91	1,347	1,757	1,941	2,552	
At FM 731/Crowley Road	0.50	507	571	592	630	
STREAM EB-1A						
At FM 731/Crowley Road	0.28	107 [^]	252 [^]	322 [^]	615	
At Loop 820	0.19	315	391	425	535	
ELM BRANCH						
At confluence with Village Creek	2.63	3,200	4,350	4,950	6,350	
Approximately 1,900 feet upstream of Wilson Road	2.34	2,850	3,900	4,400	5,600	
Approximately 0.40 mile upstream of Wilson Road	0.99	1,300	1,750	2,000	2,600	
At Rendon-New Hope Road	0.58	950	1,250	1,400	1,750	
FARMERS BRANCH						
At confluence with West Fork Trinity River	11.4	11,200	14,400	15,900	20,350	
Upstream of confluence of Kings Branch	6.70	5,870	6,870	7,430	9,540	
At Grant Lane	5.14	5,010	6,450 ²	7,100 ²	8,540 ²	
Approximately 420 feet upstream of Las Vegas Trail	3.69	4,990	6,740	7,510	9,450	
Approximately 460 feet upstream of Las Vegas Trail	3.11	4,400	5,970	6,650	8,370	
Approximately 50 feet upstream of Loop 820	3.02	1,090 ²	1,440 ²	1,600 ²	2,000 ²	

TABLE 4 – SUMMARY OF DISCHARGES (continued)

FLOODING SOURCE AND LOCATION	DRAINAGE AREA (sq. mile)	PEAK DISCHARGES (cfs)				
		10% Annual Chance	2% Annual Chance	1% Annual Chance	0.2% Annual Chance	
<u>Redelineation Detailed Study Streams</u>						
FARMERS BRANCH (CONTINUED)						
Upstream of Redford Road	2.21	2,400	3,200	3,550	4,500	
At Alameda Boulevard	1.30	2,050	2,700	3,000	3,800	
Approximately 50 feet upstream of Little Fox Lane	0.50	1,500	2,000	2,200	2,800	
UNNAMED TRIBUTARY TO FARMERS BRANCH						
Approximately 200 feet upstream of Loop 820	0.46	**	**	2,309	**	
STREAM FB-1						
At confluence with Farmers Branch	0.58	1,090	1,440	1,600	2,000	
Approximately 2,500 feet downstream of West Point Boulevard	0.29	405	623	758	934	
UNNAMED TRIBUTARY TO STREAM FB-1						
At West Point Boulevard	0.12	217	329	389	488	
FARRIS BRANCH						
At Dove Road	0.70	780	1,140	1,370	**	
Upstream of confluence of Farris Branch East	0.34	440	670	820	**	
FARRIS BRANCH EAST						
At confluence with Farris Branch	0.34	360	510	580	**	
FISH CREEK						
Approximately 0.42 mile downstream of Watson Road, which is at confluence of unnamed north bank tributary	9.76	9,900	14,100	16,100	20,100	
Approximately 990 feet downstream of Watson Road, which is at confluence of unnamed north bank tributary	8.48	8,650 ²	12,200 ²	13,900 ²	17,400 ²	
Approximately 950 feet downstream of Watson Road, which is above confluence of unnamed north bank tributary	7.73	7,950 ²	11,300 ²	12,800 ²	16,000 ²	
At confluence of Stream FC-1	7.42	8,960	12,400	13,900	17,400	
At confluence of Stream FC-2	4.08	5,400	7,350	8,250	10,100	
Above confluence of Stream FC-2	2.55	3,500	4,700	5,250	6,300	
At Matlock Road	1.44	3,150	4,100	4,550	5,750	

TABLE 4 – SUMMARY OF DISCHARGES (continued)

FLOODING SOURCE AND LOCATION	DRAINAGE AREA (sq. mile)	PEAK DISCHARGES (cfs)			
		10% Annual Chance	2% Annual Chance	1% Annual Chance	0.2% Annual Chance
<u>Redelineation Detailed Study Streams</u>					
STREAM FC-1					
At confluence with Fish Creek	2.33	3,960	5,260	5,910	7,350
At Allen Waggoner Road	1.92	3,450	4,560	5,110	6,370
Approximately 400 feet downstream of Collins Avenue (below unnamed north bank tributary)	1.19	2,540	3,320	3,680	4,630
STREAM FC-2					
At confluence with Fish Creek	1.53	2,120	2,970	3,340	4,190
Approximately 0.95 mile upstream of confluence with Fish Creek	0.93	1,780	2,380	2,640	3,400
Approximately 1.80 miles upstream of confluence with Fish Creek	0.59	1,590	2,040	2,250	2,950
HAWKWOOD BRANCH					
At confluence with Crowley Branch	0.77	758	1,072	1,254	1,600
HENRIETTA CREEK					
Approximately 100 feet downstream of confluence of Buffalo Creek	24.50	16,600	24,200	27,850	35,250
Approximately 100 feet downstream of confluence of Stream HEN-1	18.96	13,650	19,650	22,600	28,300
Approximately 100 feet upstream of confluence of Stream HEN-1	17.55	13,050 ²	18,750 ²	21,400 ²	26,750 ²
Approximately 100 feet downstream of confluence of right bank tributary located approximately 0.83 miles upstream of Harmon Road	17.02	13,350	19,150 ²	21,800 ²	26,850 ²
Approximately 100 feet upstream of right bank tributary	16.69	13,300 ²	19,050 ²	21,650 ²	26,700 ²
Approximately 100 feet downstream of confluence of Stream HEN-2	16.31	13,350	19,200	21,850	26,950
HENRIETTA CREEK(CONTINUED)					
Approximately 100 feet upstream of confluence Stream HEN-2	7.91	6,900 ²	10,150 ²	11,300 ²	13,850 ²
Approximately 100 feet downstream of confluence of left bank tributary located approximately 0.51 mile upstream of Keller-Haslet Road	7.21	7,450	10,450	11,850	14,650
Approximately 1,190 feet upstream of Diamond Back Lane	4.56	4,938	7,450	8,391	10,974
Approximately 1,040 feet upstream of confluence of Henrietta Creek 6	2.06	2,027	3,069	3,463	4,543

TABLE 4 – SUMMARY OF DISCHARGES (continued)

FLOODING SOURCE AND LOCATION	DRAINAGE AREA (sq. mile)	PEAK DISCHARGES (cfs)			
		10% Annual Chance	2% Annual Chance	1% Annual Chance	0.2% Annual Chance
<u>Redelineation Detailed Study Streams</u>					
HENRIETTA CREEK 5 Approximately 890 feet upstream of confluence with Henrietta Creek	0.53	907	1,284	1,418	1,875
HENRIETTA CREEK 6 Approximately 1,060 feet upstream of confluence with Henrietta Creek	1.53	2,002	2,957	3,305	4,289
Approximately 900 feet downstream of Diamond Back Lane	0.69	1,023	1,512	1,678	2,188
Approximately 3,120 feet upstream of Diamond Back Lane	0.49	758	1,119	1,256	1,628
HENRIETTA CREEK 6A At confluence with Henrietta Creek 6	0.60	837	1,227	1,374	1,813
STREAM HEN-1 At confluence with Henrietta Creek	1.41	1,800	2,400	2,700	3,300
UNNAMED TRIBUTARY TO HENRIETTA CREEK At 1,400 feet upstream of confluence with Henrietta Creek	1.96	**	**	3,333	**
HIGGINS BRANCH Upstream of confluence with Kirkwood Branch	1.68	1,750	2,400	2,750	3,500
At unimproved road approximately 0.95 mile above confluence with Kirkwood Branch	1.20	1,700	2,350	2,650	3,350
HOWARDS BRANCH At confluence with Clear Fork Trinity River	3.11	2,800	3,800	4,200	5,300
At Mockingbird Lane	0.95	1,700	2,300	2,600	3,200
Approximately 550 feet upstream from Lynncrest Drive	0.73	1,300	1,700	1,900	2,400
STREAM HB-1 At confluence with Howards Branch	1.95	2,050	2,950	3,600	4,250
Approximately 100 feet downstream of North Bellaire Drive	1.39	1,600	2,300	2,700	3,350

TABLE 4 – SUMMARY OF DISCHARGES (continued)

FLOODING SOURCE AND LOCATION	DRAINAGE AREA (sq. mile)	PEAK DISCHARGES (cfs)				
		10% Annual Chance	2% Annual Chance	1% Annual Chance	0.2% Annual Chance	
<u>Redelineation Detailed Study Streams</u>						
HURRICANE CREEK						
Upstream of Trinity Railroad Express	5.50	5,150	7,200	8,100	9,900	
Downstream of State Route 183	3.80	4,600	6,050	6,600	7,900	
At State Route 183	2.55	3,050	3,950	4,300	5,100	
Downstream of State Route 121	1.63	2,450 ²	2,950 ²	3,100 ²	3,450 ²	
Upstream of State Route 121	1.63	2,700	3,600	4,000	5,100	
Approximately 500 feet upstream of State Route 121	1.06	1,850	2,500	2,750	3,500	
At Bedford Road	0.71	1,500	1,950	2,150	2,750	
Approximately 0.4 mile upstream of Bedford Road	0.48	1,000	1,300	1,450	1,800	
Approximately 0.2 mile downstream of Harwood Road	0.22	550	700	750	1,000	
STREAM HC-1						
At confluence with Hurricane Creek	1.30	1,600	2,150	2,400	3,000	
At a point approximately 700 feet upstream of Kynette Drive	1.20	1,250	1,700	1,950	2,450	
At a point approximately 800 feet downstream of Airport Freeway	0.90	950	1,300	1,500	1,900	
At the upstream corporate limits	0.50	750	1,000	1,100	1,350	
HURRICANE CREEK TRIBUTARY 1						
At confluence with Hurricane Creek	0.20	425	545	590	705	
EAST FORK HURRICANE CREEK						
At confluence with Hurricane Creek	0.57	1,050	1,400	1,550	1,950	
At Bedford Road	0.43	850	1,150	1,300	1,600	
NORTH FORK OF WEST BRANCH OF HURRICANE CREEK						
At confluence with West Branch Hurricane Creek	0.15	320	420	460	590	
WEST BRANCH HURRICANE CREEK						
At confluence with Hurricane Creek	0.32	650	900	950	1,200	
Approximately 50 feet upstream of the confluence of North Fork West Branch Bedford Creek	0.17	350	450	500	650	
STREAM JC-2						
At confluence with Johnson Creek	0.65	1,800	2,470	2,750	3,460	
At headwaters	0.09	1,640	2,120	2,330	2,990	

TABLE 4 – SUMMARY OF DISCHARGES (continued)

FLOODING SOURCE AND LOCATION	DRAINAGE AREA (sq. mile)	PEAK DISCHARGES (cfs)				
		10% Annual Chance	2% Annual Chance	1% Annual Chance	0.2% Annual Chance	
<u>Redelineation Detailed Study Streams</u>						
STREAM JC-3						
At confluence with Johnson Creek	0.84	1,620	2,140	2,370	2,880	
At Station Drive	0.58	1,340	1,740	1,910	2,410	
Approximately 0.45 mile upstream of Station Drive	0.41	940	1,220	1,340	1,680	
Approximately 0.60 mile upstream of Station Drive	0.30	680	880	970	1,220	
KEE BRANCH						
At confluence with Rush Creek	7.23	6,810	9,490	10,920	13,900	
Downstream of confluence of Stream KB-1	6.96	6,210	8,720	9,970	12,470	
At Interstate Route 20	4.44	4,360	6,400	7,300	9,070	
Downstream of confluence of Tributary K-2	3.55	3,680	4,660	6,420	7,880	
Upstream of confluence of Tributary K-2	2.85	2,980	4,400	5,020	6,190	
Downstream of confluence of Tributary K-3	1.40	1,340	1,880	2,140	2,650	
At U. S. Route 287	1.09	1,030 ²	1,450 ²	1,640 ²	2,020 ²	
At Kennenda1e Sublett Road	0.89	1,230	1,650	1,840	2,230	
STREAM KB-1						
At confluence with Kee Branch	1.52	2,500	3,310	3,670	4,440	
At Oak Springs Road	1.26	2,160	2,890	3,120	3,750	
KINGS BRANCH						
At confluence of Farmers Branch	4.52	5,300	6,460	7,030	8,270	
Just upstream of Roaring Spring Road	4.35	6,258	7,647	8,369	12,028	
Just upstream of Green Oaks Boulevard	3.21	4,270	5,057	5,503	7,818	
Approximately 960 feet upstream of Ridgmar Meadow Road	3.21	4,170	4,950	5,440	6,470	
Approximately 800 feet downstream of A1ta Mere Drive	2.72	3,590	4,380	4,810	5,770	
KIRBY CREEK						
At confluence with Fish Creek ¹	3.38	3,900	5,600	6,450	8,500	
Kirbywood Drive	0.82	1,200	1,650	1,800	2,200	
KIRKWOOD BRANCH						
At Grapevine Lake	8.41	6,000	8,500	9,700	12,600	
Downstream of South Fork Kirkwood Branch	6.40	5,300	7,500	8,400	10,900	

TABLE 4 – SUMMARY OF DISCHARGES (continued)

FLOODING SOURCE AND LOCATION	DRAINAGE AREA (sq. mile)	PEAK DISCHARGES (cfs)				
		10% Annual Chance	2% Annual Chance	1% Annual Chance	0.2% Annual Chance	
<u>Redelineation Detailed Study Streams</u>						
KIRKWOOD BRANCH (CONTINUED)						
Upstream of South Fork Kirkwood Branch	4.89	3,950	5,600	6,400	8,200	
At State Route 114	4.21	4,300	6,000	6,800	8,700	
Downstream of Higgins Branch	3.56	3,850	5,400	6,100	7,700	
Upstream of Higgins Branch	1.88	2,150	3,000	3,400	4,350	
KIRKWOOD BRANCH TRIBUTARY						
At confluence with Kirkwood Branch	0.43	863	1,133	1,250	1,553	
SOUTH FORK KIRKWOOD BRANCH						
Upstream of Kirkwood Branch	1.52	1,450	2,000	2,300	2,950	
At State Route 114	1.06	1,350	1,850	2,050	2,650	
LITTLE BEAR CREEK						
At confluence with Big Bear Creek	24.10	6,800	11,300	13,700	18,400	
At State Route 121	20.20	6,400	10,400	12,500	16,500	
Downstream of Little Bear Tributary 1	18.02	6,400	10,400	12,400	16,700	
At Cheshire Road	13.57	5,100	8,000	9,600	12,500	
At State Route 26	11.16	4,400	6,400	7,500	9,500	
At DART Railroad	8.20	4,400	6,400	7,400	9,400	
At confluence of Stream LB-1	6.10	3,450	5,100	5,800	7,600	
At FM 1938 (Davis Boulevard)	4.60	2,750	4,000	4,500	5,900	
STREAM LB-1						
At confluence with Little Bear Creek	0.72	1,170	1,560	1,740	2,190	
Just downstream of Davis Boulevard	0.53	915	1,250	1,410	1,833	
STREAM LB-2						
At confluence with Little Bear Creek	0.70	1,094	1,577	1,799	2,343	
Approximately 2,740 feet upstream of the confluence with Little Bear Creek	0.45	674	972	1,109	1,448	
STREAM LB-2						
Approximately 0.78 mile upstream of confluence with Little Bear Creek	0.53	790	1,080	1,200	1,520	
STREAM LB-2 (CONTINUED)						
Approximately 4,370 feet upstream of the confluence with Little Bear Creek	0.38	576	829	945	1,231	
Approximately 5,120 feet upstream of the confluence with Little Bear Creek	0.25	369	533	608	794	

TABLE 4 – SUMMARY OF DISCHARGES (continued)

FLOODING SOURCE AND LOCATION	DRAINAGE AREA (sq. mile)	PEAK DISCHARGES (cfs)			
		10% Annual Chance	2% Annual Chance	1% Annual Chance	0.2% Annual Chance
<u>Redelineation Detailed Study Streams</u>					
STREAM LB-3					
At confluence with Little Bear Creek	1.11	1,357		2,035	2,350
STREAM LB-6					
Approximately 210 feet upstream of confluence with Little Bear Creek	0.26	**		**	720
Approximately 1,300 feet upstream of confluence with Little Bear Creek	0.20	**		**	510
TRIBUTARY LITTLE BEAR 1					
At confluence with Little Bear Creek	1.40	1,900		2,650	3,000
TRIBUTARY LITTLE BEAR 2					
Upstream of DART Railroad	0.72	1,100		1,500	1,650
Downstream of DART Railroad	0.72	500		650	700
At confluence with Little Bear Creek	1.26	1,000		1,500	1,750
TRIBUTARY LITTLE BEAR 3					
At confluence with Little Bear Creek	0.48	**		**	1,460
UNNAMED TRIBUTARY TO LITTLE BEAR CREEK					
At the confluence with Little Bear Creek	0.14	**		**	758
<u>LITTLE FOSSIL CREEK</u>					
Upstream with confluence of Big Fossil Creek	18.26	8,970		11,910	13,470
Approximately 0.38 mile downstream of Trinity Railroad Express	17.35	9,070		11,960	13,450
Approximately 300 feet downstream west bound Frontage Road State Route 121	17.35	7,970 ⁶		9,450 ⁶	9,970 ⁶
Approximately 130 feet upstream east bound Frontage Road State Route 121	17.35	9,550 ⁶		13,140 ⁶	15,000 ⁶
Approximately 1,255 feet upstream of Thomas Road	15.65	10,670		14,840	17,410
Approximately 545 feet upstream of Haltom Road	13.76	10,530		14,400	16,980
Approximately 1,000 feet downstream Beach Street	12.16	9,750 ²		13,680 ²	15,800 ²
Downstream of confluence of Stream LFC-1	11.45	10,650		14,300	15,850
Upstream of confluence of Stream LFC-1	10.28	9,200		12,300	13,600
Downstream of confluence of Stream LFC-2	8.94	8,100		10,600	11,750
					14,450

TABLE 4 – SUMMARY OF DISCHARGES (continued)

FLOODING SOURCE AND LOCATION	DRAINAGE AREA (sq. mile)	PEAK DISCHARGES (cfs)			
		10% Annual Chance	2% Annual Chance	1% Annual Chance	0.2% Annual Chance
<u>Redelineation Detailed Study Streams</u>					
LITTLE FOSSIL CREEK (CONTINUED)					
Upstream of confluence of Stream LFC-2	7.70	6,450	8,650	9,650	11,950
Downstream of confluence of unnamed tributary, approximately 500 feet upstream from Mark IV Parkway crossing	6.83	6,050	8,150	9,150	11,750
Upstream of confluence of unnamed tributary, approximately 500 feet upstream from Mark IV crossing	6.38	5,700	7,800	8,850	11,420
Downstream of confluence of unnamed tributary, approximately 1,000 feet downstream from NE Loop 820 crossing	5.65	4,900	6,750	7,700	10,100
Upstream of confluence of unnamed tributary, approximately 1,000 feet downstream from NE Loop 820 crossing	5.15	4,450	6,300	7,300	9,600 ²
Downstream of confluence of unnamed tributary, approximately 1,000 feet upstream from Centre1 Sansom Road crossing	4.43	4,200	6,000	7,100	9,700
At Blue Mound Road	3.12	2,950	4,420	5,130	7,000
At East Watauga Avenue (McLeroy Boulevard)	2.25	1,950	3,550	4,150	5,800
At Burlington Northern and Santa Fe Railroad	1.19	1,750	3,150	3,700	5,000
At Jarvis Road	0.76	1,274	1,733	1,984	2,567
At US Highway 81	0.58	844	1,149	1,315	1,702
At Park Center Boulevard	0.34	650	885	1,013	1,311
LITTLE FOSSIL CREEK SPLIT FLOW					
Upstream of confluence with Big Fossil Creek	17.35	15 ⁷	1,300 ⁷	2,030 ⁷	3,180 ⁷
Approximately 860 feet upstream of Minnis Drive	17.35	15 ⁷	1,405 ⁷	2,535 ⁷	5,175 ⁷
Approximately 1,335 feet downstream of Moneda Street	17.35	935 ⁷	2,975 ⁷	4,280 ⁷	7,300 ⁷
At Moneda Street	17.35	1,580	3,690	5,030	8,190
STREAM LFC-1					
At confluence with Little Fossil Creek	1.17	1,650	2,200	2,450	3,050
STREAM LFC-2					
At confluence with Little Fossil Creek	1.24	2,050	2,700	3,000	3,750
Just upstream of Northern Cross Boulevard	0.47	838	1,143	1,275	1,524

TABLE 4 – SUMMARY OF DISCHARGES (continued)

FLOODING SOURCE AND LOCATION	DRAINAGE AREA (sq. mile)	PEAK DISCHARGES (cfs)				
		10% Annual Chance	2% Annual Chance	1% Annual Chance	0.2% Annual Chance	
<u>Redelineation Detailed Study Streams</u>						
LIVE OAK CREEK						
Approximately 0.49 mile downstream of Silver Creek Road	8.36	9,900	13,900	15,600	19,800	
Approximately 0.45 mile upstream of Silver Creek Road	7.14	8,800	12,150	13,650	17,350	
Approximately 2.03 miles upstream of Silver Creek Road	5.70	7,850	10,700	12,000	15,150	
Approximately 2.04 miles upstream of Silver Creek Road	4.40	6,050	8,300	9,300	11,800	
LOREAN BRANCH						
At Trinity Railroad Express	4.00	4,100	5,200	5,700	7,000	
At Redbud Drive	3.70	4,000	5,100	5,650	6,900	
At Pipeline Road	3.40	3,850	4,800	5,300	6,600	
At Bedford-Euless Road	2.90	3,300	4,400	4,900	6,150	
At Airport Freeway	2.30	2,550	3,450	3,850	4,850	
At Harwood Drive	2.00	2,450	3,300	3,700	4,650	
At Cannon Drive	1.50	2,200	2,950	3,300	4,150	
Approximately 600 feet downstream of State Route 26	0.65	975	1,300	1,450	1,850	
Above confluence of Mesquite Branch	0.28	425	575	650	800	
At Martin Road	0.14	215	290	320	390	
UNNAMED TRIBUTARY TO LOREAN BRANCH						
Approximately 1,479 feet upstream of confluence with Lorean Branch	0.58	**	**	1,955	**	
UNNAMED TRIBUTARY TO STREAM LFC-2						
Upstream of the confluence with Stream LFC-2	0.43	949	1,329	1,477	1,758	
LYNN CREEK						
At confluence with Walnut Creek 3	5.43	3,600	5,500	6,450	8,300	
Approximately 1,750 feet downstream of Ragland Road extension	4.62	3,300	4,850	5,650	7,350	
Immediately downstream of Webb Lynn Road	2.95	2,600 ²	3,700	4,200	5,300	
Approximately 0.74 mile downstream of Nathan Lane Road	1.56	2,750	3,600	4,000	4,900	
Approximately 100 feet downstream of end of concrete channel	1.14	2,100	2,800	3,200	3,700	
Approximately 400 feet upstream of end of concrete channel	0.72	1,700	2,200	2,400	3,050	

TABLE 4 – SUMMARY OF DISCHARGES (continued)

<u>FLOODING SOURCE AND LOCATION</u>	<u>DRAINAGE AREA (sq. mile)</u>	PEAK DISCHARGES (cfs)				
		<u>10% Annual Chance</u>	<u>2% Annual Chance</u>	<u>1% Annual Chance</u>	<u>0.2% Annual Chance</u>	
<u>Redelineation Detailed Study Streams</u>						
MACKEY CREEK						
At Baker Boulevard	0.98	880 ⁸	980 ⁸	1,010 ⁸	1,100 ⁸	
At State Route 26 (Grapevine Highway)	0.85	530 ⁹	520 ⁹	510 ⁹	470 ⁹	
Just upstream of Richland Plaza Drive	0.97	1,910	2,620	2,930	3,550	
Just downstream of Glenview Drive	0.41	760	1,020	1,140	1,380	
MACKEY CREEK DIVERSION NORTH						
At Richland Plaza Drive	**	280	470	570	780	
MARINE CREEK						
At confluence with West Fork Trinity River	22.20	9,290	14,700	17,200	20,700	
Downstream of confluence of Stream MC-1	22.00	9,100	14,400	16,800	20,400	
At North Main Street	19.00	5,890	9,640	11,200	13,900	
At NW 28th Street	18.50	5,520	9,080	10,800	13,400	
Downstream of confluence of Cement Creek	17.30	4,600	7,280	8,580	10,700	
Upstream of confluence of Cement Creek	12.43	3,450	5,270	6,130	7,620	
Downstream of confluence with unnamed tributary near Old Decatur Road	11.70	3,170	4,630	5,330	6,590	
Upstream of confluence of unnamed tributary near Old Decatur Road	10.70	2,590	3,560	4,030	4,990	
At Sherman Avenue	10.40	2,160	2,940	3,330	4,100	
Approximately 0.44 mile upstream of Sherman Avenue	10.20	1,960	2,660	3,000	3,690	
Approximately 0.66 mile upstream of Sherman Avenue	9.90	1,530	2,040	2,290	2,800	
Approximately 0.76 mile upstream of Sherman Avenue	9.70	1,240	1,630	1,820	2,210	
Approximately 200 feet downstream of private road	9.50	980	1,260	1,400	1,680	
At Marine Creek Lake dam	9.10	364 ¹⁰	377 ¹⁰	390 ¹⁰	404 ¹⁰	
Upstream of Marine Creek Lake	4.80	6,100	8,810	10,200	12,800	
At Cromwell-Marine Creek Road	**	6,097	8,808	10,166	12,767	
Approximately 0.44 mile upstream of Cromwell-Marine Creek Road	**	4,256	6,166	7,123	8,950	
MARINE CREEK SPLIT FLOW						
For entire stream length	**	**	**	930	1,480	
MC-4 CREEK						
Approximately 350 feet upstream of W J Boaz Road	0.74	**	**	1,700	**	

TABLE 4 – SUMMARY OF DISCHARGES (continued)

FLOODING SOURCE AND LOCATION	DRAINAGE AREA (sq. mile)	PEAK DISCHARGES (cfs)			
		10% Annual Chance	2% Annual Chance	1% Annual Chance	0.2% Annual Chance
<u>Redelineation Detailed Study Streams</u>					
STREAM MC-1					
At NE 28th Street	1.62	1,860 ¹¹	2,970 ¹¹	3,510 ¹¹	4,660 ¹¹
At NE 28th Street	1.62	2,480	3,620	4,160	5,320
At NE 35th Street	1.13	2,250	3,100	3,510	4,400
STREAM MC-2					
At confluence of Marine Creek	2.11	2,610	3,790	4,380	5,500
Approximately 0.79 mile south of Cromwell Marine Creek Road	1.59	1,970	2,860	3,300	4,140
Approximately 0.75 mile south of Cromwell Marine Creek Road	1.38	1,710	2,480	2,860	3,600
MARSHALL BRANCH					
Downstream of confluence of unnamed tributary approximately 410 feet upstream, of State Route 114	13.40	6,650	9,950	11,700	14,950
Upstream of confluence of unnamed tributary	11.93	6,350	9,500	11,050	14,100
Downstream of confluence of unnamed tributary approximately 1,500 feet downstream of Trophy Club Drive	11.09	6,750	9,750	11,300	14,200
Upstream of confluence of unnamed tributary	10.63	6,750	9,700	11,200	14,100
At South Frontage State Route 114	9.81	6,130	9,840	11,330	15,490
Downstream of confluence of Paigebrook Creek approximately 1,040 feet downstream of South Frontage State Route 114	9.54	6,040	9,670	11,150	15,210
At Main Street	7.31	5,000	7,700	8,760	11,640
At Roanoke Street	5.14	3,960	5,910	6,680	8,610
Downstream of confluence of Tributary MB-7 approximately 5,110 feet downstream of Roanoke Street	4.22	3,470	3,170	5,850	7,610
MARYS CREEK					
At confluence with the Clear Fork of Trinity River	56.04	25,600	36,600	42,800	55,000
Approximately 1,800 feet downstream of Old Benbrook Road	54.03	25,700	36,900	43,400	56,300
Approximately 1,100 feet upstream of Old Benbrook Road	43.31	22,300 ²	32,200 ²	37,500 ²	47,900 ²
Approximately 0.95 mile downstream of Loop 820	41.98	22,900 ²	33,000 ²	38,100 ²	42,200 ²
Approximately 0.76 mile downstream of Loop 820	40.83	22,900 ²	32,900 ²	37,900 ²	47,900 ²

TABLE 4 – SUMMARY OF DISCHARGES (continued)

FLOODING SOURCE AND LOCATION	DRAINAGE AREA (sq. mile)	PEAK DISCHARGES (cfs)				
		10% Annual Chance	2% Annual Chance	1% Annual Chance	0.2% Annual Chance	
<u>Redelineation Detailed Study Streams</u>						
MARYS CREEK (CONTINUED)						
Approximately 1,000 feet upstream of Chapin School Road	35.54	25,600	35,300	40,400	50,800	
MARYS CREEK (continued)						
Approximately 0.47 mile upstream of U.S. Route 80	26.21	19,400	26,900	30,700	38,400	
Approximately 1,200 feet upstream of U.S. Route 80	25.01	18,900	26,300	30,000	37,700	
SOUTH MARYS CREEK						
At confluence with Marys Creek	9.33	8,900	12,600	14,200	17,600	
At Link Hill Drive	6.27	8,100	10,900	12,200	15,400	
Approximately 1.06 miles upstream of Link Hill Drive	3.38	4,400	5,900	6,600	8,400	
STREAM MSC-1						
At confluence with Marys Creek	0.93	1,600	2,150	2,400	3,050	
At Interstate Route 20	0.69	1,500	2,000	2,200	2,750	
Approximately 300 feet upstream of Highway 80-180	0.60	948	1,396	1,562	2,058	
Upstream of Santa Clara Drive	0.45	708	1,055	1,183	1,558	
STREAM MSC-2						
At confluence with Marys Creek	1.23	1,900	2,600	2,900	3,750	
At Interstate Route 30	0.81	1,250	1,650	1,850	2,450	
STREAM MSC-3						
Approximately 10 feet downstream of Interstate Route 30	1.60	1,820 ²	1,930 ²	1,970 ²	4,550	
Upstream of Interstate Route 30	1.60	2,400	3,250	3,600	4,550	
UNNAMED TRIBUTARY TO STREAM MSC-1						
At confluence with Stream MSC-1	0.21	314	466	522	696	
MESQUITE BRANCH						
At confluence with Lorean Branch	0.37	550	725	800	1,050	
NORTH CREEK						
At confluence with Village Creek	2.98	2,850	4,150	4,850	6,150	
At confluence of unnamed tributary, approximately 0.85 mile downstream of Interstate Route 35W	2.05	1,750 ²	2,800 ²	3,200 ²	4,050 ²	
At Interstate Route 35W	1.76	2,200	3,150	3,950	4,350	
At Union Pacific Railroad	1.27	1,650	2,100	2,350	2,800	
At Alsbury Street	0.73	1,350	1,850	2,050	2,550	

TABLE 4 – SUMMARY OF DISCHARGES (continued)

FLOODING SOURCE AND LOCATION	DRAINAGE AREA (sq. mile)	PEAK DISCHARGES (cfs)				
		10% Annual Chance	2% Annual Chance	1% Annual Chance	0.2% Annual Chance	
<u>Redelineation Detailed Study Streams</u>						
NORTH CREEK (CONTINUED)						
Approximately 600 feet downstream of McAllister Road	0.47	1,100	1,450	1,600	2,050	
PANTEGO BRANCH						
At confluence with Rush Creek	1.68	2,460	3,320	3,710	4,490	
At West Park Row	1.43	2,190	2,940	3,310	4,030	
At Smith-Barry Road	0.94	1,550	2,070	2,290	2,840	
PASCHAL BRANCH						
At confluence with Ash Creek	1.91	2,650	3,650	4,100	5,000	
At Silver Creek Road	1.58	2,400	3,250	3,600	4,450	
RAGLAND BRANCH						
At confluence with Walnut Creek	1.20	1,960	2,750	3,140	4,090	
At a point approximately 1,100 feet upstream of Ragland Road	0.54	1,100	1,350	1,500	1,850	
REYNOLDS BRANCH						
At confluence with Ash Creek	1.94	2,800	3,900	4,350	5,400	
Downstream of confluence of Stream RB-1 ¹	1.33	2,300	3,150	3,500	4,350	
Upstream of confluence of Stream RB-1 ¹	0.82	1,400	1,900	2,150	2,700	
At dirt road (headwaters) ¹	0.65	1,350	1,800	1,950	2,500	
ROBERTSON BRANCH						
At confluence with Big Fossil Creek	0.56	961	1,331	1,498	1,622	
Approximately 3,000 feet upstream of confluence with Big Fossil Creek	0.45	849	1,150	1,288	1,872	
RUSH CREEK						
At confluence of Pantego Branch	29.01	3,670 ¹²	4,233 ¹²	4,704 ¹²	5,799 ¹²	
At State Route 303	28.77	15,400 ²	23,280 ²	27,060 ²	34,770 ²	
At Woodland Park Boulevard	27.59	15,240 ²	22,990 ²	26,670 ²	34,170 ²	
At Arkansas Lane	27.17	15,540	23,460	27,180	34,770	
Below confluence of Kee Branch	25.24	14,680	21,904	25,280	32,290	
At confluence of Kee Branch	18.01	9,920 ²	14,550 ²	16,850 ²	21,650 ²	
Below confluence of Tributary R-8	17.83	9,980	14,690	16,950	21,730	
Above Kee Branch	17.52	9,600	15,000	17,600	25,000	
At confluence of Tributary R-8	16.57	9,710 ²	14,150	16,350	20,900	
Below confluence of Tributary R-7	16.30	9,770	14,140	16,340	20,800	
At confluence of Tributary R-7	15.16	9,350 ²	13,590 ²	15,700 ²	19,980 ²	
Downstream of confluence of Tributary R-5 and R-6	14.74	9,400	13,670	15,780	20,010	
At Interstate Route 20	13.07	8,860 ²	12,820 ²	14,770 ²	18,680 ²	
Downstream of confluence of Tributary R-4	12.78	9,000	13,170	15,190	19,130	

TABLE 4 – SUMMARY OF DISCHARGES (continued)

FLOODING SOURCE AND LOCATION	DRAINAGE AREA (sq. mile)	PEAK DISCHARGES (cfs)			
		10% Annual Chance	2% Annual Chance	1% Annual Chance	0.2% Annual Chance
<u>Redelineation Detailed Study Streams</u>					
RUSH CREEK(CONTINUED)					
At confluence of Tributary R-4	11.51	8,380	12,250	14,010	17,510
At Green Oaks Boulevard	10.82	8,350	12,179	13,890	17,260
Downstream of confluence of Sublett Creek	9.51	8,210	11,620	13,179	16,340
At confluence of Sublett Creek	4.22	4,000	5,560	6,270	7,740
Downstream of confluence of Tributary R-11	3.04	3,520	4,880	5,490	6,820
At confluence of Tributary R-11	2.54	2,990	4,120	4,610	5,690
Below confluence with Tributary R-10	1.90	2,520	3,440	3,850	4,720
At confluence of Tributary R-1	1.00	1,290	1,770	1,980	2,450
FOREST PARK TRIBUTARY OF RUSH CREEK					
At confluence with Rush Creek	0.18	**	**	610	**
NORTHEAST TRIBUTARY OF RUSH CREEK					
At confluence with Rush Creek	0.11	**	**	361	**
RUSH CREEK RELIEF CHANNEL					
Upstream of convergence with Village Creek	**	15,728	25,147	30,374	40,972
STREAM RC-1					
At confluence with Rush Creek	3.56	4,810	6,220	6,850	8,130
Immediately upstream of Union Pacific Railroad	1.95	2,640	3,310	3,630	4,280
STREAM RC-1(A)					
At confluence with Stream RC-1	1.36	2,210	2,870	3,180	3,810
At headwaters	0.93	1,710	2,240	2,480	3,010
STREAM RC-2					
At confluence with Rush Creek	1.18	1,970	2,520	2,790	3,370
At headwaters	0.64	1,350	1,750	1,930	2,410
RYAN'S BRANCH					
At confluence with Rush Creek	1.29	2,000	2,750	3,100	3,900
At Roosevelt Drive	0.99	1,850	2,500	2,800	3,550
SILVER CREEK					
At Silver Creek Road	49.2	18,400	27,900	32,400	41,100

TABLE 4 – SUMMARY OF DISCHARGES (continued)

FLOODING SOURCE AND LOCATION	DRAINAGE AREA (sq. mile)	PEAK DISCHARGES (cfs)				
		10% Annual Chance	2% Annual Chance	1% Annual Chance	0.2% Annual Chance	
<u>Redelineation Detailed Study Streams</u>						
SINGING HILLS CREEK						
At confluence with Big Fossil Creek	5.60	6,550	9,400	10,550	13,450	
At southern corporate limits of North Richland Hills	4.32	5,900	8,000	8,900	11,200	
Below confluence of Bunker Hill Creek	4.19	5,900	8,100	9,000	11,200	
Above confluence of Bunker Hill Creek	2.40	3,900	5,200	5,800	7,200	
At Chapman Road	1.51	2,650	3,550	3,950	4,900	
Below right bank tributary approximately 3.58 miles above mouth	1.05	1,850	2,500	2,750	3,400	
SOUTH CREEK						
Above confluence with Village Creek	5.35	6,460	9,040	9,730	12,445	
Approximately 890 feet downstream of Anglin Drive	5.05	6,390	8,880	9,500	12,150	
Approximately 0.51 mile downstream of Forest Hill Drive	3.93	5,865	7,960	8,400	10,520	
Approximately 475 feet downstream of Forest Hill Drive	2.27	3,320	4,545	4,815	6,000	
NORTH BRANCH OF NORTH FORK OF SOUTH CREEK						
Above confluence with North Fork of South Creek	0.58	1,210 ¹³	1,771 ¹³	2,058 ¹³	2,898 ¹³	
Approximately 290 feet upstream of westbound Southeast Loop 820 access road	0.58	1,210	1,800	2,093	3,026	
Approximately 177 feet downstream of Wichita Street	0.43	870	1,165	1,220	1,360	
NORTH BRANCH OF NORTH FORK OF SOUTH CREEK - SPLIT FLOW						
Upstream of confluence with North Fork of South Creek	0.37	885	1,205	1,260	1,525	
Approximately 700 feet downstream of Forest Hill Circle	0.29	725	975	1,020	1,285	
Approximately 250 feet upstream of Southeast Loop 820 along westbound access road	**	20	40	90	345	
NORTH FORK OF SOUTH CREEK						
Upstream of confluence with South Creek	1.66	2,850	3,770	3,930	4,800	

TABLE 4 – SUMMARY OF DISCHARGES (continued)

FLOODING SOURCE AND LOCATION	DRAINAGE AREA (sq. mile)	PEAK DISCHARGES (cfs)				
		10% Annual Chance	2% Annual Chance	1% Annual Chance	0.2% Annual Chance	
<u>Redelineation Detailed Study Streams</u>						
NORTH FORK OF SOUTH CREEK (CONTINUED)						
Approximately 88 feet upstream of Forest Hill Drive	1.29	2,130	2,780	2,900	3,340	
Approximately 830 feet downstream of confluence of North Branch of North Fork	1.16	2,120	2,760	2,860	3,150	
Approximately 1,422 feet downstream of Wichita Street	0.41	860	1,145	1,195	1,310	
SUBLETT CREEK						
At confluence with Rush Creek	5.29	4,620	6,630	7,500	9,100	
At Calendar Road	4.57	4,520	6,310	7,060	8,320	
Downstream of U.S. Route 287	3.66	3,790	5,230	5,790	6,620	
At U.S. Route 287	2.99	3,520	4,790	5,170	5,790	
Downstream of Tributary 1	1.83	2,510	3,400	3,800	4,610	
SULPHUR BRANCH						
At Trinity Railroad Express	5.92	2,500 ²	3,950 ²	4,650 ²	6,100 ²	
Approximately 50 feet downstream of State Route 10	4.52	4,150	5,850	6,800	8,750	
At State Route 183	3.70	3,550	4,950	5,700	7,250	
At Pipeline Road	3.22	3,550	4,850	5,450	6,700	
Downstream of the confluence of Stream SB-1	2.85	3,500	4,700	5,200	6,400	
Approximately 2200 feet upstream of the confluence of Stream SB-1	1.93	2,920	3,620	3,910	4,670	
At State Route 121	1.38	2,220 ²	2,700 ²	2,850 ²	3,230 ²	
Downstream of Shady Lane	1.22	2,190	3,200	3,660	5,500	
At Shady Lane	0.91	1,600	2,330	2,640	4,100	
At Harwood Road	0.39	720	1,110	1,300	1,820	
At Simpson Terrace	0.09	170	250	300	410	
STREAM SB-1						
At confluence with Sulphur Branch	0.88	1,200	1,600	1,800	2,300	
At State Route 121	0.50	800	1,050	1,150	1,450	
At Forest Ridge Drive	0.29	550	700	800	1,000	
UNAMMED TRIBUTARY TO SULPHUR BRANCH						
At confluence with Sulphur Branch	**	**	**	**	**	
STREAM SC-1						
At confluence with Sycamore Creek	0.97	1,600	2,150	2,350	3,000	
STREAM SC-2						
At confluence with Sycamore Creek	1.34	1,650	2,100	2,350	2,950	

TABLE 4 – SUMMARY OF DISCHARGES (continued)

FLOODING SOURCE AND LOCATION	DRAINAGE AREA (sq. mile)	PEAK DISCHARGES (cfs)			
		10% Annual Chance	2% Annual Chance	1% Annual Chance	0.2% Annual Chance
<u>Redelineation Detailed Study Streams</u>					
STREAM SC-3					
At confluence with Sycamore Creek	1.30	1,950	2,750	3,100	4,050
Downstream of Berry Street crossing	0.99	1,700	2,400	2,700	3,550
At Glen Garden Country Club dam	0.51	1,200	1,700	1,950	2,500
STREAM SC-4					
At approximately 50 feet downstream of Missouri Kansas Texas Railroad	0.50	591	822	911	962
Flow into Culvert at Riverside Drive	0.59	510	536	552	587
Split flow at approximately 150 feet upstream of Riverside Drive	0.59	198	357	472	658
STREAM SC-5					
At confluence with Sycamore Creek	2.22	3,100 ²	4,050 ²	4,400 ²	5,500 ²
Downstream of confluence of unnamed tributary, approximately 1,500 feet downstream from Interstate Route 35W crossing	1.93	3,050	4,100	4,600	5,850
Upstream of confluence of unnamed tributary, approximately 1,500 feet downstream from Interstate Route 35W crossing	1.24	2,000	2,750	3,050	3,900
STREAM SC-6					
At confluence with Sycamore Creek	1.72	2,100	2,400	2,550	2,950
Just downstream of James Avenue	0.51	**	**	1,392	**
STREAM SC-7					
At confluence with Sycamore Creek	3.59	2,477	3,607	4,138	5,910
At Atchison, Burlington Northern and Santa Fe Railroad crossing	2.21	1,920	3,000	3,450	4,680
STREAM SC-7A					
At confluence with Sycamore Creek	**	**	**	799	**
TIMBER CREEK DIVERSION					
Approximately 50 feet downstream of Winscott Plover, combined with diverted pipe flow	0.22	840	1,080	1,180	1,580
SOUTH TIMBER CREEK					
At Mildred Drive	0.13	380	490	530	710
TRIBUTARY B					
At confluence with Big Fossil Creek	0.71	1,180	1,430	1,540	1,770

TABLE 4 – SUMMARY OF DISCHARGES (continued)

FLOODING SOURCE AND LOCATION	DRAINAGE AREA (sq. mile)	PEAK DISCHARGES (cfs)				
		10% Annual Chance	2% Annual Chance	1% Annual Chance	0.2% Annual Chance	
<u>Redelineation Detailed Study Streams</u>						
TRIBUTARY B (CONTINUED)						
Approximately 1,000 feet upstream of Haltom Road	0.51	970	1,230	1,350	1,650	
Approximately 1,050 feet upstream of Haltom Road	0.26	420	520	550	620	
TRIBUTARY C						
At confluence with Little Fossil Creek	0.97	1,300	1,790	2,000	2,510	
Approximately 50 feet downstream of Stanley-Keller Road	0.68	1,120	1,500	1,680	2,070	
Approximately 50 feet upstream of Stanley-Keller Road	0.35	540	730	800	960	
Approximately 50 feet downstream of DART Railroad	0.18	470	610	670	880	
TWIN SPRINGS DRAW						
At confluence with Rush Creek	1.17	1,850	2,550	2,850	3,550	
VALLEY VIEW BRANCH						
At Trinity Railroad Express	3.10	2,970 ¹¹	3,540 ¹¹	3,810 ¹¹	4,530 ¹¹	
At Brown Trail Road	2.70	3,350	3,900	4,200	4,950	
At Pipeline Road	2.00	2,540	3,180	3,460	4,230	
At Airport Freeway	1.20	2,060	2,540	2,770	3,380	
STREAM VVB-1						
At confluence with Valley View Branch	0.40	750	1,000	1,100	1,350	
VILLAGE CREEK						
At confluence with West Fork Trinity River ¹¹	188.70	17,600 ²	29,000 ²	35,300 ²	47,000 ²	
At confluence of Cottonwood Creek ¹¹	183.30	16,300 ²	26,600 ²	32,200 ²	46,300 ²	
Approximately 450 feet downstream of confluence of Rush Creek ¹¹	180.50	19,400	29,400	35,100	46,800	
Approximately 0.70 mile upstream of Division Street	146.16	3,350	15,450 ²	23,700 ²	45,950 ²	
Approximately 200 feet downstream of State Route 303	145.14	3,350	16,050 ²	24,350 ²	47,750 ²	
Approximately 1,700 feet upstream of State Route 303	143.06	3,350 ¹⁴	16,500 ¹⁴	25,000 ¹⁴	49,350 ¹⁴	
Approximately 1,600 feet upstream of confluence of Stream VC(A)-2	143.06	3,350	3,400	3,400	3,500	
At confluence with Lake Arlington	123.09	28,500	45,100	57,000	79,700	
At Union Pacific	113.59	28,500	44,900	56,100	77,400	
Approximately 0.68 mile downstream of Everman-Kennedale-Burleson Road	100.77	28,100	44,300	54,450	73,950	

TABLE 4 – SUMMARY OF DISCHARGES (continued)

FLOODING SOURCE AND LOCATION	DRAINAGE AREA (sq. mile)	PEAK DISCHARGES (cfs)				
		10% Annual Chance	2% Annual Chance	1% Annual Chance	0.2% Annual Chance	
<u>Redelineation Detailed Study Streams</u>						
VILLAGE CREEK (CONTINUED)						
Approximately 0.85 mile downstream of Oak Grove Road	63.78	20,050	33,350	39,800	52,750	
Approximately 1.93 miles upstream of Hargrove	55.78	19,400	30,950	36,700	48,100	
Approximately 1.21 miles upstream of Hargrove	31.65	10,700	15,600	18,450	25,000	
STREAM VC(A)-1						
At confluence with Village Creek	2.84	4,290 ²	6,130	6,820	8,160	
At dam	2.76	4,370 ²	5,920	6,650	8,060	
Downstream of Village Creek	2.49	4,430	5,800	6,400	7,810	
Upstream of Village Creek	1.59	2,840	3,720	4,109	5,000	
STREAM VC(A)-2						
At confluence with Village Creek	143.1	3,350	16,500	25,000	49,300	
Upstream of confluence with Village Creek	143.1	0 ¹⁵	13,100	21,600	45,800	
STREAM VC-1						
Approximately 1,200 feet downstream of Cravens Road	2.02	1,940	2,980	3,430	4,460	
At Village Creek Road	1.27	2,590	3,410	3,780	4,760	
STREAM VC-2						
Approximately 0.54 mile downstream from East Loop 820 South	3.99	3,040	4,500	5,350	7,580	
At Parker-Henderson Road	2.86	3,450	4,790	5,460	7,060	
At Shackleford Road	1.16	2,020	2,700	3,010	3,800	
STREAM VC-2A						
At confluence with Stream VC-2	0.40	677	910	1,251	1,610	
STREAM VC-3						
At confluence with Village Creek	1.90	2,220	3,040	3,415	4,300	
At a point approximately 800 feet upstream of northern Kennedale corporate limits	1.10	1,400	2,010	2,240	2,860	
At Kennedale Sublett Road	0.70	950	1,285	1,440	1,815	
At a point approximately 100 feet upstream of confluence of Stream VC-4A	3.10	2,860	3,990	4,500	5,660	
STREAM VC-4						
At confluence with Village Creek	5.40	3,970	5,830	6,820	8,810	

TABLE 4 – SUMMARY OF DISCHARGES (continued)

FLOODING SOURCE AND LOCATION	DRAINAGE AREA (sq. mile)	PEAK DISCHARGES (cfs)			
		10% Annual Chance	2% Annual Chance	1% Annual Chance	0.2% Annual Chance
<u>Redelineation Detailed Study Streams</u>					
STREAM VC-4(CONTINUED)					
At a point approximately 100 feet downstream of confluence of Stream VC-4A	4.40	3,970	5,570	6,290	7,910
STREAM VC-4A					
At confluence with Stream VC-4	1.40	2,070	2,790	3,115	3,940
At a point approximately 800 feet upstream of Kennedale-New Hope Road	1.20	1,780	2,405	2,670	3,395
STREAM VC-5					
At confluence with Village Creek	3.66	2,650 ²	3,850 ²	4,400 ²	5,500 ²
At abandoned railroad bed	2.83	2,850	3,950	4,450	5,550
At Oak Grove Road	1.53	2,700	3,550	4,000	4,850
STREAM VC-6					
At confluence with Village Creek	2.08	2,240	3,170	3,590	4,570
At East Oak Grove Road	1.66	2,020	2,810	3,160	4,010
At Stone Road	1.05	1,700	2,290	2,550	3,100
STREAM VC-7					
At confluence with Village Creek	1.90	1,800	2,500	2,950	3,800
WALKER BRANCH					
Approximately 50 feet downstream of confluence with Valley View Branch	20.76	16,450	21,650	23,750	28,800
Approximately 50 feet upstream of confluence with Valley View Branch	16.49	14,900	19,000	20,650	25,000
STREAM WKB-1					
At confluence with walker Branch	0.40	660	880	980	1,240
WALNUT CREEK 1					
At Eagle Mountain Lake	80.72	22,500	37,200	44,900	61,800
At State Route 730	76.01	22,400 ²	36,800 ²	44,300 ²	60,600 ²
Downstream of confluence Stream WC-5	73.53	23,100	37,400	44,800	60,700
WALNUT CREEK 2					
Approximately 500 feet upstream of confluence with Marys Creek	10.10	7,900	11,000	12,600	16,100
Approximately 1.42 miles upstream of confluence with Marys Creek	7.00	5,700	8,000	9,100	11,700

TABLE 4 – SUMMARY OF DISCHARGES (continued)

FLOODING SOURCE AND LOCATION	DRAINAGE AREA (sq. mile)	PEAK DISCHARGES (cfs)				
		10% Annual Chance	2% Annual Chance	1% Annual Chance	0.2% Annual Chance	
<u>Redelineation Detailed Study Streams</u>						
WEST FORK TRINITY RIVER						
Downstream of confluence with Village Creek	2,543	34,900	74,200	94,900	153,300	
At confluence with Village Creek	2,351	28,900 ²	61,000 ²	78,000 ²	127,100 ²	
Downstream of confluence with Big Fossil Creek	2,340	38,000	65,500	82,800	132,300	
At confluence with Big Fossil Creek	2,267	25,600 ²	47,700 ²	60,600 ²	97,500 ²	
Downstream of confluence with Sycamore Creek	2,248	33,800	60,500	71,700	110,400	
At confluence with Sycamore Creek	2,211	21,400 ²	39,800	47,900	81,100	
Downstream of confluence with Marine Creek	2,200	22,300	37,700	46,000	80,900	
At confluence with Marine Creek	2,177	18,600 ²	35,700	44,400 ²	80,900	
At Fort Worth gage	2,177	18,900	35,700	47,000	77,900	
Downstream of Lake Worth Dam	2,064	14,300	28,400	35,200	54,600 ²	
Downstream of Eagle Mountain Dam	1,970	9,200	21,900	31,900	56,300	
STREAM WF(A)-1						
At confluence with West Fork Trinity River	1.79	2,700	3,600	4,000	4,900	
Approximately 600 feet downstream of Burney Road	1.17	1,850	2,500	2,800	3,400	
Approximately 500 feet upstream of Forest Oak	0.65	1,600	2,100	2,300	2,900	
STREAM WF(A)-2						
At confluence with West Fork Trinity River	2.54	3,350 ²	4,400 ²	4,850 ²	5,800 ²	
Approximately 1,800 feet downstream of Green Oaks Boulevard	2.16	3,450	4,550	5,050	6,200	
Approximately 1,450 feet downstream of Beady Road	1.74	2,900	3,800	4,200	5,150	
Upstream of Beady Road	1.04	1,700	2,250	2,500	3,000	
STREAM WF-1						
At confluence with West Fork Trinity River	1.72	2,270	3,110	3,460	4,400	
Approximately 800 feet upstream from Randol Mill Road	1.46	2,010	2,700	3,020	3,940	
Downstream of confluence with Stream WF-1A	1.17	1,840	2,470	2,760	3,560	
STREAM WF-1A						
Upstream of confluence of Stream WF-1	0.32	810	1,040	1,150	1,440	

TABLE 4 – SUMMARY OF DISCHARGES (continued)

FLOODING SOURCE AND LOCATION	DRAINAGE AREA (sq. mile)	PEAK DISCHARGES (cfs)				
		10% Annual Chance	2% Annual Chance	1% Annual Chance	0.2% Annual Chance	
<u>Redelineation Detailed Study Streams</u>						
STREAM WF-1B						
Upstream of confluence of Stream WF-1A	0.85	1,340	1,820	2,040	2,650	
Approximately 0.63 mile downstream from John T. White Road	0.78	1,210	1,660	1,860	2,380	
Approximately 0.62 mile downstream from John T. White Road	0.62	970	1,340	1,490	1,930	
At John T. White Road	0.30	670	880	970	1,220	
STREAM WF-2						
At Randol Mill Road crossing	3.48	5,300 ²	6,750 ²	7,400 ²	9,400 ²	
At Interstate Route 30 crossing	2.86	5,050	6,850	7,650	9,550	
Approximately 0.54 mile downstream of Meadowbrook Drive	1.79	3,350	4,450	5,000	6,050	
Downstream of Meadowbrook Drive	1.10	2,150	2,850	3,150	3,950	
STREAM WF-3						
At outlet from White Lake dam	0.71	450 ²	660 ²	750 ²	960	
At outlet from Interstate Route 30	0.50	680	780	840	940	
STREAM WF-4						
At confluence with West Fork Trinity River	4.06	4,650	6,400	7,200	9,050	
Upstream of NE 28th Street	3.65	4,550	6,400	7,150	9,050	
Upstream of DART Railroad	2.78	3,500	4,800	5,350	6,850	
Upstream of Terminal Road	1.75	2,005	2,920	3,329	4,372	
Approximately 160 feet upstream of Blue Mound Road	0.97	865	1,354	1,581	2,151	
STREAM WF-5						
Upstream of River Oaks Boulevard	1.7	2,900	3,850	4,300	5,400	
Downstream of Long Avenue	1.0	1,800	2,400	2,700	3,400	
MENEFEE CREEK						
Approximately 60 feet downstream of NW 17th Street	0.89	1,536	2,098	2,428	3,384	
MENEFEE CREEK TRIBUTARY 1						
Approximatley 70 feet downstream of NW 23 rd Street	0.13	313	456	522	765	
MENEFEE CREEK TRIBUTARY 2						
At McCandless Street	0.14	403	557	626	886	
STREAM WF-7						
Downstream of Shoreline Road	3.04	4,270	5,750	6,430	8,100	
Upstream of Shoreline Road	1.69	2,520	3,380	3,770	4,760	

TABLE 4 – SUMMARY OF DISCHARGES (continued)

FLOODING SOURCE AND LOCATION	DRAINAGE AREA (sq. mile)	PEAK DISCHARGES (cfs)				
		10% Annual Chance	2% Annual Chance	1% Annual Chance	0.2% Annual Chance	
<u>Redelineation Detailed Study Streams</u>						
STREAM WF-7 (CONTINUED)						
Approximately 450 feet downstream of Jacksboro Highway	1.20	2,090	2,780	3,090	3,900	
Approximately 400 feet downstream of Jacksboro Highway	0.84	1,640	2,050	2,280	2,870	
STREAM WF-7A						
Approximately 50 feet upstream of Shoreline Road	1.35	1,800	2,430	2,720	3,430	
Approximately 1,450 feet upstream of Shoreline Road	1.00	1,440	1,930	2,160	2,720	
STREAM WF-9						
Upstream of Trinity Express Railroad	0.62	1,570	2,030	2,230	2,790	
Upstream of Interstate 820	0.69	1,000	1,400	1,540	1,890	
STREAM WF-10						
Approximately 2,000 feet downstream of Ansley Drive	1.34	3,290	4,350	4,790	5,820	
Just downstream of right bank tributary located approximately 1,000 feet downstream of Roaring Springs Drive	0.96	2,130	2,830	3,120	3,800	
Just upstream of Roaring Springs Drive	0.75	2,030	2,650	2,920	3,550	
Just upstream of confluence with Stream WF-10A	0.47	1,220	1,600	1,760	2,140	
STREAM WF-10A						
Just upstream of confluence with Stream WF-10	0.28	840	1,080	1,190	1,450	
Approximately 1,145 feet upstream of confluence with Stream WF-10	0.17	490	640	700	860	
STREAM WF-11						
At Shoreview Drive	1.50	2,040	2,790	3,130	3,810	
Approximately 600 feet upstream of Las Vegas Trail ¹⁶	1.13	1,510	2,020	2,240	2,740	
Approximately 50 feet upstream of Loop 820	0.46	840	1,110	1,240	1,520	
WEST JONES BRANCH						
Downstream of Shady Lane	1.35	2,300	3,150	2,050	2,600	
Upstream of Shady Lane	0.83	1,350	1,850	2,050	2,600	
WHITES BRANCH						
At confluence with Big Fossil Creek	10.39	7,980 ²	11,560 ²	13,320 ²	17,140 ²	
At Watauga Road	9.53	8,340	12,040	13,860	17,580	

TABLE 4 – SUMMARY OF DISCHARGES (continued)

FLOODING SOURCE AND LOCATION	DRAINAGE AREA (sq. mile)	PEAK DISCHARGES (cfs)				
		10% Annual Chance	2% Annual Chance	1% Annual Chance	0.2% Annual Chance	
<u>Redelineation Detailed Study Streams</u>						
WHITES BRANCH(CONTINUED)						
Downstream of confluence of unnamed tributary, approximately 0.76 mile upstream of Prewitt Road crossing	7.54	9,100	12,450	13,850	17,700	
Upstream of confluence of unnamed tributary, approximately 0.76 mile upstream of Prewitt Road crossing	4.85	5,950	8,200	9,100	11,700	
Just upstream of confluence with Stream WB-3	4.85	5,510	7,750	8,750	10,750	
Downstream of confluence of unnamed tributary, approximately 1,500 feet downstream of Alta Vista Road crossing	4.59	5,950	8,200	9,100	11,550	
Approximately 60 feet downstream of Alta Vista Road Crossing	3.81	4,4750	6,550	7,350	9,045	
Upstream of confluence of unnamed tributary, approximately 1,500 feet downstream of A1ta Vista Road crossing	3.81	4,900 ²	6,800 ²	7,550 ²	9,650 ²	
Approximately 470 feet upstream of the confluence of Stream WB-1	1.30	1,850	2,500	2,674	3,390	
Downstream of confluence of Stream WB-1	3.56	5,150	6,900	7,600	9,550	
Upstream of confluence of Stream WB-1	1.30	1,850	2,500	2,750	3,450	
STREAM WB-1						
At confluence with Whites Branch	2.26	3,400	4,550	5,050	6,550	
At an unnamed tributary, approximately 0.74 mile upstream from confluence with Whites Branch	1.81	2,900	3,850	4,250	5,400	
Approximately 1.79 miles upstream from confluence with Whites Branch	1.50	**	**	3,861	**	
Approximately 1.93 miles upstream from confluence with Whites Branch	0.76	**	**	1,975	**	
UNNAMED TRIBUTARY TO STREAM WB-1						
Approximately 400 feet downstream of Heritage Trace Parkway	0.65	1,259	1,662	1,842	**	
Approximately 1,900 feet upstream of Heritage Trace Parkway	0.39	840	1,104	1,222	**	
STREAM WB-2						
Approximately 750 feet upstream of Shriver Road	0.41	**	**	1,533	**	

TABLE 4 – SUMMARY OF DISCHARGES (continued)

FLOODING SOURCE AND LOCATION	DRAINAGE AREA (sq. mile)	PEAK DISCHARGES (cfs)			
		10% Annual Chance	2% Annual Chance	1% Annual Chance	0.2% Annual Chance
<u>Redelineation Detailed Study Streams</u>					
STREAM WC-1					
At confluence with Wildcat Branch	1.33	1,700	2,250	2,550	3,050
At Ramey Street	0.65	1,200	1,600	1,800	2,200
WILLOW BRANCH					
At confluence with Walnut Creek 3	9.8	4,690	7,190	8,360	10,650
At a point 0.64 mile downstream of Rendon Bloodworth Road	8.9	4,700	6,970	8,030	10,190
STREAM WB-3					
At Huddleston Street	0.08	**	**	290	420
Approximately 1,700 feet upstream of Huddleston Street	0.04	**	**	140	210
STREAM WB-4					
At confluence with Whites Branch	2.69	3,680	4,960	5,600	6,720
WILDCAT BRANCH					
Downstream of confluence of Stream WC-1	3.15	3,950	5,200	5,800	6,950
Upstream of confluence of Stream WC-1	1.82	2,250	3,000	3,300	3,950
At Village Creek Road	1.08	2,200	2,900	3,200	4,000

¹ Located outside county boundary² Decreases due to storage routing effects³ Outflow from Benbrook Lake⁴ Discharges from Denton Creek below Grapevine Dam are controlled by outflows from Grapevine Lake⁵ Drainage area below Grapevine Lake⁶ Discharge decreases due to split flow at State Route 121⁷ Decreased discharges due to split flow into culverts⁸ Based on discharges at State Route 26 plus

localized inflow discharges

Route 183

⁹ Based on total computed discharges upstream of State Route 26 minus diverted flow across Richland Plaza Shopping Center parking lot¹⁰ Reduced due to Marine Lake¹¹ Excludes flow carried within storm sewer¹² Flow decrease due to diversion into Rush Creek Relief Channel¹³ Discharge decreases due to split flow¹⁴ Decreases due to Lake Arlington¹⁵ The 10% annual chance flood does not overtop the emergency spillway of Lake Arlington¹⁶ Discharges were computed using a ratio of drainage area versus discharge for the upper drainage area for Stream WF-11 and applied to a side tributary for drainage; both of these discharges were added.¹⁷ Decrease due to lateral weir diversion¹⁸ Excludes flow carried within storm sewer^{*} Discharge decreases in the downstream direction due to storage routing effects[^] Discharges decrease downstream due to some flow going through storm drain

**Data not available

The stillwater elevations for the 10-, 2-, 1-, and 0.2-percent-annual-chance flood have been determined for Benbrook Lake, Cement Creek Reservoir, Eagle Mountain Lake, Fossil Lake, Grapevine Lake, Lake Arlington, Lake Joe Pool, Lake Worth, Marine Creek Lake, West Fork Trinity River Sumps, Crowley Pond, and Hawkwood Pond and are summarized in Table 5, “Summary of Reservoir Elevations”. The analyses reported herein reflect the stillwater elevations and do not include the contributions from wave action effects. The additional hazard due to wave action effects should be considered in future development.

Table 5 – Summary of Reservoir Elevations

<u>FLOODING SOURCE AND LOCATION</u>	Elevation in Feet (NAVD 88)			
	10% Annual Chance	2% Annual Chance	1% Annual Chance	0.2% Annual Chance
BENBROOK LAKE				
At Dam	704.8	712.2	715.0	727.0
CEMENT CREEK RESERVIOR				
At Dam	676.1	683.0	684.6	688.7
Upstream of Interstate 820	682.2	685.5	690.7	692.0
CROWLEY POND				
At Burlington Northern and Santa Fe Railroad	761.1	762.4	763.3	764.9
EAGLE MOUNTAIN LAKE				
At Dam	653.0	655.9	657.4	665.4
FOSSIL LAKE				
At Dam	581.7	583.8	584.0	585.0
GRAPEVINE LAKE				
At Dam	554.0	562.3	564.0	568.4
HAWKWOOD POND				
At Burlington Northern and Santa Fe Railroad	760.2	760.3	760.4	760.4
LAKE ARLINGTON				
At Dam	558.6	562.5	563.8	566.6
LAKE JOE POOL				
At Dam	527.5	536.0	537.5	543.5

Table 5 – Summary of Reservoir Elevations (continued)

<u>FLOODING SOURCE AND LOCATION</u>	<u>10% Annual Chance</u>	<u>2% Annual Chance</u>	<u>1% Annual Chance</u>	<u>0.2% Annual Chance</u>
LAKE WORTH				
At Dam	596.5	598.8	599.9	602.7
MARINE CREEK LAKE				
At Dam	691.6	695.0	698.4	702.3
WEST FORK TRINITY RIVER SUMPS				
14W	*	*	537.3	538.1
15W	*	*	537.3	538.1
16W	*	*	538.3	*
17C	*	*	564.1	*
25C	*	*	538.3	*
5W	542.4	545.2	546.0	548.0
7/8W	542.5	546.6	548.3	551.0

*Data not available

3.2 Hydraulic Analyses

Analyses of the hydraulic characteristics of flooding from the sources studied were carried out to provide estimates of the elevations of floods of the selected recurrence intervals. Users should be aware that flood elevations shown on the FIRM represent rounded whole-foot elevations and may not exactly reflect the elevations shown on the Flood Profiles or in the Floodway Data tables in the FIS report. Flood elevations shown on the FIRM are primarily intended for flood insurance rating purposes. For construction and/or floodplain management purposes, users are cautioned to use the flood elevation data presented in this FIS in conjunction with the data shown on the FIRM.

Locations of selected cross sections used in the hydraulic analyses are shown on the Flood Profiles (Exhibit 1). For stream segments for which a floodway was computed (Section 4.2), selected cross-section locations are also shown on the FIRM (Exhibit 2).

The hydraulic analyses for this study were based on unobstructed flow. The flood elevations shown on the Flood Profiles (Exhibit 1) are thus considered valid only if hydraulic structures remain unobstructed, operate properly, and do not fail.

3.2.1 New Detailed Study Streams

New detailed study streams are listed in Section 1.2 and shown in Table 1. Hydraulic methods used for this study are in accordance with the Guidelines and Specifications for Flood Hazard Mapping Partners dated April 2003 (Reference 46). The following is a summary of data sources, assumptions, and procedures used to create the hydraulic models for the study streams.

2009 Countywide Revision

The primary source of terrain data used for this hydraulic study was developed from NCTCOG 2001 LIDAR data. Roughness coefficients (Manning's "n" values) used in the hydraulic computations were estimated on the basis of field inspection, NCTCOG 2003 aerial photography, and photographs. The channel and overbank "n" values are shown in Table 5, "Summary of Roughness Coefficients."

A TIN was created utilizing the 2001 LIDAR mass points and break lines in order for HEC-GeoRAS 8.1 to extract cross-section geometry data for use in HEC-RAS. All floodplains were mapped using the 2001 LIDAR data.

Water surface profiles for the 10-, 2-, 1- and 0.2-percent-annual-chance-flood events were computed using the River Analysis System HEC-RAS Version 3.1.2., dated April 2004, unless noted otherwise (Reference 56). The downstream slopes for each reach were used for the steady flow boundary conditions at normal depth. Cross-sections, taken from the TIN's generated using the 2001 LIDAR, were supplemented with field surveys conducted as part of this study. Bridge data used for the hydraulic models were taken from field surveys.

Profiles (Exhibit 1) were generated using RAS-PLOT. Profiles were generally plotted at a similar scale as the previous FIS profiles; typically 1"=1000' horizontal scale and 1"= 10' vertical scale.

New detailed hydraulic analyses were prepared for Big Bear Creek, Stream HEN-2, Hogpen Branch, Johnson Creek, Stream JC-1, Low Branch, Stream MSC-1A (Plantation West Creek), Nichols Branch, North Fork Fish Creek, Plantation East Creek, Pond Branch, Timber Creek, Walnut Creek 3, Watson Branch, and Willow Bend Creek. Many aspects of these new detailed analyses are the same as the general discussion in Section 3.2.1, with the following exceptions.

Big Bear Creek

The primary source of terrain data used for this hydraulic study was developed from NCTCOG 2001 LIDAR data. The NCTCOG 2001 LIDAR terrain data was supplemented with 2005 topographic data provided by City of Keller, 2003 LIDAR data acquired by NGA and 2 foot contour interval topography terrain data provided by the City of Grand Prairie. Field surveys of bridges/culverts were conducted from November 2004 through January 2005.

Stream HEN-2

The primary source of terrain data used for this hydraulic study was developed from 2 foot contour interval NCTCOG 2001 LIDAR data. Field surveys of bridges/culverts were conducted in December 2005 and March 2006. Roughness coefficients (Manning's "n" values) used in the hydraulic computations were estimated on the basis of field inspection and NCTCOG 2003 aerial photography.

Johnson Creek, Stream JC-1, and North Fork Fish Creek

The current re-studies for the flooding sources of North Fork Fish Creek, Johnson Creek, and Stream JC-1 were prepared by Halff Associates, Inc. for the City of Grand Prairie FEMA Map Modernization Project. Discharges from the prior effective FIS were used in the HEC-RAS models. The source of terrain data used for this hydraulic study was developed from spot elevations and 2 foot contour interval topography provided by the City of Grand Prairie. The topography was flown by Dallas Aerial in 1999. Field surveys of bridges and culverts were conducted from February 2005 through May 2005.

Stream MSC-1A (Plantation West Creek), Plantation East Creek, Timber Creek, and Willow Bend Creek

Several existing studies within the City of Benbrook were incorporated as 'Best Available' floodplain study data. The most recent re-studies for the flooding sources of Stream MSC-1A (Plantation West Creek), Plantation East Creek, Timber Creek and Willow Bend Creek were prepared by Teague Nall and Perkins (TNP) for the City of Benbrook. Discharges from the prior effective FIS were used in the HEC-RAS models. The primary source of terrain data used for these hydraulic studies was developed from 2001 NCTCOG LIDAR data for the overbank topography and detailed field surveys conducted by TNP in 2004 of the channels and hydraulic structures.

Hogpen Branch, Low Branch, Nichols Branch, Pond Branch, Walnut Creek 3, and Watson Branch

Several existing studies within the City of Mansfield were incorporated as 'Best Available' floodplain study data. TNP prepared new detailed hydraulic models (HEC-2) for the following flooding sources: Hogpen Branch, Low Branch, Nichols Branch, Pond Branch, Walnut Creek 3, and Watson Branch. Nave Engineering, Inc., in cooperation with Halff Associates, Inc., converted the City of Mansfield master drainage study HEC-2 models to HEC-GeoRAS for the FEMA Map Modernization Project. The Mansfield master drainage study HEC-2 models were used to provide the channel geometry and the primary source of terrain data used for the overbank topography was developed from 2001 NCTCOG LIDAR data. Field survey data and "As-Built" plans were used to convert hydraulic structures from HEC-2 to HEC-RAS. Discharges from the prior effective FIS were used in the HEC-RAS models.

March 21, 2019 PMR New Detailed Studies

2010 RAMPP Study

The primary source of terrain data used for this hydraulic study was developed from TNRIS 2009 LIDAR data. Roughness coefficients (Manning's "n" values) used in the hydraulic computations were estimated on the basis of field inspection and NCTCOG 2009 aerial photography. For many of the studies in urban areas, the channels were found to overgrown with tall vegetation while areas in the overbanks were well maintained short grasses or paved surfaces. This has resulted in higher roughness coefficients assigned to the channel for these areas. The channel and overbank "n" values are shown in Table 5, "Summary of Roughness Coefficients."

A TIN was created utilizing the 2009 LIDAR mass points and break lines in order for RAMPP's GeoRAS Version 5.0 to extract cross-section geometry data for use in HEC-RAS. All floodplains were mapped using the 2009 LIDAR data.

Water surface profiles for the 10-, 2-, 1- and 0.2-percent-annual-chance-flood events were computed using the River Analysis System HEC-RAS Version 4.0, dated March 2008 (Reference 57) with steady-state conditions. XPSWMM Version 12.31 was used to model a culvert system at the North East Mall for Walker Branch. HEC-RAS Version 5.0 was used to model shallow overbank flooding along a portion of Dry Branch which was more accurately represented in this two-dimensional model. The downstream slopes for most reaches were used for the steady flow boundary conditions at normal depth. For West Fork Trinity River and Walker Branch, the downstream boundary conditions were set at known water surface elevations as these streams were continuous with the existing detailed studies downstream. Cross-sections, taken from the TIN's generated using the 2009 LIDAR, were supplemented with field surveys conducted as part of this study. Bridge data used for the hydraulic models were taken from field surveys.

Profiles (Exhibit 1) were generated using RAS-PLOT. Profiles were generally plotted at a similar scale as the previous FIS profiles; typically 1" = 1000' horizontal scale and 1" = 10' vertical scale.

Many aspects of these new detailed analyses are the same as the general discussion in Section 3.2.1, with the following exceptions.

Dry Branch

The hydraulic model shows non-containment at the Trinity Railway Express towards the downstream limit of study for the 1- and 0.2-percent annual chance flood events. A lateral weir was modeled at the point of non-containment and a limit of study delineation was added at this location.

Walker Branch

There is a segment of approximately 1,000 feet where flooding in Calloway Branch is controlled by the flooding in Walker Branch. In this area, the 0.2-percent-annual-chance flood event is not contained within the Walker Branch basin. The overflow exits the basin to the southeast and is documented with a Limit of Study boundary.

Sycamore Creek

The hydraulic model shows non-containment just downstream of North Crowley Cleburne Road and just upstream of an Atchison, Topeka, and Santa Fe Railway crossing for the 1- and 0.2-percent annual chance flood events. A lateral weir was modeled at the point of non-containment and a limit of study delineation was added at this location.

City of Grand Prairie CTP FY10 Risk MAP Study

The hydraulic analysis for this study was conducted using the USACE HEC-RAS computer modeling software, version 4.1.0. Cross sections for these models were determined using a TIN created from the terrain data and field surveys.

The terrain data used for this study was the 2009 LiDAR topographical data provided by the City of Grand Prairie, Texas.

Roughness coefficients used in the hydraulic computations for this study were estimated based on field inspection and aerial photography.

Water surface elevations for the 10-, 4-, 2-, 1- and 0.2-percent-annual-chance-flood events were computed in HEC-RAS using steady-state conditions.

Bridge and culvert data used for the hydraulic models was taken from field surveys.

Water surface profiles (Exhibit 1) were generated using RASPILOT. Where available, profiles were plotted at a scale similar to the previous FIS profiles. Where previous FIS profiles were not available, profiles were plotted at a scale similar to other streams of equivalent length and discharge.

City of Grand Prairie CTP FY12 Risk MAP Study

The hydraulic analysis for this study was conducted using the USACE HEC-RAS computer modeling software, version 4.1.0. Cross sections for these models were determined using a TIN created from the terrain data and field surveys.

The terrain data used for this study was the 2009 LiDAR topographical data provided by the City of Grand Prairie, Texas.

Roughness coefficients used in the hydraulic computations for this study were estimated based on field inspection and aerial photography.

Water surface elevations for the 10-, 4-, 2-, 1- and 0.2-percent-annual-chance-flood events were computed in HEC-RAS using steady-state conditions.

Bridge and culvert data used for the hydraulic models was taken from field surveys.

Water surface profiles (Exhibit 1) were generated using RASPILOT. The vertical scale for these profiles was adjusted from 5 feet per inch in the previous study to 10 feet per inch in this study because elevation data around State Highway 161 made the effective profile's scale inadequate to show the structure.

3.2.2 Redelineated Detailed Study Streams

The analyses for the redelineated study stream were taken from the prior Flood Insurance Studies for Tarrant County. The Base (1-percent-annual-chance) Flood Elevations (BFEs) from the profiles were plotted on the same topographic data as described in Section 3.2.1 to better define the special flood hazard areas. The redelineated streams are identified in Section 2.1.

For the prior analyses, cross-section data for channels were taken from field surveys. Cross sections were located at close intervals above or below bridges and culverts in order to compute the significant backwater effects of these structures. Information on bridges and culverts was obtained from TxDOT bridge plans or surveyed to obtain elevation data and structural geometry.

Roughness coefficients (Manning's "n") values used in the hydraulic computations were estimated on the basis of field inspection, aerial photography, and photographs. The USACE HEC-2 step-backwater and LRD-1 computer models were used to determine water-surface elevations. Starting water-surface elevations were determined by coincident condition elevation from the larger streams, slope/area method, elevation-discharge curve, or a known water-surface elevation.

In order to ensure continuity across jurisdiction boundaries in the countywide FIS, hydraulic data was adjusted or added in some areas in the vicinity of jurisdiction boundaries.

The channel and overbank "n" values are shown in Table 6, "Summary of Roughness Coefficients".

TABLE 6 – SUMMARY OF ROUGHNESS COEFFICIENTS
Stream Reaches Studied by Detailed Methods

<u>Stream Name</u>	<u>Channel “n” Value</u>	<u>Overbank “n” Value</u>
<u>New Detailed Study Streams</u>		
Arbor Creek	0.020-0.065	0.020-0.080
Big Fossil Creek	0.020-0.132	0.020-0.132
Big Bear Creek	0.040-0.060	0.035-0.100
Calloway Branch	0.023-0.05	0.02-0.06
Cottonwood Creek 2	0.013-0.065	0.015-0.090
Dry Branch	0.015-0.097	0.015-0.097
Fish Creek	0.015-0.060	0.015-0.990
North Fork Fish Creek	0.025-0.060	0.065-0.100
Stream HEN-2	0.040-0.045	0.060-0.070
Hogpen Branch	0.055-0.065	0.065
Johnson Creek	0.018-0.070	0.050-0.110
Johnson Creek	0.025-0.060	0.020-0.110
Stream JC-1	0.050-0.060	0.065-0.080
North Fork of Fish Creek (Prairie Creek) / North Fork of Fish Creek	0.015-0.080	0.013-0.990
South Fork of Cottonwood Creek 2	0.035-0.065	0.035-0.100
Stream CC-1	0.020-0.080	0.060-0.100
Stream CC-2	0.015-0.055	0.030-0.080
Stream CC-3	0.015-0.060	0.015-0.080
Stream CC-4	0.015-0.055	0.035-0.080
Stream FC-1	0.015-0.080	0.015-0.990
Stream FC-2	0.015-0.015	0.040-0.040
Stream FC-3	0.015-0.060	0.040-0.990
Stream FC-4	0.015-0.050	0.040-0.990
Stream NF-1	0.015-0.040	0.015-0.990
Stream NF-2	0.015-0.060	0.015-0.080
Stream NF-3	0.040-0.060	0.040-0.990
Stream NF-4	0.015-0.050	0.030-0.990
Low Branch	0.035-0.065	0.045-0.070
Stream MSC-1A (Plantation West Creek)	0.015-0.050	0.030-0.070
Nichols Branch	0.050-0.075	0.050-0.100
Plantation East Creek	0.015-0.150	0.040-0.070
Pond Branch	0.015-0.075	0.040-0.100
Sycamore Creek	0.025-0.065	0.018-0.080

TABLE 6 – SUMMARY OF ROUGHNESS COEFFICIENTS (continued)
Stream Reaches Studied by Detailed Methods

<u>Stream Name</u>	<u>Channel “n” Value</u>	<u>Overbank “n” Value</u>
<u>New Detailed Study Streams</u>		
Timber Creek	0.015-0.070	0.055-0.085
Warrior Creek	0.015-0.060	0.040-0.990
Walker Branch	0.015-0.097	0.015-0.097
Walnut Creek 3	0.035-0.065	0.035-0.070
Watson Branch	0.055	0.065
West Fork Trinity River	0.052-0.132	0.015-0.132
Willow Bend Creek	0.015-0.065	0.050-0.085
<u>Redelineation Detailed Study Streams</u>		
Ash Creek	0.035-0.060	0.055-0.080
Tributary BB-1	*	*
Tributary BB-2	*	*
Tributary BB-3	0.055-0.065	0.065-0.075
Tributary BB-5	0.015-0.065	0.025-0.085
Tributary BB-6	0.070	0.070
Tributary BB-7	*	*
Tributary BB-8	0.070	0.070
Tributary BB-9	0.070	0.060
Tributary BB-10	0.040-0.060	0.060-0.085
Tributary BB-11	0.045-0.050	0.050-0.065
Tributary BB-12	0.040-0.055	0.050-0.075
Unnamed Tributary to Big Bear Creek	*	*
Stream BFC-1	0.015-0.050	0.050-0.080
Stream BFC-2	0.055	0.075-0.085
Stream BFC-2A	0.060	0.080
Stream BFC-3	0.065	0.080-0.085
Stream BFC-4	0.050	0.075
Stream BFC-4A	0.050	0.075
Stream BFC-4B	0.025-0.045	0.035-0.100
Stream BFC-5	0.015-0.100	0.030-0.100
Stream BFC-5A	0.025-0.075	0.065-0.075
Stream BFC-5B	0.045-0.055	0.060-0.070
Stream BFC-6	0.050-0.060	0.075-0.085
Stream BFC-7	0.050	0.060-0.065
Blessing Branch	0.030-0.065	0.070-0.085

TABLE 6 – SUMMARY OF ROUGHNESS COEFFICIENTS (continued)
Stream Reaches Studied by Detailed Methods

<u>Stream Name</u>	<u>Channel “n” Value</u>	<u>Overbank “n” Value</u>
<u>Redelineation Detailed Study Streams</u>		
Boaz Creek	0.065	0.080
Bowman Branch	0.045-0.075	0.065-0.075
Stream BB-1	0.055-0.060	0.060
Boyd Branch	0.030-0.075	0.045-0.095
Briar Creek	0.050-0.055	0.070-0.080
Buffalo Creek	0.020-0.060	0.040-0.065
Old Buffalo Creek	0.045-0.060	0.065
Bunker Hill Creek	0.030-0.050	0.075-0.085
Stream CB-1 (New)	*	*
Stream CB-1 (Old)	0.020-0.050	0.060-0.090
Stream CB (Old) Diversion	0.035	0.060-0.080
Stream CB-2	0.040-0.055	0.070-0.090
Cement Creek	0.035-0.070	0.050-0.090
West Fork Cement Creek	0.048-0.060	0.060-0.085
Chambers Creek	0.020-0.055	0.055-0.095
North Fork Chambers Creek	0.045	0.060-0.080
South Fork Chambers Creek	0.045-0.050	0.055-0.075
Clear Fork Trinity River	0.035-0.055	0.055-0.085
Stream CF-2	0.035-0.060	0.055-0.085
Stream CF-3	0.030-0.050	0.060-0.080
Stream CF-3A	0.025	0.040-0.050
Stream CF-3B	0.020-0.040	0.040-0.055
Stream CF-3C	0.025-0.045	0.035-0.100
Stream CF-4	0.025-0.045	0.035-0.100
Stream CF-4A	0.025-0.045	0.035-0.100
Stream CF-4A Diversion	*	*
Stream CF-5	0.013-0.065	0.045-0.100
Stream CF-6	0.065	0.045-0.100
Cottonwood Branch	0.030-0.060	0.060-0.075
Cottonwood Creek 1	0.020-0.065	0.060-0.090
Cottonwood Creek 2	0.018-0.090	0.050-0.085
Unnamed Tributary to Cottonwood Creek 2	*	*
South Fork Cottonwood Creek 2	0.065-0.070	0.070-0.080
Crowley Branch	*	*
Cub Creek	*	*
Deer Creek	0.015-0.065	0.055-0.100

TABLE 6 – SUMMARY OF ROUGHNESS COEFFICIENTS (continued)
Stream Reaches Studied by Detailed Methods

<u>Stream Name</u>	<u>Channel “n” Value</u>	<u>Overbank “n” Value</u>
<u>Redelineation Detailed Study Streams</u>		
North Branch of Deer Creek	0.015-0.060	0.060-0.100
Unnamed Tributary to North Branch of Deer Creek	*	*
Unnamed Tributary to An Unnamed Tributary to North Branch of Deer Creek	*	*
Northwest Branch of Deer Creek	0.015-0.060	0.060-0.100
North Fork of Deer Creek	*	*
South Fork of Deer Creek	0.015-0.060	0.060-0.100
South Fork of North Branch of Deer Creek	0.015-0.060	0.060-0.100
Denton Creek	0.045	0.040-0.060
Dove Creek	0.050-0.060	0.075-0.080
Dutch Branch	0.050-0.055	0.070-0.080
Edgeland Branch	0.015-0.060	0.050-0.080
Stream EB-1	0.025-0.045	0.035-0.100
Elm Branch	0.060-0.075	0.075-0.085
Farmers Branch	0.020-0.065	0.040-0.088
Unnamed Tributary to Farmers Branch	*	*
Stream FB-1	0.040-0.060	0.055-0.080
Unnamed Tributary to Stream FB-1	*	*
Farris Branch	0.050-0.070	0.080-0.120
Farris Branch East	0.050-0.070	0.080-0.120
Fish Creek	0.035-0.060	0.050-0.100
Stream FC-1	0.035-0.050	0.070-0.075
Stream FC-2	0.055	0.070
Hawkwood Branch	*	*
Henrietta Creek	0.020-0.065	0.020-0.080
Henrietta Creek 6	*	*
Henrietta Creek 6A	*	*
Stream HEN-1	0.055-0.065	0.065-0.075
Stream HEN-2	*	*
Stream HEN-2A	0.050-0.065	0.050-0.065
Unnamed Tributary to Henrietta Creek	*	*
Higgins Branch	0.050-0.055	0.070-0.075
Howards Branch	0.040-0.045	0.060-0.075
Stream HB-1	0.015-0.025	0.045
Hurricane Creek	0.020-0.075	0.045-0.090

TABLE 6 – SUMMARY OF ROUGHNESS COEFFICIENTS (continued)
Stream Reaches Studied by Detailed Methods

<u>Stream Name</u>	<u>Channel “n” Value</u>	<u>Overbank “n” Value</u>
<u>Redelineation Detailed Study Streams</u>		
Stream HC-1	0.020-0.070	0.075-0.095
Hurricane Creek Tributary 1	0.050-0.060	0.055-0.070
East Fork Hurricane Creek	0.050-0.065	0.070-0.085
North Fork West Branch Hurricane Creek	0.045-0.050	0.070-0.080
West Branch Hurricane Creek	0.045-0.065	0.075-0.085
Stream JC-2	0.022-0.068	0.040-0.072
Stream JC-3	0.022-0.065	0.055-0.075
Kee Branch	0.035-0.056	0.045-0.073
Stream KB-1	0.025-0.055	0.045-0.075
Kings Branch	0.025-0.060	0.045-0.075
Kirby Creek	0.045-0.050	0.060-0.090
Kirkwood Branch	0.045-0.070	0.045-0.090
Kirkwood Branch Tributary	0.075-0.050	0.080
South Fork Kirkwood Branch	0.050-0.055	0.060-0.075
Little Bear Creek	0.030-0.065	0.030-0.090
Stream LB-1	0.015-0.070	0.040-0.090
Stream LB-2	0.040-0.070	0.040-0.090
Stream LB-3	0.055	0.070
Tributary Little Bear 1	0.030-0.065	0.065-0.085
Tributary Little Bear 2	0.040-0.070	0.065-0.090
Little Fossil Creek	0.020-0.060	0.050-0.090
Little Fossil Creek Split Flow	0.030-0.055	0.040-0.095
Stream LFC-1	0.055	0.070-0.075
Stream LFC-2	0.035-0.055	0.070
Live Oak Creek	0.045-0.075	0.060-0.070
Lorean Branch	0.015-0.065	0.030-0.095
Lynn Creek	0.025-0.065	0.060-0.075
Mackey Creek	0.014-0.070	0.025-0.100
Mackey Creek Diversion North	0.030-0.050	0.030-0.060
Marine Creek	0.035-0.060	0.050-0.090
Marine Creek Split Flow	0.030	0.030-0.075
Stream MC-1	0.025-0.070	0.050-0.070
Stream MC-2	0.045-0.050	0.070
MC-4 Creek	*	*
Marshall Branch	*	*
Marys Creek	0.050-0.065	0.060-0.085

TABLE 6 – SUMMARY OF ROUGHNESS COEFFICIENTS (continued)
Stream Reaches Studied by Detailed Methods

<u>Stream Name</u>	<u>Channel “n” Value</u>	<u>Overbank “n” Value</u>
<u>Redelineation Detailed Study Streams</u>		
South Marys Creek	0.045-0.070	0.070-0.090
Stream MSC-1	0.060	0.065-0.090
Unnamed Tributary to Stream MSC-1	*	*
Stream MSC-2	0.045-0.060	0.050-0.075
Stream MSC-2A	0.025-0.045	0.035-0.100
Stream MSC-3	0.045-0.060	0.050-0.075
Mesquite Branch	0.060	0.090
North Creek	0.025-0.080	0.025-0.080
Pantego Branch	0.015-0.065	0.035-0.150
Paschal Branch	0.045-0.075	0.070-0.095
Ragland Branch	0.065	0.055-0.080
Reynolds Branch	0.045-0.070	0.065-0.080
Robertson Branch	*	*
Rush Creek	0.032-0.073	0.054-0.075
Forest Park Tributary of Rush Creek	0.050	0.070
Northeast Tributary of Rush Creek	0.028-0.050	0.030-0.080
Rush Creek Relief Channel	*	*
Stream RC-1	0.025-0.063	0.063-0.075
Stream RC-1(A)	0.055-0.063	0.070-0.077
Stream RC-2	0.050-0.085	0.040-0.063
Ryan's Branch	0.035-0.070	0.070-0.100
Silver Creek	0.045-0.075	0.060-0.070
Singing Hills Creek	0.015-0.060	0.050-0.090
South Creek	0.045-0.060	0.070-0.090
North Branch of North Fork of South Creek	0.015-0.060	0.050-0.090
North Branch of North Fork of South Creek Split Flow	0.030-0.035	0.035-0.050
North Fork of South Creek	0.045 -0.050	0.050-0.080
Sublett Creek	0.040-0.063	0.050-0.073
Sulphur Branch	0.025-0.070	0.055-0.090
Stream SB-1	0.040-0.070	0.065-0.085
Unnamed Tributary to Sulphur Branch	*	*
Stream SC-1	0.025-0.065	0.055-0.090
Stream SC-2	0.025-0.065	0.075-0.085
Stream SC-3	0.055-0.060	0.070-0.090
Stream SC-4	0.025-0.045	0.035-0.100
Stream SC-5	0.055-0.060	0.070-0.080

TABLE 6 – SUMMARY OF ROUGHNESS COEFFICIENTS (continued)
Stream Reaches Studied by Detailed Methods

<u>Stream Name</u>	<u>Channel “n” Value</u>	<u>Overbank “n” Value</u>
<u>Redelineation Detailed Study Streams</u>		
Stream SC-6	0.020-0.065	0.050-0.085
Stream SC-7	0.045-0.060	0.070
Stream SC-7A	0.015-0.035	0.050
Timber Creek Diversion	0.025-0.060	0.045-0.055
South Timber Creek	0.018-0.025	0.035-0.065
Tributary B	0.040-0.075	0.040-0.090
Tributary C	0.015-0.065	0.065-0.085
Twin Springs Draw	0.035-0.070	0.070-0.100
Valley View Branch	0.015-0.060	0.020-0.085
Stream VVB-1	0.014-0.030	0.030-0.090
Village Creek	0.030-0.070	0.040-0.100
Stream VC(A)-1	0.045-0.065	0.050-0.075
Stream VC(A)-2	0.030-0.050	0.050-0.065
Stream VC-1	0.040-0.060	0.070-0.085
Stream VC-2	0.045-0.050	0.060-0.080
Stream VC-2A	0.025-0.045	0.035-0.100
Stream VC-3	0.050-0.060	0.055-0.070
Stream VC-4	0.055-0.060	0.065-0.080
Stream VC-4A	0.050-0.055	0.060-0.065
Stream VC-5	0.050-0.060	0.060-0.085
Stream VC-6	0.040-0.065	0.050-0.090
Stream VC-7	0.050-0.060	0.070-0.080
Walker Branch	0.025-0.065	0.025-0.100
Stream WKB-1	0.050	0.060
Walnut Creek 1	0.040-0.085	0.050-0.090
Walnut Creek 2	0.040-0.055	0.075-0.085
West Fork Trinity River	0.035-0.065	0.030-0.120
Stream WF(A)-1	0.018-0.065	0.050-0.070
Stream WF(A)-2	0.020-0.060	0.050-0.075
Stream WF-1	0.040-0.055	0.060-0.080
Stream WF-1A	0.050-0.055	0.050-0.080
Stream WF-1B	0.040-0.055	0.065-0.090
Stream WF-2	0.035-0.070	0.070-0.080
Stream WF-2A	0.025-0.045	0.035-0.100
Stream WF-3	0.035-0.070	0.040-0.080
Stream WF-4	0.020-0.055	0.050-0.080
Stream WF-5	0.055-0.060	0.065-0.075

TABLE 6 – SUMMARY OF ROUGHNESS COEFFICIENTS (continued)
Stream Reaches Studied by Detailed Methods

<u>Stream Name</u>	<u>Channel “n” Value</u>	<u>Overbank “n” Value</u>
<u>Redelineation Detailed Study Streams</u>		
Stream WF-7	0.055-0.060	0.075-0.080
Stream WF-7A	0.055	0.070
Stream WF-7B	0.025-0.045	0.035-0.100
Stream WF-9	0.030-0.055	0.055-0.080
Stream WF-10	0.035-0.060	0.050-0.085
Stream WF-10A	0.060-0.070	0.090
Stream WF-11	0.020-0.065	0.030-0.085
Unnamed Tributary to West Fork Trinity River	*	*
West Jones Branch	0.065-0.075	0.060-0.095
Whites Branch	0.050-0.065	0.050-0.085
Stream WB-1	0.055	0.075
Unnamed Tributary to Stream WB-1	*	*
Stream WB-2	*	*
Stream WB-3	*	*
Wildcat Branch	0.030-0.060	0.060-0.085
Stream WC-1	0.030-0.065	0.055-0.090
Willow Branch	0.030-0.055	0.085

* Data not available

3.3 Vertical Datum

All FIS reports and FIRMs are referenced to a specific vertical datum. The vertical datum provides a starting point against which flood, ground, and structure elevations can be referenced and compared. Until recently, the standard vertical datum used for newly created or revised FIS reports and FIRMs was the National Geodetic Vertical Datum of 1929 (NGVD 29). With the completion of NAVD 88, many FIS reports and FIRMs are now prepared using NAVD 88 as the referenced vertical datum.

Flood elevations shown in this FIS report and on the FIRM are referenced to the NAVD 88. These flood elevations must be compared to structure and ground elevations referenced to the same vertical datum. Some of the data used in this revision were taken from the prior effective FIS reports and FIRMs and adjusted to NAVD 88. The datum conversion factor from NGVD 29 to NAVD 88 in Tarrant County is 0.02 feet.

For information regarding conversion between the NGVD 29 and NAVD 88, visit the National Geodetic Survey website at www.ngs.noaa.gov, or contact the National Geodetic Survey at the following address:

NGS Information
Services NOAA,
N/NGS12
SSMC-3, #9202
National Geodetic Survey
1315 East West Highway
Silver Spring, MD 20910-3282
(301) 713-3191

Temporary vertical monuments are often established during the preparation of a flood hazard analysis for the purpose of establishing local vertical control. Although these monuments are not shown on the FIRM, they may be found in the Technical Support Data Notebook associated with the FIS report and FIRM for this community. Interested individuals may contact FEMA to access these data.

For FIRM panels dated July 16, 2004, or later, qualifying bench marks within a given jurisdiction that are cataloged by NGS and entered into the National Spatial Reference System (NSRS) as First or Second Order Vertical and have a vertical stability classification of A, B, or C are shown and labeled on the FIRM with their 6-character NSRS Permanent Identifier.

Bench marks cataloged by the NGS and entered into the NSRS vary widely in vertical stability classification. NSRS vertical stability classifications are as follows:

- Stability A: Monuments of the most reliable nature, expected to hold position/elevation well (e.g., mounted in bedrock);
- Stability B: Monuments which generally hold their position/elevation well (e.g., concrete bridge abutment);
- Stability C: Monuments which may be affected by surface ground movements (e.g., concrete monument below the frost line); and

- Stability D: Mark of questionable or unknown vertical stability (e.g., concrete monument above frost line, or steel witness post).

In addition to NSRS bench marks, the FIRM may also show vertical control monuments established by a local jurisdiction; these monuments will be shown on the FIRM with the appropriate designations. Local monuments will only be placed on the FIRM if the community has requested that they be included, and if the monuments meet the aforementioned NSRS inclusion criteria.


To obtain current elevation, description, and/or location information for benchmarks shown on this map, please contact the Information Services Branch of the NGS at (301) 713-3242, or visit their website at www.ngs.noaa.gov.

FLOOD INSURANCE STUDY



TARRANT COUNTY, TEXAS AND INCORPORATED AREAS VOLUME 2 OF 9

Community Name	Community Number	Community Name	Community Number
TARRANT COUNTY			
UNINCORPORATED AREAS	480582		
ARLINGTON, CITY OF	485454		
AZLE, CITY OF	480584		
BEDFORD, CITY OF	480585		
BENBROOK CITY OF	480586		
BLUE MOUND, CITY OF	480587		
BURLESON, CITY OF	485459		
COLLEYVILLE, CITY OF	480590		
CROWLEY, CITY OF	480591		
DALWORTHINGTON GARDENS, CITY OF	481013		
EDGECLIFF VILLAGE, TOWN OF	480592		
EULESS, CITY OF	480593		
EVERMAN, CITY OF	480594		
FLOWER MOUND, TOWN OF	480777		
FOREST HILL, CITY OF	480595		
FORT WORTH, CITY OF	480596		
GRAND PRAIRIE, CITY OF	485472		
GRAPEVINE, CITY OF	480598		
HALTOM CITY, CITY OF	480599		
HASLET, CITY OF	480600		
HURST, CITY OF	480601		
KELLER, CITY OF	480602		
KENNEDALE, CITY OF	480603		
LAKE WORTH, CITY OF	480605		
LAKESIDE, CITY OF	480604		
MANSFIELD, CITY OF	480606		
		NORTH RICHLAND HILLS, CITY OF	480607
		PANTEGO, TOWN OF	481116
		PELICAN BAY, CITY OF	481653
		RENO, TOWN OF	480969
		RICHLAND HILLS, CITY OF	480608
		RIVER OAKS, CITY OF	480609
		ROANOKE, CITY OF	480785
		SAGINAW, CITY OF	480610
		SANSOM PARK, CITY OF	480611
		SOUTHLAKE, CITY OF	480612
		TROPHY CLUB, TOWN OF	481606
		WATAUGA, CITY OF	480613
		WESTLAKE, TOWN OF	480614
		WESTOVER HILLS, TOWN OF	480615
		WESTWORTH VILLAGE, CITY OF	480616
		WHITE SETTLEMENT, CITY OF	480617



REVISED: MARCH 21, 2019

Federal Emergency Management Agency

FLOOD INSURANCE STUDY NUMBER
48439CV002B



**NOTICE TO
FLOOD INSURANCE STUDY USERS**

Communities participating in the National Flood Insurance Program have established repositories of flood hazard data for floodplain management and flood insurance purposes. This Flood Insurance Study may not contain all data available within the repository. It is advisable to contact the community repository for any additional data.

Part or all of this Flood Insurance Study may be revised and republished at any time. In addition, part of this Flood Insurance Study may be revised by the Letter of Map Revision process, which does not involve republication or redistribution of the Flood Insurance Study. It is, therefore, the responsibility of the user to consult with community officials and to check the community repository to obtain the most current Flood Insurance Study components.

First Countywide FIS Effective Date: January 6, 1993

First Revised Countywide FIS Revision Date: Map revised August 2, 1995 to update corporate limits, to updated roads and road names, to incorporate previously issued letters of map revision, and to incorporate previously issued letters of map amendment.

Second Revised Countywide FIS Revision Date: Map revised August 23, 2000 to change base flood elevations, to change special flood hazard areas, to reflect updated topographic information, and to change floodway.

Third Revised Countywide FIS Revision Date: Map revised September 25, 2009 to update corporate limits, to change Base Flood Elevations, to change Special Flood Hazards Areas, to change zone descriptions, to add roads and road names, to incorporate previously issued Letters of Map Revision, and to reflect updated topographic information.

Fourth Revised Countywide FIS Revision Date: March 21, 2019 to update corporate limits, to change Base Flood Elevations, to change Special Flood Hazards Areas, to change zone descriptions, to add roads and road names, to incorporate previously issued Letters of Map Revision, and to reflect updated topographic information.

TABLE OF CONTENTS

VOLUME 1 – MARCH 21, 2019

	<u>Page</u>
1.0 <u>INTRODUCTION</u>	1
1.1 Purpose of Study	1
1.2 Authority and Acknowledgments	1
1.3 Coordination	8
2.0 <u>AREA STUDIED</u>	8
2.1 Scope of Study	8
2.2 Community Description.....	34
2.3 Principal Flood Problems.....	35
2.4 Flood Protection Measures	37
3.0 <u>ENGINEERING METHODS</u>	39
3.1 Hydrologic Analyses.....	40
3.1.1 New Detailed Study Streams	40
3.1.2 Redelineated Detailed Study Streams	44
3.2 Hydraulic Analyses.....	107
3.2.1 New Detailed Study Streams	108
3.2.2 Redelineated Detailed Study Streams	112
3.3 Vertical Datum.....	121

FIGURES

Figure 1 – Frequency Discharge, Drainage Area Curves	45
--	----

TABLES

Table 1 – Scope of Study	8
Table 2 – Stream Name Changes	26
Table 3 – Letters of Map Revisions	27
Table 4 – Summary of Discharges.....	56
Table 5 – Summary of Reservoir Elevations	106
Table 6 – Summary of Roughness Coefficients.....	113

VOLUME 2 – MARCH 21, 2019

4.0 <u>FLOODPLAIN MANAGEMENT APPLICATIONS</u>	123
4.1 Floodplain Boundaries	123
4.2 Floodways	123
5.0 <u>INSURANCE APPLICATIONS</u>	247
6.0 <u>FLOOD INSURANCE RATE MAP</u>	247

TABLE OF CONTENTS (continued)

VOLUME 2 (continued)

	<u>Page</u>
7.0 <u>OTHER STUDIES</u>	255
8.0 <u>LOCATION OF DATA</u>	255
9.0 <u>BIBLIOGRAPHY AND REFERENCES</u>	255

FIGURES

Figure 2 – Floodway Schematic	246
-------------------------------------	-----

TABLES

Table 7 – Floodway Data	125
Table 8 – Community Map History	249

VOLUME 3 – MARCH 21, 2019

EXHIBITS

Exhibit 1 – Flood Profiles

Arbor Creek	Panel	01(a)P
Ash Creek	Panels	01P – 02P
Big Bear Creek	Panels	03P – 13P
Tributary BB-1	Panel	14P
Tributary BB-2	Panel	15P
Tributary BB-3	Panel	16P
Tributary BB-5	Panels	17P – 18P
Tributary BB-6	Panels	19P – 20P
Tributary BB-7	Panel	21P
Tributary BB-8	Panel	22P
Tributary BB-9	Panel	23P
Tributary BB-10	Panels	24P – 25P
Tributary BB-11	Panel	26P
Tributary BB-12	Panels	27P – 27P(a)
Tributary BB-13	Panels	28P
Unnamed Tributary to Big Bear Creek	Panel	29P
Big Fossil Creek	Panels	30P – 38P
Western Center Split Flow	Panel	38P(a)
Stream BFC-1	Panel	39P
Stream BFC-2	Panels	40P-43P(a)
Stream BFC-2A	Panels	44P-45P(d)
Stream BFC-3	Panels	46P – 47P
Stream BFC-4	Panels	48P – 49P

TABLE OF CONTENTS (continued)

VOLUME 3 (continued)

EXHIBITS (continued)

Stream BFC-4A	Panels	50P – 51P
Unnamed Tributary to Stream BFC-4A	Panel	51P(a)
Stream BFC-4B	Panel	52P
Stream BFC-5	Panels	53P – 57P
Stream BFC-5A	Panels	58P – 60P
Stream BFC-5B	Panels	61P – 64P
Stream BFC-6	Panels	65P – 67P
Stream BFC-7	Panel	68P
Blessing Branch	Panels	69P – 70P
Boaz Creek	Panel	71P
Bowman Branch	Panels	72P – 74P
Stream BB-1	Panels	75P – 77P
Boyd Branch	Panels	78P – 80P
Briar Creek	Panels	81P – 82P
Buffalo Creek	Panels	83P – 85P
Old Buffalo Creek	Panel	86P
Bunker Hill Creek	Panels	87P – 89P

VOLUME 4 – MARCH 21, 2019

EXHIBITS (continued)

Calloway Branch	Panels	90P – 96P
Stream CB-1 (New)	Panels	97P – 98P
Stream CB-1 (Old)	Panel	99P
Stream CB-1 (Old) Diversion Channel	Panels	100P
Stream CB-2	Panels	101P – 102P
Cement Creek	Panels	103P – 104P
West Fork Cement Creek	Panels	105P – 107P
Chambers Creek	Panels	108P – 110P
North Fork Chambers Creek	Panels	111P – 113P
South Fork Chambers Creek	Panels	114P – 116P
Clear Fork Trinity River	Panels	117P – 119P
Stream CF-2	Panels	120P – 122P(a)
Stream CF-2A	Panel	122P(b)
Stream CF-2B	Panel	122P(c)
Stream CF-2B Tributary 1	Panel	122P(d)
Stream CF-3	Panels	123P – 124P
Stream CF-3A	Panels	125P – 127P
Stream CF-3B	Panels	128P – 129P
Stream CF-3C	Panels	130P – 130P(a)
Stream CF-4	Panel	131P
Stream CF-4A	Panels	132P – 133P

TABLE OF CONTENTS (continued)

VOLUME 4 (continued)

EXHIBITS (continued)

Stream CF-4A Diversion	Panel	134P
Stream CF-5	Panels	135P – 137P
Stream CF-6	Panels	138P – 139P
Cottonwood Branch	Panels	140P – 142P
Cottonwood Creek 1	Panels	143P – 146P
Unnamed Tributary to Cottonwood Creek 1	Panel	146P(a)
Cottonwood Creek 2	Panels	147P – 148P(a)
Stream CC-1	Panel	148P(b)
Stream CC-2	Panel	148P(c)
Stream CC-3	Panel	148P(d)
Stream CC-4	Panel	148P(e)
Unnamed Tributary to Cottonwood Creek 2	Panel	149P
South Fork of Cottonwood Creek 2	Panels	150P – 152P
Crowley Branch	Panel	153P
Cub Creek	Panel	154P
Deer Creek	Panels	155P – 158P
North Branch of Deer Creek	Panels	159P – 161P
Unnamed Tributary to North Branch of Deer Creek	Panels	162P – 163P
Unnamed Tributary to An Unnamed Tributary to North Branch of Deer Creek	Panel	164P
Northwest Branch of Deer Creek	Panels	165P – 168P
North Fork of Deer Creek	Panel	169P
South Fork of Deer Creek	Panels	170P – 171P
South Fork of North Branch of Deer Creek	Panels	172P – 174P
Denton Creek	Panels	175P – 176P
Dosier Creek	Panels	176P(a) – 176P(c)
South Dosier Creek	Panel	176P(d)
Tributary to South Dosier Creek	Panel	176P(e)
West Dosier Creek	Panel	176P(f)
Dove Creek	Panels	177P – 179P

VOLUME 5 – MARCH 21, 2019

EXHIBITS (continued)

Dry Branch	Panels	180P – 182P(a)
Dutch Branch	Panel	182P(b)
Tributary DB-3	Panel	183P
Edgecliff Branch	Panels	184P – 185P(a)
Stream EB-1	Panel	186P
Stream EB-A1	Panel	186P(a)

TABLE OF CONTENTS (continued)

VOLUME 5 (continued)

EXHIBITS (continued)

French Lake Creek	Panel	186P(b)
Misty Meadows Creek	Panel	186P(c)
Elm Branch	Panels	187P – 188P
Farmers Branch	Panels	189P – 196P
Unnamed Tributary to Farmers Branch	Panel	197P
Stream FB-1	Panels	198P – 202P
Unnamed Tributary to Stream FB-1	Panel	203P
Farris Branch	Panel	204P
Farris Branch East	Panel	205P
Fish Creek	Panels	206P – 210P(b)
Stream FC-1	Panels	210P(c) – 211P
Stream FC-2	Panels	212P – 213P
Stream FC-3	Panels	214P – 214P(a)
Stream FC-4	Panels	214P(b)-214P(c)
North Fork Fish Creek (Prairie Creek)	Panels	215P – 217P(b)
Stream NF-1	Panel	217P(c)
Stream NF-2	Panel	217P(d)
Stream NF-3	Panel	217P(e)
Stream NF-4	Panel	217P(f)
Willis Branch	Panel	217P(g)
Garden Branch	Panels	217P(h)-217P(i)
Hawkwood Branch	Panel	218P
Henrietta Creek	Panels	219P – 222P
Henrietta Creek 5	Panels	222P(a)
Henrietta Creek 6	Panels	223P – 224P
Henrietta Creek 6A	Panel	225P
Stream HEN-1	Panel	226P
Stream HEN-2	Panels	227P – 228P
Stream HEN-2A	Panels	229P – 229P(a)
Unnamed Tributary to Henrietta Creek	Panel	230P – 230P(a)
Unnamed Tributary to Unnamed Tributary to Henrietta Creek	Panels	231P
Higgins Branch	Panels	232P – 233P
Hogpen Branch	Panels	234P – 235P
Howards Branch	Panel	236P
Stream HB-1	Panels	237P – 238P
Hurricane Creek	Panels	239P – 243P
Stream HC-1	Panels	244P – 245P
Hurricane Creek Tributary 1	Panel	246P
East Fork Hurricane Creek	Panels	247P – 248P

TABLE OF CONTENTS (continued)

VOLUME 5 (continued)

EXHIBITS (continued)

North Fork West Branch Hurricane Creek	Panel	249P
West Branch Hurricane Creek	Panel	250P
Unnamed Tributary of Hurricane Creek	Panel	250P(a)
Johnson Creek	Panels	251P – 262P
Stream JC-2	Panels	263P – 264P
Stream JC-3	Panels	265P – 266P
Stream JC-4	Panel	267P
Stream JC-5	Panel	268P
Stream JC-6	Panel	268P(a)
Stream JC-6A	Panel	268P(b)
Stream JC-7	Panel	268P(c)
Stream JC-7A	Panel	268P(d)
Stream JC-8	Panel	268P(e)
Stream JC-9	Panel	268P(f) – 268P(g)
Stream JC-10	Panel	268P(h)
Stream JC-11	Panels	268P(i) – 268P(j)
Stream JC-11A	Panel	268P(k)
Stream JC-12	Panel	268P(l)
Kee Branch	Panels	269P – 272P
Stream KB-1	Panels	273P – 274P

VOLUME 6 – MARCH 21, 2019

EXHIBITS (continued)

Kings Branch	Panels	275P – 277P
Kirby Creek	Panel	278P
Kirkwood Branch	Panels	279P – 281P
Kirkwood Branch Tributary	Panel	282P
South Fork Kirkwood Branch	Panels	283P – 284P
Little Bear Creek	Panels	285P – 290P
Stream LB-1	Panels	291P – 293P
Stream LB-2	Panel	294P
Stream LB-3	Panel	295P
Stream LB-6	Panel	296P
Tributary Little Bear 1	Panels	297P – 298P
Tributary Little Bear 2	Panels	299P – 300P
Tributary Little Bear 3	Panel	300P(a)
Unnamed Tributary to Little Bear Creek	Panel	300P(b)
Little Fossil Creek	Panels	301P – 307P
Little Fossil Creek Split Flow	Panels	308P – 309P

TABLE OF CONTENTS (continued)

VOLUME 6 (continued)

EXHIBITS (continued)

Stream LFC-1	Panel	310P
Stream LFC-2	Panel	311P
Unnamed Tributary to Stream LFC-2	Panel	311P(a)
Unnamed Tributary 1 to Little Fossil Creek	Panel	311P(b)
Unnamed Tributary 2 to Little Fossil Creek	Panel	311P(c)
Unnamed Tributary of Unnamed Tributary 2 to Little Fossil Creek	Panel	311P(d)
Live Oak Creek	Panels	312P – 313P
Lorean Branch	Panels	314P – 316P
Unnamed Tributary to Lorean Branch	Panel	317P
Low Branch	Panels	318P – 321P
Lynn Creek	Panels	322P – 326P
Lynn Creek Diversion	Panel	326P(a)
Mackey Creek	Panels	327P – 333P
Mackey Creek Diversion North	Panel	334P – 337P
Marine Creek	Panels	338P – 341P
Marine Creek Split Flow	Panel	342P – 343P
MC-4 Creek	Panel	343P(a)
Stream MC-1	Panel	344P – 345P
Stream MC-2	Panel	345P(a)
Marshall Branch	Panels	346P – 347P

VOLUME 7 – MARCH 21, 2019

EXHIBITS (continued)

Marys Creek	Panels	348P – 355P
South Marys Creek	Panels	356P – 359P
Stream MSC-1	Panels	360P – 361P
Unnamed Tributary to Stream MSC-1	Panel	362P
Stream MSC-1A (Plantation West Creek)	Panels	363P – 364P
Stream MSC-2	Panels	365P – 366P
Stream MSC-2A	Panel	367P
Stream MSC-3	Panels	368P – 369P
Mesquite Branch	Panel	370P
Nichols Branch	Panels	371P – 373P
North Creek	Panels	374P – 375P
Pantego Branch	Panels	376P – 379P
Paschal Branch	Panels	380P – 381P
Plantation East Creek	Panels	382P – 383P
Pond Branch	Panels	384P – 387P

TABLE OF CONTENTS (continued)

VOLUME 7 (continued)

EXHIBITS (continued)

Ragland Branch	Panel	388P
Reynolds Branch	Panel	389P
Robertson Branch	Panels	390P – 391P
Rush Creek	Panels	392P – 399P
Forest Park Tributary of Rush Creek	Panels	400P – 401P
Northeast Tributary of Rush Creek	Panels	402P – 403P
Rush Creek Relief Channel	Panel	404P
Stream RC-1	Panels	405P – 406P
Stream RC-1(A)	Panels	407P – 408P
Stream RC-2	Panels	409P – 410P
Ryan's Branch	Panel	411P
Silver Creek	Panels	412P – 413P
Singing Hills Creek	Panels	414P – 417P
Unnamed Tributary to Singing Hills Creek	Panels	417P(a)
South Creek	Panels	418P – 420P
North Branch of North Fork of South Creek	Panels	421P – 422P
North Branch of North Fork of South Creek		
Split Flow	Panels	423P – 425P
North Fork of South Creek	Panels	426P – 427P
Sublett Creek	Panels	428P – 429P
Sulphur Branch	Panels	430P – 435P
Stream SB-1	Panels	436P – 437P
Stream SB-2	Panel	437P(a)
Unnamed Tributary to Sulphur Branch	Panel	437P(b)

VOLUME 8 – MARCH 21, 2019

EXHIBITS (continued)

Sycamore Creek	Panels	438P – 444P
Stream SC-1	Panels	445P – 446P
Stream SC-2	Panels	447P – 449P
Stream SC-3	Panels	450P – 451P
Stream SC-4	Panel	452P
Stream SC-5	Panels	453P – 454P
Stream SC-5 Bypass Channel	Panel	454P(a)
Stream SC-6	Panels	455P – 457P
Stream SC-7	Panels	458P – 459P
Stream SC-7A	Panel	460P
Unnamed Tributary 5 to Sycamore Creek	Panel	460P(a)
Unnamed Tributary 6 to Sycamore Creek	Panel	460P(b)

TABLE OF CONTENTS (continued)

VOLUME 8 (continued)

EXHIBITS (continued)

Unnamed Tributary 7 to Sycamore Creek	Panel	460P(c)
Unnamed Tributary to Unnamed Tributary 7 to Sycamore Creek	Panel	460P(d)
Timber Creek	Panels	461P – 463P
Timber Creek Diversion	Panels	464P – 465P
South Timber Creek	Panel	466P
Tributary B	Panels	467P – 468P
Tributary C	Panels	469P – 471P
Twin Springs Draw	Panel	472P
Valley View Branch	Panels	473P – 476P
Stream VVB-1	Panel	477P
Village Creek	Panels	478P – 488P
Stream VC(A)-1	Panels	489P – 490P
Stream VC(A)-2	Panel	491P
Stream VC-1	Panels	492P – 493P
Stream VC-2	Panels	494P – 495P
Stream VC-2A	Panel	496P
Stream VC-3	Panel	497P
Stream VC-4	Panel	498P
Stream VC-4A	Panel	499P
Stream VC-5	Panels	500P – 502P
Stream VC-6	Panels	503P – 506P
Stream VC-7	Panels	507P – 509P
Walker Branch	Panels	510P – 519P
Stream WKB-1	Panels	520P – 522P
Tributary W-4	Panel	523P
Walnut Creek 1	Panel	524P
Walnut Creek 2	Panels	525P – 528P
Unnamed Tributary to Walnut Creek 2	Panel	529P
Walnut Creek 3	Panels	530P – 534P

VOLUME 9 – MARCH 21, 2019

EXHIBITS (continued)

Warrior Creek	Panel	534P(a)
Watson Branch	Panels	535P – 537P
West Fork Trinity River	Panels	538P – 560P
West Fork Trinity River Split Flow	Panel	560P(a)
Stream WF(A)-1	Panels	561P – 563P
Stream WF(A)-2	Panels	564P – 565P

TABLE OF CONTENTS (continued)

VOLUME 9 – MARCH 21, 2019

EXHIBITS (continued)

Stream WF-1	Panels	566P – 567P
Stream WF-1A	Panels	568P – 569P
Stream WF-1B	Panels	570P – 571P
Stream WF-2	Panels	572P – 574P
Stream WF-2A	Panel	575P
Stream WF-3	Panels	576P – 579P
Stream WF-4	Panels	580P – 581P
Stream WF-5	Panels	582P – 585P
Menefee Creek	Panels	585P(a) – 585P(c)
Menefee Creek Tributary 1	Panel	585P(d)
Menefee Creek Tributary 2	Panel	585P(e)
Stream WF-7	Panels	586P – 589P
Stream WF-7A	Panels	590P – 591P
Stream WF-7B	Panels	592P – 593P
Stream WF-9	Panels	594P – 597P(a)
Stream WF-10	Panels	598P – 601P
Stream WF-10A	Panels	602P – 603P
Stream WF-11	Panels	604P – 605P
Unnamed Tributary to West Fork Trinity River	Panel	606P
Unnamed Tributary 1 to West Fork Trinity River	Panel	606P(a)
West Jones Branch	Panel	607P
Whites Branch	Panels	608P – 613P
Stream WB-1	Panels	614P – 615P
Unnamed Tributary to Stream WB-1	Panel	616P
Stream WB-2	Panel	617P
Stream WB-3	Panel	618P
Stream WB-3D	Panel	618P(a)
Stream WB-4	Panel	618P(b)
Wildcat Branch	Panels	619P – 620P
Stream WC-1	Panels	621P – 622P
Willow Bend Creek	Panels	623P – 626P
Willow Branch	Panels	627P – 628P

Exhibit 2 – Flood Insurance Rate Map Index
Flood Insurance Rate Map

4.0 FLOODPLAIN MANAGEMENT APPLICATIONS

The NFIP encourages State and local governments to adopt sound floodplain management programs. To assist in this endeavor, each FIS report provides 1-percent-annual-chance floodplain data, which may include a combination of the following: 10-, 2-, 1-, and 0.2-percent-annual-chance flood elevations; delineations of the 1- and 0.2-percent-annual-chance floodplains; and a 1-percent-annual-chance floodway. This information is presented on the FIRM and in many components of the FIS report, including Flood Profiles, Floodway Data tables, and Summary of Stillwater Elevation tables. Users should reference the data presented in the FIS report as well as additional information that may be available at the local community map repository before making flood elevation and/or floodplain boundary determinations.

4.1 Floodplain Boundaries

To provide a national standard without regional discrimination, the 1-percent-annual-chance flood has been adopted by FEMA as the base flood for floodplain management purposes. The 0.2-percent-annual-chance flood is employed to indicate additional areas of flood risk in the community. For each stream studied by detailed methods, the 1- and 0.2-percent-annual-chance floodplain boundaries have been delineated using the flood elevations determined at each cross section. For the previous studies, the boundaries between cross sections were interpolated using topographic maps with a contour interval of 2 feet (References 58, 59, 60, 61, 62, 63). For this PMR, the floodplain boundaries in between cross sections were interpolated using the TIN generated from the 2009 LIDAR.

The 1- and 0.2-percent-annual-chance floodplain boundaries are shown on the FIRM. On this map, the 1-percent-annual-chance floodplain boundary corresponds to the boundary of the areas of special flood hazards (Zones A, AE, and AO), and the 0.2-percent-annual-chance floodplain boundary corresponds to the boundary of areas of moderate flood hazards. In cases where the 1- and 0.2-percent-annual-chance floodplain boundaries are close together, only the 1-percent-annual-chance floodplain boundary has been shown. Small areas within the floodplain boundaries may lie above the flood elevations, but cannot be shown due to limitations of the map scale and/or lack of detailed topographic data.

For the streams studied by approximate methods, only the 1-percent-annual-chance floodplain boundary is shown on the FIRM.

Approximate 1-percent-annual-chance floodplain boundaries in some portions of the study area were taken directly from the Flood Hazard Boundary Map for Tarrant County.

4.2 Floodways

Encroachment on floodplains, such as structures and fill, reduces flood-carrying capacity, increases flood heights and velocities, and increases flood hazards in areas beyond the encroachment itself. One aspect of floodplain management involves balancing the economic gain from floodplain development against the resulting increase in flood hazard. For purposes of the NFIP, a floodway is used as a tool to assist local communities in this aspect of floodplain management. Under this concept, the area of the 1-percent-annual-chance floodplain is divided into a floodway and a floodway fringe. The floodway is the channel of a stream, plus any adjacent floodplain areas, that must be kept free of encroachment so that the base flood can be carried without substantial increases in flood heights. Minimum Federal standards limit such increases to 1 foot, provided that hazardous velocities are not produced. The floodways in this study are presented to local agencies as

minimum standards that can be adopted directly or that can be used as a basis for additional floodway studies.

The floodways presented in this study were computed for certain stream segments on the basis of equal-conveyance reduction from each side of the floodplain. Floodway widths were computed at cross sections. Between cross sections, the floodway boundaries were interpolated. The results of the floodway computations are tabulated for selected cross sections (see Table 6, Floodway Data). In cases where the floodway and 1-percent-annual-chance floodplain boundaries are either close together or collinear, only the floodway boundary is shown.

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION				
CROSS SECTION	DISTANCE	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY FEET (NAVD)	WITH FLOODWAY	INCREASE	
Arbor Creek A-G ¹									
H	7,948 ²	120	1,020	4.0	500.7	500.7	501.2	0.5	
I	8,972 ²	252	1,084	3.2	505.4	505.4	506.0	0.6	
J	10,104 ²	120	418	8.3	509.7	509.7	509.7	0.0	
K	10,629 ²	104	455	7.6	516.1	516.1	516.2	0.1	
L	11,934 ²	83	264	8.1	525.7	525.7	525.8	0.1	
M	12,684 ²	93	511	4.2	532.9	532.9	533.6	0.7	

¹Cross sections A through G are located within Dallas County

²Stream distance in feet above confluence with Johnson Creek

TABLE 7	FEDERAL EMERGENCY MANAGEMENT AGENCY TARRANT COUNTY, TX AND INCORPORATED AREAS	FLOODWAY DATA
		ARBOR CREEK

FLOODING SOURCE		FLOODWAY			BASE FLOOD				
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WATER SURFACE ELEVATION		INCREASE	
						WITHOUT FLOODWAY	WITH FLOODWAY		
						FEET (NAVD)			
Ash Creek									
A	8,080	650	4,352	4.6	657.4	654.9 ²	655.6	0.7	
B	11,600	900	6,226	3.2	663.4	663.4	664.4	1.0	
C	13,250	761	5,433	3.7	666.9	666.9	667.9	1.0	
D	14,780	460	3,569	5.6	671.6	671.6	672.2	0.6	
E	15,650	250	2,531	7.9	675.2	675.2	675.5	0.3	
F	16,820	600	6,611	3.0	681.2	681.2	681.7	0.5	
G	18,780	441	3,290	5.1	682.4	682.4	683.2	0.8	
H	19,180	500	4,503	4.3	684.1	684.1	685.0	0.9	
Big Bear Creek									
A	49,116	345	3,667	8.5	479.4	479.4	479.4	0.0	
B	50,639	600	8,888	3.5	485.7	485.7	485.8	0.1	
C	53,178	465	5,466	5.7	489.7	489.7	489.8	0.1	
D	59,366	545	6,780	4.2	501.2	501.2	501.2	0.0	
E	62,380	670	8,006	3.5	506.9	506.9	507.0	0.1	
F	65,384	315	3,125	6.5	508.8	508.8	509.0	0.2	
G	70,243	618	7,441	2.7	515.1	515.1	516.0	0.9	
H	76,885	905	8,632	2.3	527.2	527.2	528.1	0.9	
I	78,876	720	6,066	3.3	529.3	529.3	530.2	0.9	
J	82,416	295	2,908	6.7	535.3	535.3	536.3	1.0	
K	84,840	665	6,244	3.1	541.1	541.1	541.1	0.0	
L	86,374	380	3,616	5.4	542.7	542.7	542.8	0.1	
M	89,814	630	6,892	2.8	550.1	550.1	550.9	0.8	
N	91,637	905	7,617	2.5	551.0	551.0	552.0	1.0	

¹Stream distance in feet above confluence with West Fork Trinity River

²Elevation computed without consideration of backwater effectives from Eagle Mountain Lake

TABLE 7	FEDERAL EMERGENCY MANAGEMENT AGENCY TARRANT COUNTY, TX AND INCORPORATED AREAS	FLOODWAY DATA	
		ASH CREEK – BIG BEAR CREEK	

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY FEET (NAVD)	WITH FLOODWAY	INCREASE
Big Bear Creek (continued)								
O	93,031	762	5,223	3.7	552.7	552.7	553.4	0.7
P	96,812	374	2,533	7.4	557.5	557.5	558.4	0.9
Q	100,671	292	2,745	6.8	565.8	565.8	566.2	0.4
R	104,286	415	3,274	5.6	573.4	573.4	573.9	0.5
S	107,067	560	5,092	3.6	577.5	577.5	578.2	0.7
T	108,863	685	6,523	2.7	579.3	579.3	580.0	0.7
U	109,946	420	2,985	5.9	580.5	580.5	581.1	0.6
V	113,009	635	4,303	4.1	585.0	585.0	585.5	0.5
W	115,217	685	5,002	3.5	590.2	590.2	591.1	0.9
X	116,737	500	4,080	4.1	593.4	593.4	594.4	1.0
Y	119,599	365	3,654	4.3	599.5	599.5	600.0	0.5
Z	121,319	520	4,847	3.2	601.8	601.8	602.4	0.6
AA	122,995	845	6149	2.6	603.0	603.0	603.6	0.6
AB	124,420	360	2,696	5.7	604.5	604.5	605.4	0.9
AC	126,767	385	3,921	3.9	610.6	610.6	611.1	0.5
AD	130,327	500	5,995	2.5	612.5	612.5	613.3	0.8
AE	131,598	300	2,388	6.9	615.4	615.4	616.0	0.6
AF	133,448	435	3,972	3.7	618.8	618.8	619.5	0.7
AG	136,466	251	3,279	4.3	623.4	623.4	623.8	0.4
AH	139,185	470	1,933	7.4	629.0	629.0	629.9	0.9
AI	141,052	261	2,305	5.0	632.1	632.1	633.0	0.9
AJ	142,398	381	2,609	4.4	635.2	635.2	635.4	0.2
AK	146,902	312	1,867	5.9	642.4	642.4	642.9	0.5
AL	150,203	737	3,913	2.6	648.2	648.2	648.4	0.2

¹Stream distance in feet above confluence with West Fork Trinity River

TABLE 7	FEDERAL EMERGENCY MANAGEMENT AGENCY TARRANT COUNTY, TX AND INCORPORATED AREAS	FLOODWAY DATA
		BIG BEAR CREEK

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY FEET (NAVD)	WITH FLOODWAY	INCREASE
Big Bear Creek (continued)								
AM	152,735 ¹	144	1,954	4.4	657.2	657.2	657.8	0.6
AN	155,095 ¹	220	1,341	6.4	662.3	662.3	662.9	0.6
AO	156,465 ¹	233	1,488	5.4	666.9	666.9	667.4	0.5
AP	158,664 ¹	308	1,998	4.0	672.3	672.3	672.7	0.4
AQ	160,563 ¹	286	1,552	5.2	675.5	675.5	676.1	0.6
AR	161,291 ¹	378	1,433	5.7	678.5	678.5	678.7	0.2
AS	162,213 ¹	121	1,036	7.0	680.4	680.4	681.1	0.7
AT	162,714 ¹	180	1,240	4.6	683.4	683.4	683.5	0.1
AU	164,471 ¹	293	1,073	3.7	691.0	691.0	691.0	0.0
AV	167,796 ¹	440	1,199	3.1	702.4	702.4	702.4	0.0
AW	171,959 ¹	220	528	4.7	716.4	716.4	716.5	0.1
AX	174,881 ¹	205	431	5.7	728.5	728.5	728.7	0.2
AY	177,910 ¹	100	438	4.5	744.4	744.4	745.0	0.6
AZ	180,740 ¹	250	268	4.4	757.8	757.8	757.9	0.1
BA	182,552 ¹	110	367	3.2	768.3	768.3	769.1	0.8
Tributary BB-1								
A	2,020 ²	112	390	4.9	523.0	523.0	523.9	0.9
B	2,520 ²	49	353	5.4	526.1	526.1	527.1	1.0
C	3,300 ²	56	424	4.5	530.4	530.4	531.4	1.0

¹Stream distance in feet above confluence with West Fork Trinity River

²Stream distance in feet above confluence with Big Bear Creek

TABLE 7	FEDERAL EMERGENCY MANAGEMENT AGENCY TARRANT COUNTY, TX AND INCORPORATED AREAS	FLOODWAY DATA
		BIG BEAR CREEK - TRIBUTARY BB-1

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY FEET (NAVD)	WITH FLOODWAY	INCREASE
Tributary BB-2								
	A	2,760	65	355	6.2	538.2	538.2	0.9
	B	4,620	55	313	7.0	550.3	550.3	0.4
	C	5,130	78	435	5.1	556.0	556.0	0.6
	D	6,200	69	487	4.5	562.3	562.3	1.0
Tributary BB-3								
	A	1,495	73	873	3.6	546.2	546.2	1.0
	B	2,290	82	342	9.2	549.0	549.0	0.7
Tributary BB-5								
	A	1,560	155	794	4.1	557.5	557.5	0.3
	B	2,380	79	334	4.3	558.5	558.5	0.5
Tributary BB-6								
	A	1,060		224	13.9	578.9	578.9	0.0
	B	2,741		417	7.4	582.4	582.4	0.0
	C	3,636		946	3.3	589.4	589.4	0.0
	D	4,646		444	6.0	594.0	594.0	0.1
	E	5,301		709	3.7	595.0	595.0	0.1
	F	6,541		340	7.8	600.5	600.5	0.3
	G	8,021		589	4.5	610.5	610.5	0.9

¹ Stream distance in feet above confluence with Big Bear Creek

TABLE 7	FEDERAL EMERGENCY MANAGEMENT AGENCY TARRANT COUNTY, TX AND INCORPORATED AREAS	FLOODWAY DATA
		TRIBUTARY BB-2 - TRIBUTARY BB-3 TRIBUTARY BB-5 - TRIBUTARY BB-6

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY FEET (NAVD)	WITH FLOODWAY	INCREASE
Tributary BB-8								
A	3,220	253	1,105	3.6	598.6	598.6	599.3	0.7
B	4,470	116	481	4.7	603.4	603.4	604.2	0.8
C	5,740	47	261	8.6	609.8	609.8	610.8	1.0
Tributary BB-9								
A	1,980	194	682	4.5	614.6	614.6	614.7	0.1
B	2,670	168	739	4.2	618.7	618.7	619.5	0.8
C	3,420	20	1,009	3.1	622.4	622.4	623.3	0.9
D	5,080	108	537	4.9	629.9	629.9	630.4	0.5
E	6,490	98	526	5.0	635.8	635.8	636.5	0.7
F	7,625	112	962	2.8	642.1	642.1	642.8	0.7
G	9,230	141	608	4.4	658.7	658.7	659.3	0.6
Tributary BB-10								
A	1,200	265	1,257	3.8	632.9	632.9	633.8	0.9
B	2,340	275	1,561	3.1	635.6	635.6	636.6	1.0
C	3,680	234	873	5.5	639.4	639.4	640.4	1.0
D	5,200	259	1,198	4.0	646.2	646.2	647.0	0.8
E	6,470	219	1,059	3.7	649.6	649.6	650.6	1.0
F	8,150	224	503	4.5	656.8	656.8	657.1	0.3
G	9,050	216	843	2.7	662.6	662.6	663.3	0.7
H	9,930	215	710	3.2	666.7	666.7	667.3	0.6
I	10,910	181	369	6.1	671.6	671.6	671.6	0.0

¹Stream distance in feet above confluence with Big Bear Creek

TABLE 7	FEDERAL EMERGENCY MANAGEMENT AGENCY TARRANT COUNTY, TX AND INCORPORATED AREAS	FLOODWAY DATA
		TRIBUTARY BB-8 – TRIBUTARY BB-9 - TRIBUTARY BB-10

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY FEET (NAVD)	WITH FLOODWAY	INCREASE
Tributary BB-11								
A	1,560	143	1,113	3.9	647.5	646.5 ²	646.6	0.1
B	2,089	141	714	6.0	648.3	648.3	648.4	0.1
C	2,539	130	633	6.8	649.6	649.6	649.7	0.1
D	3,701	80	1,084	3.7	659.5	659.5	659.8	0.3
E	4,402	100	628	6.4	661.0	661.0	661.5	0.5
F	5,184	70	445	9.1	663.0	663.0	663.7	0.7
Tributary BB-12								
A	860	279	1,051	3.5	653.7	653.7	654.3	0.6
B	1,693	147	929	4.0	656.6	656.6	656.8	0.2
C	3,141	65	422	7.1	662.6	662.6	662.6	0.0
D	3,994	94	580	5.2	664.7	664.7	664.8	0.1
E	5,220	170	1,699	1.8	672.0	672	672.2	0.2
F	5,935	90	445	6.7	673.0	673	673.1	0.1
Tributary BB-13								
A	884	73	436	2.9	619.3	619.3	619.9	0.6
B	1,589	64	267	4.8	622.0	622.0	622.7	0.7

¹ Stream distance in feet above confluence with Big Bear Creek

² Elevation computed without consideration of backwater effects from Big Bear Creek

TABLE 7	FEDERAL EMERGENCY MANAGEMENT AGENCY TARRANT COUNTY, TX AND INCORPORATED AREAS	FLOODWAY DATA
		TRIBUTARY BB-11 – TRIBUTARY BB-12 – TRIBUTARY BB-13

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE
FEET (NAVD 88)								
Big Fossil Creek								
A	6,889	572	10,950	3.2	503.5	499.9 ²	500.7	0.8
B	8,170	729	13,610	2.6	503.5	500.0 ²	500.9	0.9
C	9,101	677	11,803	3.2	503.5	500.1 ²	500.9	0.8
D	9,876	379	6,466	4.8	503.5	500.1 ²	501.0	0.9
E	10,104	411	5,413	5.8	505.3	505.3	506.2	0.9
F	11,437	302	6,269	5.0	507.3	507.3	507.5	0.2
G	13,039	267	5,517	5.7	507.7	507.7	508.1	0.4
H	14,917	252	4,832	6.5	508.7	508.7	509.3	0.6
I	16,114	241	4,355	7.2	509.6	509.6	510.2	0.6
J	17,317	353	4,491	7.0	514.5	514.5	514.6	0.1
K	18,462	600	6,554	4.8	517.0	517.0	517.8	0.8
L	19,585	1,828	12,503	2.5	518.3	518.3	519.2	0.9
M	20,617	1,100	9,043	3.5	519.9	519.9	520.9	1.0
N	22,119	962	8,433	3.7	523.1	523.1	524.0	0.9
O	23,161	1,145	8,898	3.5	524.8	524.8	525.7	0.9
P	24,277	1,309	9,236	3.4	525.6	525.6	526.5	0.9
Q	25,339	1,120	8,199	3.8	527.6	527.6	528.3	0.7
R	26,411	1,055	6,728	4.6	529.7	529.7	530.6	0.9
S	27,463	785	6,207	5.0	531.9	531.9	532.7	0.8
T	28,599	860	7,834	4.0	535.9	535.9	536.6	0.7
U	29,709	405	4,310	7.2	537.5	537.5	538.3	0.8
V	30,842	1,350	3,973	7.8	542.2	542.2	542.7	0.5
W	32,018	805	5,576	5.4	544.5	544.5	545.0	0.5
X	33,462	460	5,564	5.4	549.1	549.1	549.2	0.1
Y	34,581	314	5,512	5.5	551.8	551.8	552.1	0.3

¹Stream distance in feet above confluence with West Fork Trinity River

²Elevation computed without consideration of backwater effects from West Fork Trinity River

FEDERAL EMERGENCY MANAGEMENT AGENCY
TARRANT COUNTY, TX
AND INCORPORATED AREAS

FLOODWAY DATA

BIG FOSSIL CREEK

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE
FEET (NAVD 88)								
Big Fossil Creek (continued)								
Z	35,872	487	13,175	2.3	566.0	566.0	566.1	0.1
AA	37,291	1,080	20,855	1.1	566.2	566.2	566.2	0.0
AB	38,441	1,290	21,764	1.1	566.2	566.2	566.2	0.0
AC	39,611	284	4,157	5.7	566.4	566.4	566.5	0.1
AD	40,763	313	4,069	5.8	566.6	566.6	566.7	0.1
AE	42,181	210	4,133	5.7	569.5	569.5	569.8	0.3
AF	43,335	733	8,347	2.9	570.3	570.3	570.8	0.5
AG	44,508	655	4,505	5.3	571.2	571.2	572.0	0.8
AH	45,727	475	3,888	6.1	575.0	575.0	576.0	1.0
AI	46,752	527	3,813	6.2	579.6	579.6	580.0	0.4
AJ	47,735	279	2,930	7.9	583.4	583.4	584.1	0.7
AK	48,732	347	3,846	6.0	587.2	587.2	588.1	0.9
AL	49,899	292	3,469	5.4	590.1	590.1	591.0	0.9
AM	51,206	209	2,494	7.5	594.3	594.3	595.1	0.8
AN	52,293	520	6,150	3.0	598.5	598.5	599.1	0.6
AO	53,485	667	5,339	3.5	600.2	600.2	601.0	0.8
AP	53,907	235	2,884	6.4	600.4	600.4	601.3	0.9
AQ	54,371	236	3,165	5.9	601.1	601.1	601.9	0.8
AR	55,335	120	1,082	16.1	602.6	602.6	603.1	0.5
AS	55,834	240	1,803	9.7	608.8	608.8	608.8	0.0
AT	56,748	347	3,940	4.7	613.3	613.3	613.4	0.1
AU	57,721	345	4,070	4.1	614.7	614.7	614.9	0.2
AV	58,734	440	3,732	4.5	616.8	616.8	617.5	0.7

¹Stream distance in feet above confluence with West Fork Trinity River

TABLE 7	FEDERAL EMERGENCY MANAGEMENT AGENCY TARRANT COUNTY, TX AND INCORPORATED AREAS	FLOODWAY DATA
		BIG FOSSIL CREEK

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE
FEET (NAVD 88)								
Big Fossil Creek (continued)								
AW	59,952	878	4,443	3.7	621.2	621.2	621.5	0.3
AX	61,615	425	3,004	5.5	625.9	625.9	626.7	0.8
AY	62,795	690	3,900	4.3	629.8	629.8	630.6	0.8
AZ	63,641	522	2,939	5.7	633.4	633.4	634.1	0.7
BA	64,630	720	3,842	4.1	637.5	637.5	637.7	0.2
BB	65,859	492	2,628	6.0	642.0	642.0	643.0	1.0
BC	67,161	555	2,658	5.9	648.0	648.0	648.6	0.6
BD	68,078	641	4,167	3.8	652.4	652.4	652.6	0.2
BE	69,395	429	2,242	6.0	657.0	657.0	657.5	0.5
BF	70,403	424	2,807	4.9	661.0	661.0	661.9	0.9
BG	71,458	628	3,730	4.0	664.8	664.8	665.2	0.4
BH	72,076	864	2,786	2.7	666.6	666.6	667.0	0.4
BI	74,357	296	1,462	4.9	674.3	674.3	674.9	0.6
BJ	74,722	396	1,913	3.8	676.0	676.0	676.5	0.5
BK	75,340	385	1,520	4.7	678.9	678.9	678.9	0.0
BL	76,402	730	3,841	1.9	691.0	691.0	691.3	0.3
BM	77,764	337	2,008	3.7	691.4	691.4	691.6	0.2
BN	79,007	479	5,985	1.2	704.3	704.3	704.3	0.0
BO	80,236	736	4,058	1.8	704.5	704.5	704.5	0.0
BP	81,499	403	1,365	4.9	706.9	706.9	706.9	0.0
BQ	82,662	305	1,361	4.8	712.9	712.9	713.0	0.1
BR	84,022	257	1,748	3.8	720.2	720.2	720.8	0.6
BS	84,924	197	1,113	5.9	724.1	724.1	724.1	0.0
BT	85,773	419	1,259	4.1	727.6	727.6	728.4	0.8

¹Stream distance in feet above confluence with West Fork Trinity River

TABLE 7	FEDERAL EMERGENCY MANAGEMENT AGENCY TARRANT COUNTY, TX AND INCORPORATED AREAS	FLOODWAY DATA
		BIG FOSSIL CREEK

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE
FEET (NAVD 88)								
Big Fossil Creek (continued)								
BU	87,016	339	1,368	3.8	734.3	734.3	735.3	1.0
BV	87,977	267	1,074	4.8	738.6	738.6	739.1	0.5
BW	89,125	280	1,138	4.5	743.7	743.7	744.1	0.4
BX	90,246	280	1,467	3.5	746.9	746.9	747.8	0.9
BY	91,390	264	1,348	2.6	749.7	749.7	750.5	0.8
BZ	92,251	189	1,014	3.4	752.4	752.4	752.9	0.5
CA	93,261	170	805	4.3	755.7	755.7	755.9	0.2
CB	94,264	130	704	4.9	760.0	760.0	760.3	0.3
CC	95,534	235	997	3.5	766.5	766.5	767.3	0.8
CD	96,441	209	737	4.7	769.3	769.3	769.5	0.2
CE	97,346	230	1,022	3.4	772.2	772.2	772.4	0.2
CF	98,333	212	724	4.8	777.8	777.8	778.1	0.3
CG	99,530	259	533	6.5	783.5	783.5	783.6	0.1
CH	100,437	272	1,101	3.2	786.9	786.9	787.3	0.4
CI	101,621	212	981	0.6	789.0	789.0	789.7	0.7
CJ	102,570	102	183	3.4	791.6	791.6	791.7	0.1
CK	103,485	134	169	3.7	799.2	799.2	799.2	0.0
CL	104,626	246	304	2.0	804.5	804.5	804.5	0.0
CM	105,678	216	306	2.0	809.9	809.9	809.9	0.0
CN	106,624	122	181	3.4	814.3	814.3	814.3	0.0
CO	107,901	123	238	2.6	818.6	818.6	818.6	0.0
CP	109,114	71	112	1.5	823.2	823.2	823.2	0.0
CQ	110,021	38	63	2.7	828.0	828.0	828.0	0.0
CR	111,464	37	50	3.4	838.1	838.1	838.1	0.0
CS	112,489	32	54	3.2	849.3	849.3	849.3	0.0

¹Stream distance in feet above confluence with West Fork Trinity River

TABLE 7	FEDERAL EMERGENCY MANAGEMENT AGENCY TARRANT COUNTY, TX AND INCORPORATED AREAS	FLOODWAY DATA
		BIG FOSSIL CREEK

FLOODING SOURCE		FLOODWAY			BASE FLOOD				
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WATER SURFACE ELEVATION		INCREASE	
						FEET (NAVD 88)			
Stream BFC-1									
A	985	99	599	10.0	579.5	577.4 ²	577.7	0.3	
B	1,390	113	676	8.9	582.3	582.3	582.3	0.0	
C	1,720	84	667	9.0	585.2	585.2	585.2	0.0	
D	2,120	104	711	8.4	587.7	587.7	587.7	0.0	
E	2,435	121	811	6.9	589.7	589.7	589.7	0.0	
F	2,800	86	753	7.5	591.0	591.0	591.0	0.0	
G	3,050	85	545	10.3	592.2	592.2	592.3	0.1	
H	3,360	55	434	13.0	592.7	592.7	592.8	0.1	
I	3,960	87	358	15.7	599.5	599.5	599.5	0.0	
J	4,585	125	1,551	3.1	606.4	606.4	606.4	0.0	
K	4,950	131	1,009	4.8	606.5	606.5	606.5	0.0	
L	5,450	114	988	4.9	607.1	607.1	607.2	0.1	
M	5,950	113	1,050	4.6	607.7	607.7	607.8	0.1	
N	6,340	119	827	4.7	608.2	608.2	608.2	0.0	
O	6,571	121	619	6.3	610.2	610.2	610.5	0.3	
P	7,047	114	545	7.1	611.4	611.4	611.6	0.2	
Q	7,640	109	513	6.8	613.3	613.3	613.6	0.3	
R	7,860	172	826	4.2	617.9	617.9	618.3	0.4	
S	8,320	120	697	5.0	618.3	618.3	618.7	0.4	
T	8,720	80	543	6.4	618.8	618.8	619.1	0.3	
U	8,920	60	378	7.0	619.3	619.3	619.5	0.2	
V	9,320	68	333	7.9	620.9	620.9	621.0	0.1	
W	9,620	67	310	8.5	622.4	622.4	622.4	0.0	
X	9,900	75	394	6.7	624.3	624.3	624.3	0.0	
Y	10,189	113	577	4.6	627.4	627.4	627.4	0.0	
Z	10,729	112	559	4.7	628.9	628.9	628.9	0.0	

¹Stream distance in feet above confluence with Big Fossil Creek

²Elevation computed without consideration of backwater effects from Big Fossil Creek

FEDERAL EMERGENCY MANAGEMENT AGENCY
TARRANT COUNTY, TX
AND INCORPORATED AREAS

FLOODWAY DATA

STREAM BFC-1

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY FEET (NAVD)	WITH FLOODWAY	INCREASE
Stream BFC-2								
	A	2,150 ¹	190	1,113	7.5	593.9	593.9	0.8
	B	3,467 ¹	161	1,339	6.3	597.5	597.5	0.4
	C	4,752 ¹	156	939	8.9	600.8	600.8	0.1
	D	5,502 ¹	138	1,111	7.6	605.5	605.5	0.0
	E	6,987 ¹	142	855	9.8	610.6	610.6	0.0
	F	8,630 ¹	145	688	9.8	616.8	616.8	0.0
	G	11,160 ¹	97	1,025	6.6	631.0	631.0	0.2
	H	15,272 ¹	269	849	3.7	652.9	652.9	1.0
	I	17,462 ¹	282	560	5.6	665.2	665.2	0.8
	J	19,262 ¹	580	1,511	2.1	671.2	671.2	0.5
Stream BFC-2A								
	A	2,280 ²	306	1,030	3.7	642.0	642.0	0.2
	B	4,200 ²	290	638	6.0	651.9	651.9	0.0
Stream BFC-3								
	A	1,672 ¹	204	697	3.7	639.7	639.7	1.0
	B	3,839 ¹	140	612	3.8	649.7	649.7	0.6
	C	5,984 ¹	229	423	5.9	663.8	663.8	0.0
	D	8,462 ¹	199	628	3.8	681.6	681.6	0.0
	E	10,379 ¹	230	621	5.0	690.6	690.8	0.2

¹Stream distance in feet above confluence with Big Fossil Creek

²Stream distance in feet above confluence with Stream BFC-2

TABLE 7	FEDERAL EMERGENCY MANAGEMENT AGENCY TARRANT COUNTY, TX AND INCORPORATED AREAS	FLOODWAY DATA
		STREAM BFC-2 – STREAM BFC-2A – STREAM BFC-3

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY FEET (NAVD)	WITH FLOODWAY	INCREASE
Stream BFC-4								
A	2,910 ¹	475	3,210	3.5	678.1	678.1	679.0	0.9
B	4,482 ¹	393	2,339	4.7	683.1	683.1	683.1	0.0
C	6,657 ¹	337	1,297	5.9	689.1	689.1	689.5	0.4
D	9,918 ¹	293	1,214	5.4	701.8	701.8	701.9	0.1
E	12,933 ¹	150	1,037	6.0	714.9	714.9	715.4	0.5
F	16,035 ¹	317	1,573	4.0	725.9	725.9	726.3	0.4
G	17,625 ¹	488	1,977	2.1	731.8	731.8	732.1	0.3
Stream BFC-4A								
A	1,820 ²	173	756	5.2	690.2	690.2	690.5	0.3
B	3,520 ²	181	1,094	3.6	698.4	698.4	699.4	1.0
C	5,382 ²	325	826	2.1	707.2	707.2	707.4	0.2
D	7,260 ²	330	678	1.8	714.8	714.8	714.9	0.1
Stream BFC-4B								
A	5,383 ²	170	459	3.8	736.8	736.8	736.9	0.1

¹Stream distance in feet above confluence with Big Fossil Creek

²Stream distance in feet above confluence with Stream BFC-4

TABLE 7	FEDERAL EMERGENCY MANAGEMENT AGENCY TARRANT COUNTY, TX AND INCORPORATED AREAS	FLOODWAY DATA
		STREAM BFC-4 – STREAM BFC-4A – STREAM BFC-4B

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY FEET (NAVD)	WITH FLOODWAY	INCREASE
Stream BFC-5								
	A	4,320 ¹	125	454	5.1	517.4	517.4	518.0
	B	5,170 ¹	113	533	4.3	524.1	524.1	525.0
	C	5,970 ¹	118	324	5.2	533.6	533.6	534.2
	D	7,165 ¹	108	342	5.0	542.3	542.3	542.7
	E	8,400 ¹	141	702	1.9	557.3	557.3	558.2
	F	9,090 ¹	113	150	6.3	562.0	562.0	562.4
	G	10,100 ¹	125	460	1.6	572.2	572.2	573.1
	H	10,690 ¹	117	172	3.0	576.7	576.7	577.5
Stream BFC-5A								
	A	1,320 ²	57	173	3.6	528.0	528.0	528.6
	B	1,785 ²	53	60	6.3	531.2	531.2	531.3
Stream BFC-5B								
	A	2,720 ²	68	47	4.2	503.2	503.2	503.6
	B	3,500 ²	60	70	2.2	509.0	509.0	509.2
	C	4,475 ²	109	22	2.5	527.9	527.9	528.1

¹ Stream distance in feet above confluence with Big Fossil Creek

² Stream distance in feet above confluence with Stream BFC-5

TABLE 7	FEDERAL EMERGENCY MANAGEMENT AGENCY TARRANT COUNTY, TX AND INCORPORATED AREAS	FLOODWAY DATA
		STREAM BFC-5 – STREAM BFC-5A – STREAM BFC-5B

FLOODING SOURCE		FLOODWAY			BASE FLOOD				
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WATER SURFACE ELEVATION		INCREASE	
						WITHOUT FLOODWAY	WITH FLOODWAY		
						FEET (NAVD 88)			
Stream BFC-6									
	A	1,120 ¹	86	578	5.3	529.9	529.9	530.0	0.1
	B	1,960 ¹	80	522	5.9	539.7	539.7	540.2	0.5
	C	2,980 ¹	70	509	4.7	554.8	554.8	555.5	0.7
	D	3,220 ¹	80	399	6.0	556.1	556.1	556.6	0.5
	E	3,710 ¹	24	145	9.2	562.8	562.8	563.2	0.4
Stream BFC-7									
	A	580 ¹	124	409	5.1	536.0	531.9 ⁴	531.9	0.0
	B	1,130 ¹	65	243	8.6	536.0	535.2 ⁴	535.2	0.0
Blessing Branch									
	A	8,480 ²	173	992	4.6	540.2	540.2	541.1	0.9
	B	10,340 ²	168	1,160	3.9	546.0	546.0	547.0	1.0
	C	11,830 ²	126	809	4.4	554.3	554.3	554.5	0.2
	D	13,770 ²	57	315	7.4	559.9	559.9	560.6	0.7
	E	15,300 ²	67	508	4.6	569.6	569.6	570.0	0.4
Boaz Creek									
	A	800 ³	92	684	7.4	665.0	665.0	666.0	1.0
	B	1,650 ³	100	616	5.7	672.1	672.1	672.5	0.4

¹Stream distance in feet above confluence with Big Fossil Creek

²Stream distance in feet above confluence with West Fork Trinity River

³Stream distance in feet above confluence with Walnut Creek

⁴Elevation computed without consideration of backwater effects from Big Fossil Creek

TABLE 7	FEDERAL EMERGENCY MANAGEMENT AGENCY TARRANT COUNTY, TX AND INCORPORATED AREAS	FLOODWAY DATA
		STREAM BFC-6 – STREAM BFC-7 BLESSING BRANCH – BOAZ CREEK

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY FEET (NAVD)	WITH FLOODWAY	INCREASE
Bowman Branch								
A	200 ¹	377	1,433	5.6	537.5	528.4 ³	528.4	0.0
B	1,825 ¹	337	1,651	4.6	538.8	538.8	538.8	0.0
C	6,150 ¹	83	1,629	4.7	549.3	549.3	549.8	0.5
D	8,675 ¹	351	2,238	3.4	556.5	556.5	556.9	0.4
E	11,150 ¹	250	1,946	3.9	562.7	562.7	563.4	0.7
F	15,600 ¹	250	1,713	4.4	571.8	571.8	572.2	0.4
G	20,025 ¹	300	1,529	3.4	581.1	581.1	581.8	0.7
H	23,190 ¹	226	1,026	5.0	590.9	590.9	591.8	0.9
I	24,900 ¹	220	1,098	4.7	599.2	599.2	599.3	0.1
J	26,200 ¹	197	909	5.7	603.3	603.3	604.0	0.7
Stream BB-1								
A	19,202 ²	76	460	7.4	585.1	585.1	586.0	0.9
B	3,700 ²	96	96	9.9	595.4	595.4	595.8	0.4

¹ Stream distance in feet above confluence with Lake Joe Pool

² Stream distance in feet above confluence with Bowman Branch

³ Elevation computed without consideration of backwater effects from Lake Joe Pool

TABLE 7	FEDERAL EMERGENCY MANAGEMENT AGENCY TARRANT COUNTY, TX AND INCORPORATED AREAS	FLOODWAY DATA
		BOWMAN BRANCH – STREAM BB-1

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY FEET (NAVD)	WITH FLOODWAY	INCREASE
Boyd Branch								
A	11,250	225	1,889	3.1	488.3	488.3	489.0	0.7
B	12,220	255	1,668	3.6	489.9	489.9	490.8	0.9
C	13,905	264	1,572	3.8	496.5	496.5	496.7	0.2
D	14,860	257	1,311	4.5	499.2	499.2	499.8	0.6
E	16,340	227	1,749	3.4	505.9	505.9	506.7	0.8
F	16,995	335	1,514	3.9	508.6	508.6	509.0	0.4
G	18,260	280	1,206	4.9	512.3	512.3	513.2	0.9
H	18,880	170	1,086	4.9	517.5	517.5	518.3	0.8
I	20,180	205	1,310	4.1	523.4	523.4	524.4	1.0
J	20,670	89	1,126	4.7	532.7	532.7	533.5	0.8
K	21,260	144	1,025	5.2	533.6	533.6	534.4	0.8
L	21,440	140	945	4.5	534.3	534.3	534.9	0.6
M	22,020	213	1,455	3.0	539.8	539.8	540.7	0.9
N	22,380	108	669	6.4	539.8	539.8	540.7	0.9
O	22,660	99	376	8.9	540.5	540.5	540.5	0.0
P	23,410	98	304	4.1	544.9	544.9	545.6	0.7
Q	24,886	119	59	4.5	551.4	551.4	551.4	0.0

¹ Stream distance in feet above confluence with West Fork Trinity River

TABLE 7	FEDERAL EMERGENCY MANAGEMENT AGENCY TARRANT COUNTY, TX AND INCORPORATED AREAS	FLOODWAY DATA
		BOYD BRANCH

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION				
CROSS SECTION	DISTANCE	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE	
FEET (NAVD)									
Briar Creek									
	A	6,320 ¹	825	6,018	1.7	661.8	661.8	662.6	
	B	7,425 ¹	629	2,466	4.0	666.0	666.0	666.1	
	C	9,075 ¹	499	2,327	4.0	672.0	672.0	672.7	
	D	10,480 ¹	350	1,990	4.6	677.8	677.8	678.7	
	E	12,075 ¹	250	1,426	6.5	685.7	685.7	686.4	
	F	13,850 ¹	275	2,151	4.0	696.6	696.6	696.8	
Buffalo Creek									
	A	3,520 ²	190	903	4.7	661.2	661.2	662.2	
	B	4,675 ²	160	1,073	3.9	669.7	669.7	670.3	
	C	7,415 ²	200	961	4.4	676.3	676.3	677.2	
	D	8,865 ²	310	1,641	2.6	679.1	679.1	680.1	
	E	11,335 ²	199	738	5.3	689.9	689.9	690.3	
	F	13,325 ²	190	617	3.0	697.7	697.7	698.6	
	G	14,705 ²	130	394	4.7	704.2	704.2	705.0	
	H	16,135 ²	149	642	3.3	709.4	709.4	710.3	
	I	17,985 ²	170	539	4.0	719.4	719.4	720.3	
	J	19,085 ²	160	708	3.0	723.0	723.0	723.8	
Old Buffalo Creek									
	A	1,590 ²	157	385	3.5	645.5	640.3	640.7	
	B	2,210 ²	102	473	2.9	645.5	643.0	643.0	

¹ Stream distance in feet above confluence with Eagle Mountain Lake

² Stream distance in feet above confluence with Henrietta Creek

**FEDERAL EMERGENCY MANAGEMENT AGENCY
TARRANT COUNTY, TX
AND INCORPORATED AREAS**

FLOODWAY DATA

BRIAR CREEK – BUFFALO CREEK – OLD BUFFALO CREEK

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY FEET (NAVD)	WITH FLOODWAY	INCREASE
Bunker Hill Creek								
A	295	92	215	16.7	583.9	583.4	583.4	0.0
B	1,685	30	255	14.1	591.6	591.6	591.6	0.0
C	2,945	50	566	6.4	603.8	603.8	604.6	0.8
D	3,950	66	429	7.2	607.5	607.5	607.5	0.0
E	5,750	147	616	5.0	623.6	623.6	624.6	1.0
F	6,780	71	599	5.2	628.9	628.9	629.0	0.1
G	7,780	176	1,306	2.4	636.9	636.9	637.9	1.0
H	9,600	150	700	3.7	643.8	643.8	644.5	0.7
I	10,760	118	432	6.0	650.0	650.0	650.6	0.6
J	12,600	75	386	6.7	660.6	660.6	660.6	0.0

¹Stream distance in feet above confluence with Singing Hills Creek

TABLE 7	FEDERAL EMERGENCY MANAGEMENT AGENCY TARRANT COUNTY, TX AND INCORPORATED AREAS	FLOODWAY DATA
		BUNKER HILL CREEK

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY FEET (NAVD)	WITH FLOODWAY	INCREASE
Calloway Branch								
A	867	169	1,159	5.9	510.5	508.8 ²	508.8	0.0
B	1,712	119	1,010	6.8	510.6	510.6	510.8	0.2
C	2,172	140	1,106	6.2	512.2	512.2	512.2	0.0
D	3,085	146	1,074	6.4	514.3	514.3	514.7	0.4
E	4,000	119	955	7.2	517.5	517.5	517.7	0.2
F	5,000	105	854	8.0	521.3	521.3	522.1	0.8
G	5,934	93	850	8.1	527.7	527.7	527.9	0.2
H	6,876	108	924	7.4	530.3	530.3	530.7	0.4
I	7,417	93	740	9.3	531.7	531.7	531.9	0.2
J	8,702	96	743	9.2	538.2	538.2	538.5	0.3
K	9,206	134	1,297	5.3	544.8	544.8	544.8	0.0
L	10,000	340	1,398	4.9	545.4	545.4	545.4	0.0
M	11,500	230	1,063	6.5	550.3	550.3	550.5	0.2
N	11,981	231	1,110	6.2	552.0	552.0	552.1	0.1
O	12,386	211	1,161	5.9	553.0	553.0	553.2	0.2
P	12,834	160	1,025	6.7	556.6	556.6	557.3	0.7
Q	13,509	179	956	7.2	557.6	557.6	558.4	0.8
R	14,717	102	541	12.7	560.5	560.5	560.5	0.0
S	14,896	122	760	9.0	562.7	562.7	562.7	0.0
T	15,228	116	601	11.4	563.0	563.0	563.0	0.0
U	15,846	127	800	8.6	565.9	565.9	566.0	0.1
V	17,229	93	861	7.8	572.7	572.7	572.7	0.0
W	18,349	133	1,071	6.2	577.5	577.5	577.5	0.0
X	18,444	103	920	7.3	578.7	578.7	578.7	0.0
Y	18,710	179	1,040	6.4	580.6	580.6	580.8	0.2

¹ Stream distance in feet above confluence with Walker Branch

²Elevation computed without consideration of backwater effects from Walker Branch

TABLE 7	FEDERAL EMERGENCY MANAGEMENT AGENCY TARRANT COUNTY, TX AND INCORPORATED AREAS	FLOODWAY DATA
		CALLOWAY BRANCH

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION				
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY FEET (NAVD)	WITH FLOODWAY	INCREASE	
Calloway Branch									
Z	18,932	188	1,318	5.1	582.0	582.0	582.6	0.6	
AA	20,013	98	735	9.1	582.1	582.1	582.9	0.8	
AB	20,268	109	793	8.4	584.0	584.0	584.4	0.4	
AC	21,095	89	661	10.1	585.0	585.0	585.3	0.3	
AD	21,558	178	952	7.0	587.7	587.7	588.6	0.9	
AE	22,482	228	837	8.0	591.3	591.3	591.4	0.1	
AF	22,888	261	1,291	5.2	593.0	593.0	593.0	0.0	
AG	23,247	171	815	8.2	593.8	593.8	593.8	0.0	
AH	24,658	177	906	7.4	597.0	597.0	597.0	0.0	
AI	25,254	117	754	8.9	599.5	599.5	599.5	0.0	
AJ	26,561	182	808	8.3	604.5	604.5	604.5	0.0	
AK	27,220	184	555	12.0	605.8	605.8	605.8	0.0	
AL	27,301	189	891	4.4	608.1	608.1	608.1	0.0	
AM	28,086	210	1,358	2.9	611.4	611.4	611.4	0.0	
AN	28,803	96	798	4.9	612.2	612.2	612.3	0.1	
AO	30,353	99	389	5.1	614.8	614.8	614.9	0.1	
AP	31,515	83	312	6.4	617.5	617.5	617.5	0.0	
AQ	32,489	87	251	7.9	623.3	623.3	623.3	0.0	
AR	33,562	83	190	10.5	628.8	628.8	628.8	0.0	
AS	34,061	98	188	10.6	632.0	632.0	632.0	0.0	
AT	34,524	43	208	3.8	638.5	638.5	638.5	0.0	
AU	35,727	50	110	7.1	647.2	647.2	647.4	0.2	
AV	37,061	22	75	10.4	656.2	656.2	656.2	0.0	
AW	37,121	23	70	11.1	656.6	656.6	656.6	0.0	
AX	37,612	19	55	7.8	660.9	660.9	661.0	0.1	
AY	38,780	19	46	9.5	674.0	674.0	674.0	0.0	

¹ Stream distance in feet above confluence with Walker Branch

TABLE 7	FEDERAL EMERGENCY MANAGEMENT AGENCY TARRANT COUNTY, TX AND INCORPORATED AREAS	FLOODWAY DATA						
		CALLOWAY BRANCH						

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY FEET (NAVD)	WITH FLOODWAY	INCREASE
Stream CB-1 (New)								
A	3,040	65	122	9.0	633.9	633.9	633.9	0.0
B	4,509	41	113	7.2	642.0	642.0	642.0	0.0
C	5,359	45	101	8.2	650.2	650.2	650.2	0.0
Stream CB-1 (Old)								
A	700	87	208	1.1	604.4	604.4	605.0	0.6
Stream CB-2								
A	4,015	60	258	5.0	638.4	638.4	638.4	0.0
B	5,100	95	77	7.1	648.2	648.2	648.8	0.6
C	5,998	50	53	9.1	657.0	657.0	657.0	0.0
D	7,077	19	40	8.2	666.3	666.3	666.3	0.0

¹ Stream distance in feet above confluence with Calloway Branch

TABLE 7	FEDERAL EMERGENCY MANAGEMENT AGENCY TARRANT COUNTY, TX AND INCORPORATED AREAS	FLOODWAY DATA
		STREAM CB-1 (NEW) – STREAM CB-1 (OLD) STREAM CB-2

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE
FEET (NAVD)								
Cement Creek								
A	170 ¹	89	428	6.4	583.2	583.2	583.6	0.4
B	1,830 ¹	180	510	5.4	592.2	592.2	593.0	0.8
C	3,270 ¹	130	369	6.2	608.5	608.5	609.0	0.5
D	4,640 ¹	86	348	5.0	621.0	621.0	621.8	0.8
E	6,650 ¹	73	255	3.1	632.6	632.6	632.9	0.3
F	7,270 ¹	85	98	6.3	638.5	638.5	638.9	0.4
G	8,600 ¹	53	77	1.6	645.0	645.0	645.3	0.3
West Fork Cement Creek								
A	1,469 ²	190	1,552	1.8	697.7	697.7	698.4	0.7
B	2,294 ²	171	923	3.0	702.2	702.2	702.7	0.5
C	3,865 ²	107	673	4.1	710.7	710.7	710.8	0.1
D	4,137 ²	320	1,111	4.1	717.4	717.4	717.8	0.4
E	5,700 ²	124	555	5.2	723.9	723.9	724.9	1.0
Chambers Creek								
A	3,610 ³	228	1,150	8.8	589.9	589.9	590.3	0.4
B	4,250 ³	274	1,802	5.4	593.8	593.8	594.5	0.7
C	5,240 ³	230	1,538	6.3	596.4	596.4	597.1	0.7
D	6,850 ³	367	1,643	5.9	602.5	602.5	603.4	0.9
E	7,610 ³	352	1,581	6.2	605.7	605.7	606.7	1.0
F	9,520 ³	265	1,780	5.5	612.6	612.6	613.2	0.6
G	11,610 ³	361	1,989	4.6	621.3	621.3	622.1	0.8
H	12,380 ³	243	1,692	5.4	622.4	622.4	623.3	0.9

¹Stream distance in feet above confluence with Marine Creek

²Stream distance in feet above confluence with Cement Creek

³Stream distance in feet above confluence with Village Creek

TABLE 7	FEDERAL EMERGENCY MANAGEMENT AGENCY TARRANT COUNTY, TX AND INCORPORATED AREAS	FLOODWAY DATA
		CEMENT CREEK – WEST FORK CEMENT CREEK CHAMBERS CREEK

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION				
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE	
FEET (NAVD)									
North Fork Chambers Creek									
A	1,515	237	1,595	3.0	634.6	634.6	635.6	1.0	
B	3,520	247	1,082	4.3	641.9	641.9	642.9	1.0	
C	5,260	289	1,101	4.3	650.1	650.1	651.1	1.0	
D	5,730	178	693	4.8	651.7	651.7	652.6	0.9	
E	6,010	371	1,387	2.4	652.8	652.8	653.6	0.8	
F	8,668	200	789	4.8	660.0	660.0	660.8	0.8	
G	10,341	217	941	3.0	665.5	665.5	666.5	1.0	
H	13,196	247	864	3.3	674.4	674.4	674.7	0.3	
I	14,304	199	611	3.1	677.2	677.2	677.2	0.0	
South Fork Chambers Creek									
A	1,800	235	918	5.1	633.7	633.7	634.2	0.5	
B	3,850	227	923	5.1	640.8	640.8	641.3	0.5	
C	5,730	205	1,043	4.5	648.0	648.0	648.8	0.8	
D	8,060	212	1,203	3.9	657.1	657.1	657.5	0.4	
E	10,690 ²	200	628	7.4	664.0	664.0	664.2	0.2	
F	13,320 ²	89	370	5.5	676.6	676.6	676.6	0.0	
G	14,250	72	247	5.0	679.6	679.6	679.9	0.3	
H	15,700	77	214	5.8	686.6	686.6	686.6	0.0	
I	17,545	93	249	5.0	697.8	697.8	697.8	0.0	

¹ Stream distance in feet above confluence with Chambers Creek

TABLE 7

FEDERAL EMERGENCY MANAGEMENT AGENCY
TARRANT COUNTY, TX
AND INCORPORATED AREAS

FLOODWAY DATA

NORTH FORK CHAMBERS CREEK - SOUTH FORK CHAMBERS CREEK

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY FEET (NAVD)	WITH FLOODWAY	INCREASE
Clear Fork Trinity River								
A	40,178 ¹	288	3,290	7.7	597.5	597.5	597.5	0.0
B	45,015 ¹	129	1,987	6.5	609.6	609.6	609.6	0.0
C	50,598 ¹	150	2,078	6.3	617.1	617.1	617.1	0.0
D	54,806 ¹	252	2,997	4.3	622.3	622.3	622.4	0.1
E	60,451 ¹	185	2,346	5.5	630.2	630.2	630.2	0.0
Stream CF-2								
A	2,555 ²	490	1,866	1.9	578.2	578.2	578.7	0.5
B	3,509 ²	134	449	7.5	587.0	587.0	587.9	0.9
C	5,645 ²	110	484	6.5	611.4	611.4	612.1	0.7

¹Stream distance in feet above confluence with West Fork Trinity River

²Stream distance in feet above confluence with Clear Fork Trinity River

TABLE 7	FEDERAL EMERGENCY MANAGEMENT AGENCY TARRANT COUNTY, TX AND INCORPORATED AREAS	FLOODWAY DATA
		CLEAR FORK TRINITY RIVER – STREAM CF-2

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY FEET (NAVD)	WITH FLOODWAY	INCREASE
Stream CF-3								
A	1,000 ¹	76	1,047	8.7	577.2	577.2	577.2	0.0
B	2,600 ¹	105	956	8.9	581.8	581.8	581.8	0.0
C	3,950 ¹	123	715	11.9	584.9	584.9	584.9	0.0
D	6,180 ¹	251	1,377	6.4	598.2	598.2	598.4	0.2
E	7,120 ¹	220	1,267	6.9	604.8	604.8	605.0	0.2
F	8,500 ¹	232	938	6.6	609.8	609.8	610.0	0.2
G	9,700 ¹	169	558	7.5	624.3	624.3	624.3	0.0
H	11,100 ¹	80	450	9.3	638.5	638.5	639.1	0.6
I	12,800 ¹	180	1,318	2.4	657.6	657.6	658.4	0.8
J	13,900 ¹	84	456	5.1	666.7	666.7	667.4	0.7
Stream CF-3A								
A	725 ²	126	452	6.0	611.3	611.3	611.4	0.1
B	1,950 ²	75	268	10.1	627.1	627.1	627.7	0.6
Stream CF-3B								
A	825 ²	74	386	6.2	626.0	626.0	626.0	0.0
B	2,500 ²	78	384	6.2	639.7	639.7	639.9	0.2
C	3,850 ²	53	287	8.3	660.3	660.3	660.3	0.0
D	4,375 ²	125	548	4.4	665.9	665.9	666.8	0.9
Stream CF-3C								
A	2,300 ³	139	725	8.6	562.6	562.6	563.6	1.0
B	4,100 ³	88	250	9.4	579.4	579.4	580.4	1.0
C	5,176 ³	127	680	3.1	599.0	599.0	599.4	0.4
D	6,694 ³	97	227	7.1	622.6	622.6	622.6	0.0

¹ Stream distance in feet above confluence with Clear Fork Trinity River

² Stream distance in feet above confluence with Stream CF-3

³ Stream distance in feet above Colonial Parkway

TABLE 7	FEDERAL EMERGENCY MANAGEMENT AGENCY TARRANT COUNTY, TX AND INCORPORATED AREAS	FLOODWAY DATA
		STREAM CF-3 – STREAM CF-3A – STREAM CF-3B STREAM CF-3C

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY FEET (NAVD)	WITH FLOODWAY	INCREASE
Stream CF-4								
A	230 ¹	79	350	13.3	589.0	589.0	590.0	1.0
B	1,380 ¹	109	320	14.5	591.3	591.3	591.6	0.3
C	2,477 ¹	71	491	8.9	594.9	594.9	595.2	0.3
D	3,827 ¹	44	146	8.8	596.2	596.2	596.4	0.2
E	5,090 ¹	53	207	9.4	603.9	603.9	603.9	0.0
F	6,380 ¹	62	129	13.3	620.5	620.5	620.5	0.0
G	7,600 ¹	91	313	5.3	636.9	636.9	637.5	0.6
Stream CF-4A								
A	250 ²	36	162	4.2	604.0	604.0	604.3	0.3
B	1,308 ²	50	560	4.0	618.4	618.4	620.9	2.5
C	4,750 ²	50	220	10.0	660.8	660.8	661.8	1.0
Stream CF-4A								
Diversion								
A	160 ³	58	572	2.6	595.5	595.5	595.7	0.2
B	771 ³	91	65	4.1	597.8	597.8	597.8	0.0
C	1,310 ³	195	54	4.9	599.4	599.4	599.4	0.0
D	1,875 ³	79	100	6.9	603.0	603.0	603.0	0.0
E	2,400 ³	81	111	7.2	609.6	609.6	609.7	0.1
Stream CF-5								
A	260 ¹	124	1,043	6.5	589.5	587.5 ⁴	588.5	1.0
B	2,840 ¹	106	451	12.6	596.8	596.8	596.8	0.0
C	9,341 ¹	320	4,433	1.5	653.7	653.7	653.7	0.0
D	11,144 ¹	95	943	5.9	665.3	665.3	665.3	0.0

¹Stream distance in feet above confluence with Clear Fork Trinity River

²Stream distance in feet above West Vickery Boulevard

³Stream distance in feet above confluence with CF-4

⁴Elevation computed without consideration of backwater effects from Clear Fork Trinity River

TABLE 7	FEDERAL EMERGENCY MANAGEMENT AGENCY TARRANT COUNTY, TX AND INCORPORATED AREAS	FLOODWAY DATA
		STREAM CF-4 – STREAM CF-4A STREAM CF-4A DIVERSION – STREAM CF-5

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY FEET (NAVD)	WITH FLOODWAY	INCREASE
Stream CF-6								
	A	1,310 ¹	142	967	4.8	622.3	622.3	0.1
	B	2,350 ¹	75	555	8.3	628.7	628.7	0.2
	C	3,210 ¹	71	560	8.2	637.0	637.0	0.8
	D	4,030 ¹	64	678	6.8	644.1	644.1	0.6
	E	4,495 ¹	91	920	5.0	649.1	649.1	0.7
	F	6,428 ¹	77	600	6.7	664.8	664.8	0.9
	G	7,660 ¹	140	454	8.8	673.0	673.0	0.4
	H	8,150 ¹	140	922	4.3	676.5	676.5	1.0
	I	9,230 ¹	105	497	6.6	683.3	683.3	1.0
Cottonwood								
Branch								
	A	24,320 ²	154	1,277	4.4	529.6	529.6	0.9
	B	25,620 ²	261	1,731	3.2	532.3	532.3	0.8
	C	30,200 ²	288	2,404	2.6	556.1	556.1	0.0
	D	31,000 ²	320	2,429	2.6	556.2	556.2	0.1
	E	33,710 ²	300	1,671	3.7	561.8	561.8	0.7

¹Stream distance in feet above confluence with Clear Fork Trinity River

²Stream distance in feet above confluence with Denton Creek

TABLE 7	FEDERAL EMERGENCY MANAGEMENT AGENCY TARRANT COUNTY, TX AND INCORPORATED AREAS	FLOODWAY DATA
		STREAM CF-6 – COTTONWOOD BRANCH

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY FEET (NAVD)	WITH FLOODWAY	INCREASE
Cottonwood Creek 1								
A	2,970	325	1,927	3.8	481.4	481.4	482.3	0.9
B	3,700	309	1,744	4.2	484.1	484.1	484.7	0.6
C	5,005	153	2,207	3.4	487.8	487.8	488.6	0.8
D	7,810	226	1,947	3.6	500.3	500.3	500.9	0.6
E	11,320	250	1,525	3.9	510.8	510.8	511.6	0.8
F	12,440	175	872	5.3	514.3	514.3	515.1	0.8
G	13,920	104	698	6.7	521.0	521.0	521.7	0.7
H	14,840	129	1,116	4.2	526.1	526.1	526.4	0.3
I	17,210	88	502	9.3	538.3	538.3	538.3	0.0
J	18,380	184	801	5.8	552.1	552.1	552.5	0.4
K	19,950	244	1,381	2.4	567.2	567.2	567.2	0.0
L	21,800	52	285	11.6	573.2	573.2	573.2	0.0
M	24,115	44	193	11.9	596.4	596.4	596.4	0.0

¹ Stream distance in feet above confluence with Village Creek

FEDERAL EMERGENCY MANAGEMENT AGENCY
TARRANT COUNTY, TX
AND INCORPORATED AREAS

FLOODWAY DATA

COTTONWOOD CREEK 1

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY FEET (NAVD)	WITH FLOODWAY	INCREASE
Cottonwood Creek 2								
A-O ¹								
P	20,617 ²	129	1,055	9.5	507.0	507.0	507.0	0.0
Q	21,889 ²	215	1,204	9.8	513.9	513.9	514.8	0.9
R	22,619 ²	151	1,869	5.7	524.3	524.3	524.5	0.2
S	23,286 ²	340	3,049	3.9	526.0	526.0	526.9	0.9
T	24,480 ²	153	1,253	6.4	530.6	530.6	530.8	0.2
U	26,326 ²	244	2,139	4.0	539.7	539.7	540.7	1.0
V	27,561 ²	85	591	5.1	541.7	541.7	542.5	0.8
W	29,726 ²	110	661	4.6	557.5	557.5	557.6	0.1
X	31,236 ²	37	287	12.0	573.9	573.9	573.6	-0.3
Y	32,205 ²	91	762	4.0	582.4	582.4	583.3	0.9
Z	33,381 ²	35	224	4.8	588.2	588.2	588.7	0.5
AA	33,586 ²	38	225	5.1	590.2	590.2	590.2	0.0
AB	34,234 ²	75	282	3.9	596.9	596.9	597.6	0.7
AC	34,543 ²	81	331	3.1	602.7	602.7	603.5	0.8
AD	35,177 ²	30	122	9.9	608.4	608.4	608.4	0.0

¹Cross section A through O are located within Dallas County

²Stream distance in feet above confluence with Mountain Creek Lake

TABLE 7	FEDERAL EMERGENCY MANAGEMENT AGENCY TARRANT COUNTY, TX AND INCORPORATED AREAS	FLOODWAY DATA
		COTTONWOOD CREEK 2

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY FEET (NAVD)	WITH FLOODWAY	INCREASE
Stream CC-1								
A	505	55	274	2.9	538.0	538.0	538.0	0.0
B	680	43	120	6.8	537.7	537.7	537.8	0.1
C	1,166	38	90	8.7	542.6	542.6	542.6	0.0
Stream CC-2								
A	411	156	826	6.6	541.6	541.6	542.4	0.8
B	839	41	316	13.8	541.9	541.9	542.8	0.9
C	957	55	626	4.8	546.9	546.9	547.3	0.4
D	1,404	63	387	7.9	548.4	548.4	549.2	0.8
E	1,762	49	257	13.1	549.3	549.3	549.3	0.0
F	2,580	31	190	14.8	555.9	555.9	555.9	0.0
G	4,361	33	177	13.1	568.4	568.4	568.4	0.0
H	4,688	15	140	9.1	570.8	570.8	570.8	0.0
I	4,798	16	102	12.7	570.9	570.9	570.9	0.0
J	6,273	12	22	7.8	583.4	583.4	583.4	0.0

¹Stream distance in feet above confluence with Cottonwood Creek 2

TABLE 7	FEDERAL EMERGENCY MANAGEMENT AGENCY TARRANT COUNTY, TX AND INCORPORATED AREAS	FLOODWAY DATA
		STREAM CC-1 – STREAM CC-2

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY FEET (NAVD)	WITH FLOODWAY	INCREASE
Stream CC-3								
A	1,152	29	170	8.0	579.1	579.1	580.0	0.9
B	2,030	20	150	6.3	588.5	588.5	588.8	0.3
C	2,461	15	150	5.3	592.8	592.8	593.5	0.7
D	3,561	10	70	12.3	599.1	599.1	599.1	0.0
E	3,666	97	287	5.0	602.8	602.8	603.8	1.0
F	4,368	13	56	11.7	604.1	604.1	604.1	0.0
Stream CC-4								
A	213	27	64	7.9	585.4	585.4	585.5	0.1
B	1,213	18	55	9.1	596.3	596.3	596.5	0.2

¹Stream distance in feet above confluence with Village Creek

TABLE 7	FEDERAL EMERGENCY MANAGEMENT AGENCY TARRANT COUNTY, TX AND INCORPORATED AREAS	FLOODWAY DATA
		STREAM CC-3 – STREAM CC-4

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY FEET (NAVD)	WITH FLOODWAY	INCREASE
South Fork of Cottonwood Creek 2								
A-G ¹								
H	15,193 ²	133	1,317	6.3	543.6	543.6	544.5	0.9
I	16,685 ²	287	2,860	1.9	553.3	553.3	553.7	0.4
J	17,616 ²	229	1,628	2.9	554.1	554.1	554.6	0.5
K	19,618 ²	187	698	8.0	560.5	560.5	561.5	1.0
L	21,173 ²	71	714	6.2	571.6	571.6	572.2	0.6
M	24,914 ²	55	406	5.6	593.1	593.1	593.8	0.7
N	27,114 ²	95	882	2.5	603.7	603.7	604.1	0.4
O	27,767 ²	64	370	5.5	607.6	607.6	607.6	0.0
P	28,704 ²	50	220	9.0	614.0	614.0	614.7	0.7
Q	29,069 ²	47	139	9.8	616.9	616.9	616.9	0.0
R	29,136 ²	125	324	6.6	619.9	619.9	620.3	0.4
S	29,775 ²	23	87	11.2	622.7	622.7	622.7	0.0

¹Cross sections A through G are located within Dallas County

²Stream distance in feet above confluence with Cottonwood Creek 2

TABLE 7	FEDERAL EMERGENCY MANAGEMENT AGENCY TARRANT COUNTY, TX AND INCORPORATED AREAS	FLOODWAY DATA
		SOUTH FORK COTTONWOOD CREEK 2

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY FEET (NAVD)	WITH FLOODWAY	INCREASE
Deer Creek								
A	4,270 ²	599	4,910	5.0	640.6	640.6	641.3	0.7
B	5,450 ²	919	6,653	3.7	644.1	644.1	644.9	0.8
C	6,950 ²	549	3,339	7.0	647.2	647.2	647.5	0.3
D	9,080 ²	630	6,102	3.9	659.4	659.4	695.4	0.0
E	11,020 ²	630	4,957	4.7	661.8	661.8	662.7	0.9
F	12,940 ²	313	3,643	5.9	669.5	669.5	670.1	0.6
G	14,020 ²	400	3,497	6.1	671.5	671.5	672.3	0.8
H	15,500 ²	550	6,863	3.1	678.4	678.4	678.6	0.2
I	17,352 ²	500	5,386	4.0	680.4	680.4	681.1	0.7
J	19,870 ²	450	6,145	3.3	689.6	689.6	689.8	0.2
K	21,300 ²	324	2,162	9.2	690.3	690.3	690.5	0.2
L	22,410 ²	369	3,349	5.9	694.5	694.5	695.3	0.8
M	24,000 ²	349	2,787	7.4	698.1	698.1	698.9	0.8
N	24,780	390	2,163	9.5	701.8	701.8	702.3	0.5
O	25,830	375	2,942	3.9	706.3	706.3	707.1	0.8
P	26,530	300	2,131	5.4	707.0	707.0	708.0	1.0
Q	28,330	225	1,969	6.0	712.8	712.8	713.6	0.8
R	28,710	252	1,888	6.3	713.7	713.7	714.5	0.8
S	29,970	207	2,094	5.7	718.2	718.2	718.7	0.5
T	31,150	394	2,897	4.2	721.0	721.0	721.7	0.7
U	32,080	256	1,872	5.5	724.9	724.9	725.8	0.9
V	33,110	250	1,909	5.3	728.1	728.1	728.8	0.7
W	33,680	368	1,716	5.8	729.5	729.5	730.5	1.0
X	34,480	186	1,466	6.8	732.6	732.6	733.4	0.8
Y	35,310	226	1,139	8.7	737.4	737.4	737.7	0.3

¹Stream distance in feet above confluence with Village Creek

²Combined Deer Creek/South Fork of Deer Creek Floodway

**FEDERAL EMERGENCY MANAGEMENT AGENCY
TARRANT COUNTY, TX
AND INCORPORATED AREAS**

FLOODWAY DATA

DEER CREEK

TABLE 7

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY FEET (NAVD)	WITH FLOODWAY	INCREASE
Deer Creek (continued)								
Z	37,010	182	1,442	6.9	746.5	746.5	746.9	0.4
AA	37,740	178 ²	1,368	7.3	749.1	749.1	750.0	0.9
AB	38,530	566 ²	5,033	2.0	757.1	757.1	757.4	0.3
AC	40,000	125	595	4.4	765.1	765.1	765.6	0.5

¹ Stream distance in feet above confluence with Village Creek

²Combined Deer Creek/South Fork of Deer Creek Floodway

TABLE 7	FEDERAL EMERGENCY MANAGEMENT AGENCY TARRANT COUNTY, TX AND INCORPORATED AREAS	FLOODWAY DATA
		DEER CREEK

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION				
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY FEET (NAVD)	WITH FLOODWAY	INCREASE	
North Branch of Deer Creek									
A	980	226	1,466	6.4	706.7	706.7	707.3	0.6	
B	2,600	271	2,433	3.9	713.2	713.2	714.0	0.8	
C	3,110	506	4,782	2.0	721.1	721.1	722.0	0.9	
D	4,010	371	3,239	2.9	721.5	721.5	722.5	1.0	
E	4,830	156	1,143	8.2	722.0	722.0	723.0	1.0	
F	7,600	194	1,718	5.7	734.9	734.9	735.7	0.8	
G	9,950	307	2,077	4.8	746.4	746.4	747.1	0.7	
H ²	11,140	514	2,272	4.4	749.7	749.7	750.7	1.0	
I	14,020	58	821	4.7	765.9	765.9	766.8	0.9	
Northwest Branch of Deer Creek									
A	2,260	109	492	7.3	698.5	698.5	698.7	0.2	
B	3,720	118	781	4.6	707.0	707.0	707.7	0.7	
C	5,600	176	678	4.8	721.2	721.2	721.5	0.3	
D	7,000	146	475	6.8	731.4	731.4	731.4	0.0	
E	8,060	223	743	4.4	739.4	739.4	740.2	0.8	
North Fork of Deer Creek									
A	82	182	316	1.7	751.2	751.2	751.7	0.5	
B	603	59	115	4.8	754.1	754.1	755.1	1.0	
C	1,443	48	121	4.5	761.1	761.1	761.8	0.7	

¹ Stream distance in feet above confluence with Deer Creek

²Common floodplain with South Fork of North Branch of Deer Creek

TABLE 7	FEDERAL EMERGENCY MANAGEMENT AGENCY TARRANT COUNTY, TX AND INCORPORATED AREAS	FLOODWAY DATA
		NORTH BRANCH OF DEER CREEK – NORTHWEST BRANCH OF DEER CREEK – NORTH FORK OF DEER CREEK

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION				
CROSS SECTION	DISTANCE	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE	
FEET (NAVD)									
South Fork of Deer Creek									
A	100 ¹	178 ²	1,368	7.3	749.1	749.1	750.0	0.9	
B	900 ¹	566 ²	5,033	2.0	757.1	757.1	757.4	0.3	
C	1,533 ¹	190	1,645	6.2	758.1	758.1	758.7	0.6	
D	2,747 ¹	264	2,125	5.0	766.6	766.6	766.7	0.1	
E	3,719 ¹	259	1,465	5.8	767.8	767.8	768.3	0.5	
F	6,619 ¹	274	1,167	6.8	782.3	782.3	783.3	1.0	
G	8,419 ¹	322	1,705	4.2	790.8	790.8	791.8	1.0	
H	9,369 ¹	248	1,229	5.8	794.7	794.7	795.6	0.9	
South Fork of North Branch of Deer Creek									
A	1,100 ³	522 ⁴	2,272	4.4	749.7	749.7	750.7	1.0	
B	2,070 ³	144	897	6.4	753.6	753.9	754.8	0.9	
C	3,080 ³	94	743	7.7	759.9	759.9	760.7	0.8	
D	3,800 ³	125	719	7.9	765.4	765.4	766.2	0.8	
E	4,710 ³	129	1,146	5.0	769.4	769.4	770.2	0.8	
Denton Creek									
A	53,093 ⁵	1,005	3,436	2.7	472.0	472.0	472.8	0.8	

¹Stream distance in feet above confluence with Deer Creek

²Combined Deer Creek/South Fork of Deer Creek Floodway

³Stream distance in feet above confluence with North Branch of Deer Creek

⁴Combined North Branch of Deer Creek/South Fork of North Branch of Deer Creek Floodway

⁵Stream distance in feet above mouth

TABLE 7	FEDERAL EMERGENCY MANAGEMENT AGENCY TARRANT COUNTY, TX AND INCORPORATED AREAS	FLOODWAY DATA
		SOUTH FORK OF DEER CREEK - SOUTH FORK OF NORTH BRANCH OF DEER CREEK - DENTON CREEK

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE
FEET (NAVD)								
Dove Creek								
A	14,100 ¹	158	1,011	4.5	574.8	574.8	575.2	0.4
B	15,095 ¹	75	694	4.9	577.7	577.7	578.6	0.9
C	15,957 ¹	181	819	4.7	582.0	582.0	583.4	0.7
D	17,180 ¹	140	669	6.8	588.7	588.7	589.5	0.8
E	19,440 ¹	275	664	4.4	598.0	598.0	598.3	0.3
F	21,560 ¹	410	1,039	2.1	606.7	606.7	607.6	0.9
G	22,830 ¹	232	745	2.9	614.5	614.5	615.4	0.9
Dry Branch								
A	417 ²	140	436	9.2	510.2	486.4 ³	486.8	0.4
B	750 ²	78	922	4.4	510.2	495.7 ³	495.8	0.1
C	1,349 ²	63	573	7.0	510.2	496.8 ³	496.9	0.1
D	1,458 ²	40	269	14.9	510.2	507.1 ³	507.1	0.0
E	2,126 ²	74	819	4.7	517.9	517.9	518.4	0.5
F	2,545 ²	79	585	6.6	518.8	518.8	519.7	0.9
G	2,912 ²	48	463	8.4	528.7	528.7	529.0	0.3
H	3,470 ²	144	1,798	3.3	540.3	540.3	541.3	1.0
I	4,331 ²	192	1,835	4.3	542.0	542.0	542.8	0.8
J	4,794 ²	117	924	6.0	543.8	543.8	544.3	0.5
K	5,082 ²	132	956	6.4	544.2	544.2	545.0	0.8
L	5,209 ²	94	844	6.6	546.9	546.9	547.8	0.9

¹Stream distance in feet above estimated flow line of Denton Creek – Grapevine Lake

² Stream distance in feet above confluence with West Fork Trinity River

³ Elevation computed without consideration of backwater effects from West Fork Trinity River

TABLE 7	FEDERAL EMERGENCY MANAGEMENT AGENCY TARRANT COUNTY, TX AND INCORPORATED AREAS	FLOODWAY DATA
		DOVE CREEK – DRY BRANCH

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE
Dry Branch (Continued)								
M	5,749	234	1,851	3.9	552.6	552.6	552.8	0.2
N	6,032	135	1,129	4.9	552.7	552.7	552.9	0.2
O	7,242	228	1,583	4.6	558.5	558.5	559.4	0.9
P	7,935	114	833	4.0	560.0	560.0	560.6	0.6
Q	8,325	72	514	6.4	562.8	562.8	563.6	0.8
R	8,829	141	1,071	3.1	564.6	564.6	565.6	1.0
S	9,319	67	573	6.3	567.9	567.9	568.8	0.9
T	10,353	98	932	3.8	572.5	572.5	572.9	0.4
U	10,890	135	1,356	2.6	575.1	575.1	576.0	0.9
V	11,321	133	1,153	3.1	576.7	576.7	577.0	0.3
W	11,769	125	1,110	3.2	579.7	579.7	580.6	0.9
X	12,265	99	1,138	1.5	580.8	580.8	581.5	0.7
Y	13,324	95	774	2.4	590.9	590.9	591.1	0.2
Z	13,900	91	1,018	2.6	591.7	591.7	591.8	0.1
AA	14,285	203	1,499	2.2	593.6	593.6	594.2	0.6
AB	15,147	107	729	4.5	594.3	594.3	594.9	0.6
AC	15,653	139	673	4.8	597.4	597.4	598.0	0.6

¹Stream distance in feet above confluence with West Fork Trinity River

TABLE 7	FEDERAL EMERGENCY MANAGEMENT AGENCY TARRANT COUNTY, TX AND INCORPORATED AREAS	FLOODWAY DATA
		DRY BRANCH

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY FEET (NAVD)	WITH FLOODWAY	INCREASE
Dutch Branch								
A	3,640	210	1,574	6.9	727.8	727.8	728.6	0.8
B	4,000	339	1,505	7.2	731.7	731.7	732.6	0.9
C	6,030	154	1,370	8.0	742.6	742.6	743.5	0.9
D	8,100	225	1,359	6.6	757.0	757.0	758.0	1.0

¹Stream distance in feet above confluence with Benbrook Lake

TABLE 7	FEDERAL EMERGENCY MANAGEMENT AGENCY TARRANT COUNTY, TX AND INCORPORATED AREAS	FLOODWAY DATA
		DUTCH BRANCH

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY FEET (NAVD)	WITH FLOODWAY	INCREASE
Edgecliff Branch								
A	1,560	271	2,038	4.6	662.2	661.4 ²	662.1	0.7
B	2,550	234	2,133	4.4	664.9	664.9	665.4	0.5
C	3,440	266	1,385	6.7	667.8	667.8	668.5	0.7
D	4,410	425	2,779	3.3	671.7	671.7	672.7	1.0
E	5,660	187	1,169	7.0	674.2	674.2	675.1	0.9
F	6,410	174	932	8.7	678.6	678.6	678.6	0.0
G	7,310	139	1,184	6.9	682.8	682.8	683.7	0.9
H	8,380	232	992	8.2	687.6	687.6	687.8	0.2
I	9,290	331	2,188	3.7	694.3	694.3	695.1	0.8
J	9,840	240	1,268	6.4	695.5	695.5	696.0	0.5
K	11,200	201	1,263	6.9	704.0	704.0	705.0	1.0
L	13,673	143	1,139	9.9	713.0	713.0	713.1	0.1
M	15,583	104	549	14.0	720.3	720.3	720.3	0.0
N	16,736	198	2,083	3.6	736.3	736.3	736.9	0.6
O	18,554	118	638	11.1	738.4	738.4	738.7	0.3
P	20,957	186	1,189	4.0	760.8	760.8	761.0	0.2
Q	21,724	61	582	7.1	765.2	765.2	765.7	0.5
R	23,648	152	602	6.8	778.1	778.1	778.1	0.0

¹Stream distance in feet above confluence with Sycamore Creek

²Elevation computed without consideration of backwater effect from Sycamore Creek

TABLE 7	FEDERAL EMERGENCY MANAGEMENT AGENCY TARRANT COUNTY, TX AND INCORPORATED AREAS	FLOODWAY DATA
		EDGECLIFF BRANCH

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE
FEET (NAVD)								
Stream EB-1								
A	2,253 ¹	42	165	9.8	690.1	690.1	690.1	0.0
B	4,013 ¹	26	111	5.3	703.5	703.5	703.5	0.0
Elm Branch								
A	2,380 ²	450	1,479	3.3	599.7	599.7	600.4	0.7
B	3,660 ²	80	1,129	4.4	613.4	613.4	614.2	0.8
C	4,910 ²	119	712	6.2	618.5	618.5	619.4	0.9
D	5,730 ²	47	545	3.7	624.0	624.0	624.5	0.5
E	7,330 ²	130	313	6.4	643.9	643.9	644.3	0.4
F	8,830 ²	80	384	3.6	659.5	659.5	660.3	0.8
G	10,000 ²	71	347	4.0	670.8	670.8	671.7	0.9

¹Stream distance in feet above confluence with Edgecliff Branch

²Stream distance in feet above confluence with Village Creek

TABLE 7	FEDERAL EMERGENCY MANAGEMENT AGENCY TARRANT COUNTY, TX AND INCORPORATED AREAS	FLOODWAY DATA
		STREAM EB-1 – ELM BRANCH

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE
FEET (NAVD)								
Farmers Branch								
A	4,635 ¹	142	1,084	6.9	572.7	572.7	573.5	0.8
B	7,860 ¹	167	1,068	7.0	589.4	589.4	590.3	0.9
C	9,565 ¹	157	965	7.4	600.1	600.1	600.8	0.7
D	13,705 ¹	353	2,900	2.4	634.8	634.8	635.8	1.0
E	15,205 ¹	250	1,653	4.3	643.3	643.3	643.6	0.3
F	16,410 ¹	261	1,780	4.2	649.4	649.4	650.3	0.9
G	20,350 ¹	300	1,335	5.6	674.3	674.3	674.8	0.5
H	21,445 ¹	190	1,014	7.4	682.4	682.4	683.4	1.0
I	22,860 ¹	240	1,484	5.1	691.7	691.7	692.4	0.7
J	25,200 ¹	130	847	5.6	708.3	708.3	709.0	0.7
K	25,600 ¹	125	747	6.4	710.1	710.1	711.1	1.0
L	27,600 ¹	98	1,003	4.7	723.9	723.9	724.8	0.9
M	29,660 ¹	111	556	6.4	736.8	736.8	737.7	0.9
N	31,700 ¹	224	893	4.0	751.3	751.3	751.5	0.2
O	33,140 ¹	221	830	3.6	758.9	758.9	759.4	0.5
P	34,415 ¹	103	500	6.0	766.2	766.2	766.7	0.5
Q	36,380 ¹	164	243	9.1	785.6	785.6	785.6	0.0
Stream FB-1								
A	540 ²	65	255	6.3	694.4	694.4	694.6	0.2
B	1,420 ²	150	301	5.3	706.1	706.1	707.1	1.0
C	1,730 ²	120	456	3.5	710.3	710.3	711.1	0.8
D	3,625 ²	93	192	4.7	731.2	731.2	731.6	0.4
E	4,545 ²	88	114	6.7	741.1	741.1	741.1	0.0
F	5,618 ²	25	40	7.3	769.2	769.2	769.2	0.0

¹Stream distance in feet above confluence with West Fork Trinity River

²Stream distance in feet above confluence with Farmers Branch

FEDERAL EMERGENCY MANAGEMENT AGENCY
TARRANT COUNTY, TX
AND INCORPORATED AREAS

FLOODWAY DATA

FARMERS BRANCH – STREAM FB-1

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY FEET (NAVD)	WITH FLOODWAY	INCREASE
Unnamed Tributary to Stream FB-1								
A	516	31	75	6.7	754.7	754.7	754.7	0.0

¹Stream distance in feet above confluence with Stream FB-1

TABLE 7	FEDERAL EMERGENCY MANAGEMENT AGENCY TARRANT COUNTY, TX AND INCORPORATED AREAS	FLOODWAY DATA
		UNNAMED TRIBUTARY TO STREAM FB-1

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY FEET (NAVD)	WITH FLOODWAY	INCREASE
Fish Creek								
A-K ¹								
L	30,732 ²	353	3,976	6.5	510.3	510.3	511.2	0.9
M	36,542 ²	262	2,361	8.6	518.5	518.5	519.4	0.9
N	40,008 ²	234	2,302	8.5	532.5	532.5	533.4	0.9
O	43,934 ²	310	3,529	5.7	545.0	545.0	545.9	0.9
P	46,993 ²	247	2,154	6.0	549.6	549.6	550.1	0.5
Q	47,889 ²	310	2,110	4.6	551.1	551.1	551.9	0.8
R	49,818 ²	332	2,923	4.2	557.6	557.6	558.2	0.6
S	52,248 ²	232	1,881	6.9	563.1	563.1	564.0	0.9
T	54,470 ²	143	1,340	7.8	567.9	567.9	568.3	0.4
U	55,630 ²	234	1,950	6.7	572.2	572.2	573.2	1.0
V	56,957 ²	188	1,263	4.4	575.2	575.2	576.1	0.9
W	58,212 ²	196	862	6.8	580.0	580.0	581.0	1.0
X	59,675 ²	186	993	4.8	584.8	584.8	585.2	0.4
Y	60,628 ²	181	890	4.2	588.9	588.9	589.4	0.5
Z	61,962 ²	183	747	6.4	594.6	594.6	595.4	0.8
AA	63,158 ²	363	894	2.9	599.6	599.6	600.5	0.9
AB	64,679 ²	181	965	4.4	606.1	606.1	607.0	0.9
AC	65,495 ²	161	687	3.3	610.4	610.4	611.2	0.8

¹Cross sections A through K are located within Dallas County

²Stream distance in feet above confluence with Mountain Creek Lake

TABLE 7	FEDERAL EMERGENCY MANAGEMENT AGENCY TARRANT COUNTY, TX AND INCORPORATED AREAS	FLOODWAY DATA
		FISH CREEK

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE
FEET (NAVD)								
Stream FC-1								
A	1,327	213	1,383	3.1	552.3	552.3	553.2	0.9
B	2,969	104	756	6.1	557.6	557.6	558.6	1.0
C	5,414	87	367	8.7	567.2	567.2	567.2	0.0
D	6,895	79	334	10.6	574.8	574.8	574.8	0.0
E	8,371	78	333	8.4	580.9	580.9	580.9	0.0
Stream FC-2								
A	1,272	159	936	5.0	575.0	575.0	575.4	0.4
B	2,878	192	798	6.2	581.5	581.5	582.3	0.8
C	4,892	224	877	3.4	590.0	590.0	590.8	0.8
D	5,653	157	693	3.8	592.4	592.4	593.2	0.8
E	6,521	233	692	2.5	595.4	595.4	596.1	0.7
F	7,157	95	379	8.5	598.7	598.7	598.8	0.1
Stream FC-3								
A	110	114	686	2.3	536.8	536.8	537.6	0.8
B	957	129	461	3.3	545.7	545.7	546.5	0.8
C	1,460	59	266	5.1	545.6	545.6	546.4	0.8
D	2,748	49	177	10.5	550.9	550.9	550.9	0.0
E	2,926	107	554	5.6	555.0	555.0	555.9	0.9
F	5,980	63	205	9.3	566.4	566.4	566.4	0.0
G	6,185	60	417	3.5	570.7	570.7	570.7	0.0
H	7,057	73	246	5.1	572.4	572.4	572.4	0.0
I	7,863	100	389	4.3	577.7	577.7	578.6	0.9

¹Stream distance in feet above confluence with Fish Creek

TABLE 7	FEDERAL EMERGENCY MANAGEMENT AGENCY TARRANT COUNTY, TX AND INCORPORATED AREAS	FLOODWAY DATA
		STREAM FC-1 – STREAM FC-2 – STREAM FC-3

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION				
CROSS SECTION	DISTANCE	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE	
FEET (NAVD)									
Stream FC-4									
A	1,238 ¹	84	274	5.9	538.8	538.8	538.9	0.1	
B	2,035 ¹	176	3,545	0.9	549.1	549.1	549.4	0.3	
C	2,507 ¹	75	266	11.0	549.8	549.8	549.8	0.0	
D	5,801 ¹	59	262	4.8	566.2	566.2	566.2	0.0	
E	6,855 ¹	75	231	6.1	572.7	572.7	572.8	0.1	
F	8,063 ¹	141	378	3.9	583.8	583.8	584.1	0.3	
North Fork of Fish Creek (Prairie Creek)									
A-C ²									
D	13,687 ¹	130	3,443	4.1	537.5	537.5	538.4	0.9	
E	13,910 ¹	188	3,674	3.4	537.6	537.6	538.6	1.0	
F	15,272 ¹	145	2,008	7.9	538.2	538.2	539.1	0.9	
G	17,099 ¹	139	1,773	9.6	542.6	542.6	543.4	0.8	
H	23,367 ¹	233	1,774	8.9	558.2	558.2	559.0	0.8	
North Fork of Fish Creek									
I	25,164 ¹	102	1,175	7.7	571.6	571.6	571.9	0.3	
J	26,747 ¹	87	603	15.0	572.8	572.8	572.8	0.0	
K	29,887 ¹	57	315	13.4	585.1	585.1	585.1	0.0	
L	30,373 ¹	59	429	9.8	590.5	590.5	590.5	0.0	
M	31,938 ¹	56	294	10.9	595.9	595.9	595.9	0.0	
N	33,170 ¹	42	155	11.5	598.7	598.7	598.7	0.0	
O	35,101 ¹	49	174	10.3	614.3	614.3	614.3	0.0	
P	35,330 ¹	68	338	5.6	617.8	617.8	617.8	0.0	
Q	36,215 ¹	52	153	5.9	623.3	623.3	623.3	0.0	
R	36,333 ¹	42	389	4.6	625.2	625.2	625.2	0.0	
S	37,647 ¹	26	85	10.7	631.7	631.7	631.7	0.0	

¹ Stream distance in feet above confluence with Fish Creek

² Cross Sections A through C are located within Dallas County

TABLE 7	FEDERAL EMERGENCY MANAGEMENT AGENCY TARRANT COUNTY, TX AND INCORPORATED AREAS	FLOODWAY DATA		
		STREAM FC-4 – NORTH FORK OF FISH CREEK (PRAIRIE CREEK) – NORTH FORK OF FISH CREEK		

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE
FEET (NAVD)								
Stream NF-1								
A	884	46	230	4.4	578.6	578.6	579.3	0.7
B	1,124	85	302	1.9	581.5	581.5	582.0	0.5
C	2,516	21	67	10.3	589.9	589.9	589.9	0.0
Stream NF-2								
A	533	90	437	2.6	581.9	581.9	581.9	0.0
B	964	50	264	3.5	581.9	581.9	581.9	0.0

¹Stream distance in feet above confluence with North Fork of Fish Creek

TABLE 7	FEDERAL EMERGENCY MANAGEMENT AGENCY TARRANT COUNTY, TX AND INCORPORATED AREAS	FLOODWAY DATA
		STREAM NF-1 – STREAM NF-2

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE
FEET (NAVD)								
Stream NF-3								
	A	1,066	76	408	4.8	587.6	587.6	588.5
	B	1,425	438	228	5.2	591.4	591.4	591.4
	C	1,795	147	197	9.3	591.3	591.3	591.3
	D	2,023	205	707	3.9	593.3	593.3	594.2
	E	3,151	46	160	10.1	596.9	596.9	596.9
	F	3,365	44	212	7.5	599.0	599.0	599.1
	G	4,251	26	73	9.6	601.0	601.0	601.0
	H	5,283	28	106	7.8	615.1	615.1	615.7
Stream NF-4								
	A	1,050	33	217	8.9	593.7	593.7	593.7
	B	1,287	24	137	5.7	599.5	599.5	600.3
	C	1,505	19	79	10.2	599.3	599.3	600.0
	D	2,513	22	59	10.5	606.8	606.8	606.8
	E	2,604	25	60	10.3	608.5	608.5	608.5
	F	2,713	24	76	5.9	609.8	609.8	609.8
	G	3,046	19	71	8.7	609.9	609.9	609.9
	H	3,200	19	58	10.3	611.1	611.1	611.1
	I	3,287	20	53	10.0	612.4	612.4	612.4
	J	3,498	46	79	9.1	614.7	614.7	614.7

¹Stream distance in feet above confluence with North Fork of Fish Creek

TABLE 7	FEDERAL EMERGENCY MANAGEMENT AGENCY TARRANT COUNTY, TX AND INCORPORATED AREAS	FLOODWAY DATA
		STREAM NF 3 – STREAM NF-4

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE
Hawkwood Branch								
A	240	96	461	1.6	739.3	739.3	739.3	0.0
B	1,690	46	82	3.7	746.9	746.9	746.9	0.0

¹ Stream distance in feet above confluence with Crowley Branch

TABLE 7	FEDERAL EMERGENCY MANAGEMENT AGENCY TARRANT COUNTY, TX AND INCORPORATED AREAS	FLOODWAY DATA
		HAWKWOOD BRANCH

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE
FEET (NAVD)								
Henrietta Creek								
A	30,055 ¹	380	4,695	5.6	648.3	648.3	648.7	0.4
B	35,150 ¹	465	3,891	5.5	667.0	667.0	667.5	0.5
C	36,540 ¹	430	4,211	5.1	672.1	672.1	672.3	0.2
D	38,950 ¹	532	3,502	6.2	676.9	676.9	677.1	0.2
E	41,080 ¹	570	4,406	5.0	683.1	683.1	684.1	1.0
F	42,450 ¹	330	3,644	3.1	692.3	692.3	692.5	0.2
Stream HEN-1								
A	1,810 ²	227	541	5.0	666.2	666.2	667.2	1.0
B	2,400 ²	177	642	4.2	668.6	668.6	669.3	0.7
C	3,140 ²	313	821	3.2	671.5	671.5	671.9	0.4
Stream HEN-2								
A	792 ²	315	1888	4.2	685.6	685.6	685.8	0.2
B	2030 ²	696	3526	3.8	689.6	689.6	689.6	0.0
C	3149 ²	425	2190	3.6	690.5	690.5	690.6	0.1
D	4512 ²	340	2174	3.0	699.2	699.2	699.3	0.1
E	5024 ²	467	1720	3.8	699.8	699.8	699.8	0.0
F	6152 ²	268	1687	3.7	706.0	706.0	706.1	0.1
G	6645 ²	348	1202	5.3	707.3	707.3	707.5	0.2
H	8,312 ²	107	697	6.5	714.7	714.7	715.6	0.9

¹Stream distance in feet above confluence with Elizabeth Creek

²Stream distance in feet above confluence with Henrietta Creek

TABLE 7	FEDERAL EMERGENCY MANAGEMENT AGENCY TARRANT COUNTY, TX AND INCORPORATED AREAS	FLOODWAY DATA
		HENRIETTA CREEK – STREAM HEN-1 – STREAM HEN-2

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE
FEET (NAVD)								
Stream HEN-2A								
A	1,490 ¹	140	594	4.8	703.6	703.6	704.1	0.5
B	3,020 ¹	141	580	4.9	711.5	711.5	712.3	0.8
C	4,700 ¹	140	545	5.2	721.0	721.0	721.7	0.7
D	5,810 ¹	220	832	3.2	726.6	726.6	727.6	1.0
E	7,480 ¹	140	542	4.9	735.3	735.3	736.1	0.8
Higgins Branch								
A	2,230 ²	128	709	3.9	601.4	601.4	602.4	1.0
B	4,220 ²	140	761	3.6	609.8	609.8	610.7	0.9
C	5,085 ²	130	1,018	2.6	616.7	616.7	617.6	0.9
D	6,670 ²	98	586	4.5	622.4	622.4	623.2	0.8

¹Stream distance in feet above confluence with Stream HEN-2

²Stream distance in feet above confluence with Kirkwood Branch

TABLE 7	FEDERAL EMERGENCY MANAGEMENT AGENCY TARRANT COUNTY, TX AND INCORPORATED AREAS	FLOODWAY DATA
		STREAM HEN-2A – HIGGINS BRANCH

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE
FEET (NAVD)								
Hogpen Branch								
A	2,709 ¹	241	878	6.7	573.4	573.4	573.5	0.1
B	3,495 ¹	395	1,332	4.4	577.2	577.2	577.7	0.5
C	4,760 ¹	326	1,720	3.1	582.9	582.9	583.3	0.4
D	5,812 ¹	151	994	5.4	589.8	589.8	589.9	0.1
E	6,406 ¹	250	1,569	3.4	592.4	592.4	592.7	0.3
F	9,231 ¹	257	1,276	4.2	601.3	601.3	601.4	0.1
G	10,540 ¹	300	1,442	3.7	604.9	604.9	605.2	0.3
H	12,158 ¹	130	754	5.8	607.6	607.6	608.2	0.6
I	16,181 ¹	80	755	5.8	621.4	621.4	621.9	0.5
J	18,173 ¹	250	1,775	2.5	628.7	628.7	629.1	0.4
K	19,233 ¹	267	1,598	2.7	634.6	634.6	635.0	0.4
L	20,145 ¹	270	1,000	3.1	635.8	635.8	636.3	0.5
M	22,441 ¹	157	964	3.2	643.7	643.7	643.7	0.0
N	23,823 ¹	160	440	6.9	651.1	651.1	651.4	0.3
O	25,784 ¹	110	411	4.1	660.6	660.6	660.9	0.3
Howards Branch								
A	4,500 ²	115	769	2.5	567.6	567.6	568.5	0.9
B	5,350 ²	91	616	3.1	568.0	568.0	568.9	0.9
C	5,900 ²	88	760	2.5	568.5	568.5	569.3	0.8
D	6,430 ²	136	660	2.9	568.9	568.9	569.6	0.7

¹Stream distance in feet above confluence with Walnut Creek 3

²Stream distance in feet above confluence with Clear Fork Trinity River

FEDERAL EMERGENCY MANAGEMENT AGENCY
TARRANT COUNTY, TX
AND INCORPORATED AREAS

FLOODWAY DATA

HOGPEN BRANCH – HOWARDS BRANCH

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY FEET (NAVD)	WITH FLOODWAY	INCREASE
Stream HB-1								
A	2,351 ¹	54	230	14.8	575.5	575.5	575.6	0.1
B	3,151 ¹	54	239	12.1	584.1	584.1	584.1	0.0
C	3,646 ¹	60	196	14.8	585.9	585.9	585.9	0.0
D	4,084 ¹	58	210	13.8	587.2	587.2	587.2	0.0
Hurricane Creek								
A	6,000 ²	280	2,229	3.6	486.5	486.5	487.3	0.8
B	7,800 ²	280	1,605	5.0	492.5	492.5	493.0	0.5
C	9,930 ²	307	2,123	3.8	500.5	500.5	501.4	0.9
D	11,790 ²	274	1,483	4.5	505.0	505.0	505.9	0.9
E	13,450 ²	227	1,559	4.2	514.1	514.1	515.0	0.9
F	14,000 ²	293	1,969	3.4	515.2	515.2	515.9	0.7
G	14,540 ²	155	766	5.6	515.4	515.4	516.1	0.8
H	16,620 ²	100	772	4.0	525.3	525.3	525.8	0.5
I	17,730 ²	107	569	5.4	531.6	531.6	532.2	0.6
J	19,950 ²	177	1,997	2.0	552.3	552.3	552.7	0.4
K	20,780 ²	314	1,163	2.4	554.1	554.1	554.4	0.3
L	21,966 ²	51	399	6.9	557.4	557.4	558.3	0.9
M	23,045 ²	111	691	3.1	567.5	567.5	568.5	1.0
N	24,700 ²	120	585	2.5	570.9	570.9	571.9	1.0
O	26,770 ²	65	122	6.2	577.7	577.7	577.7	0.0

¹Stream distance in feet above confluence with Howards Branch

²Stream distance in feet above confluence with West Fork Trinity River

FEDERAL EMERGENCY MANAGEMENT AGENCY
TARRANT COUNTY, TX
AND INCORPORATED AREAS

FLOODWAY DATA

STREAM HB-1 – HURRICANE CREEK

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE
FEET (NAVD)								
Stream HC-1								
A	780	65	575	4.2	515.7	515.7	516.6	0.9
B	1,590	61	228	10.5	519.0	519.0	519.0	0.0
C	2,270	60	249	9.7	524.4	524.4	524.4	0.0
D	3,600	67	287	6.8	535.1	535.1	535.1	0.0
E	4,010	83	342	5.7	537.1	537.1	537.9	0.8
F	4,640	40	613	2.4	538.6	538.6	539.2	0.6
G	5,270	33	69	15.8	545.2	545.2	545.2	0.0
H	6,990	142	713	1.5	558.2	558.2	559.0	0.8
I	7,530	61	143	6.8	559.4	559.4	559.7	0.3
J	8,500	83	329	3.3	566.6	566.6	567.1	0.5
K	9,840	77	118	6.0	576.6	576.6	577.1	0.5
L	11,140	43	145	3.4	583.5	583.5	583.5	0.0
East Fork Hurricane Creek								
A	440	49	222	7.0	555.2	555.2	555.3	0.1
B	1,120	148	380	4.1	558.8	558.8	559.3	0.5
C	1,920	83	109	11.9	561.9	561.9	561.9	0.0
D	3,000	47	125	10.4	567.7	567.7	567.7	0.0
E	4,435	52	101	12.8	575.4	575.4	575.4	0.0

¹ Stream distance in feet above confluence with Hurricane Creek

TABLE 7	FEDERAL EMERGENCY MANAGEMENT AGENCY TARRANT COUNTY, TX AND INCORPORATED AREAS	FLOODWAY DATA
		STREAM HC-1 – EAST FORK HURRICANE CREEK

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY FEET (NAVD)	WITH FLOODWAY	INCREASE
North Fork West Branch Hurricane Creek								
A	1,100 ¹	31	78	5.9	567.6	567.6	567.9	0.3

West Branch Hurricane Creek	A	3,335 ²	42	127	3.9	550.7	550.7	551.2	0.5
	B	3,600 ²	44	102	4.9	552.3	552.3	552.8	0.5

¹Stream distance in feet above confluence with West Branch Hurricane Creek

²Stream distance in feet above confluence with Hurricane Creek

TABLE 7	FEDERAL EMERGENCY MANAGEMENT AGENCY TARRANT COUNTY, TX AND INCORPORATED AREAS	FLOODWAY DATA
		NORTH FORK WEST BRANCH HURRICANE CREEK – WEST BRANCH HURRICANE CREEK

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY FEET (NAVD)	WITH FLOODWAY	INCREASE
Johnson Creek								
A	9,735	333	1,524	12.08	466.9	466.9	467.01	0.1
B	10,591	218	2,118	8.52	473.8	473.8	474.0	0.2
C	11,247	155	2,267	7.96	476.8	476.8	477.3	0.5
D	12,201	217	1,524	12.1	480.6	480.6	481.0	0.4
E	12,968	478	2,643	6.5	482.9	482.9	483.0	0.1
F	13,825	178	1,546	11.1	484.9	484.9	485.2	0.3
G	14,199	212	2,247	7.7	488.7	488.7	488.7	0.0
H	14,710	420	3,328	6.4	490.1	490.1	490.3	0.2
I	14,933	486	2,590	6.7	490.6	490.6	490.8	0.2
J	15,707	140	1,617	10.7	499.2	499.2	499.8	0.6
K	15,906	201	2,710	6.4	501.5	501.5	502.2	0.7
L	17,679	409	3,029	5.7	504.6	504.6	505.0	0.4
M	18,595	166	2,071	8.7	509.2	509.2	509.7	0.5
N	19,235	164	1,985	9.0	510.4	510.4	510.7	0.3
O	20,623	174	2,728	6.6	517.9	517.9	518.2	0.3
P	21,125	331	4,006	4.6	519.7	519.7	519.8	0.1
Q	21,974	743	6,667	2.9	522.6	522.6	522.9	0.3
R	22,966	441	3,274	5.8	523.2	523.2	523.6	0.4
S	23,865	600	4,687	4.0	525.9	525.9	525.9	0.0
T	24,407	449	4,733	4.0	526.9	526.9	527.0	0.1
U	25,193	264	2,349	8.0	527.9	527.9	528.2	0.3
V	25,991	190	2,245	8.4	531.9	531.9	532.0	0.1
W	27,372	310	4,321	4.3	535.9	535.9	536.5	0.6
X	28,302	528	2,072	9.0	536.2	536.2	536.2	0.0

¹Stream distance in feet above confluence with West Fork Trinity River

TABLE 7	FEDERAL EMERGENCY MANAGEMENT AGENCY TARRANT COUNTY, TX AND INCORPORATED AREAS	FLOODWAY DATA
		JOHNSON CREEK

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE
FEET (NAVD)								
Johnson Creek (Continued)								
Y	28,997	542	12,619	1.5	537.1	537.1	537.5	0.4
Z	30,375	317	4,184	4.4	537.8	537.8	538.1	0.3
AA	32,802	367	3,031	6.0	545.1	545.1	545.4	0.3
AB	33,975	495	3,072	5.8	547.1	547.1	547.3	0.2
AC	34,945	477	4,384	4.1	554.2	554.2	554.5	0.3
AD	35,875	629	6,328	2.8	557.4	557.4	558.3	0.9
AE	36,731	598	5,778	3.1	558.0	558.0	558.8	0.8
AF	37,482	586	6,920	3.0	566.1	566.1	566.1	0.0
AG	38,484	650	9,773	1.8	566.3	566.3	566.3	0.0
AH	39,538	551	6,453	2.8	566.6	566.6	567.1	0.5
AI	41,072	518	5,492	3.0	568.9	568.9	569.4	0.5
AJ	41,766	296	3,392	4.5	570.0	570.0	570.6	0.6
AK	42,978	453	3,415	4.4	572.9	572.9	573.4	0.5
AL	44,606	449	3,408	4.4	576.4	576.4	576.6	0.2
AM	45,889	525	1,660	7.8	577.9	577.9	580.1	0.1
AN	47,015	305	2,835	4.4	583.0	583.0	583.5	0.5
AO	47,861	307	2,916	4.3	586.7	586.7	587.7	1.0
AP	49,044	239	1,088	10.4	589.2	589.2	590.1	0.9
AQ	50,820	217	2,020	5.6	595.3	595.3	595.5	0.2
AR	52,215	271	2,209	3.4	598.4	598.4	598.7	0.3
AS	53,462	302	1,807	4.2	601.6	601.6	601.7	0.1
AT	54,678	271	1,561	4.9	605.6	605.6	605.6	0.0
AU	56,096	143	1,401	3.7	614.6	614.6	615.1	0.5
AV	56,596	180	1,096	4.8	615.0	615.0	615.4	0.4

¹ Stream distance in feet above confluence with West Fork Trinity River

FEDERAL EMERGENCY MANAGEMENT AGENCY
TARRANT COUNTY, TX
AND INCORPORATED AREAS

FLOODWAY DATA

JOHNSON CREEK

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE
FEET (NAVD)								
Johnson Creek (Continued)								
AW	57,292	132	586	8.9	618.2	618.2	618.6	0.4
AX	58,564	356	894	5.0	624.7	624.7	624.8	0.1
AY	59,656	253	928	4.8	629.6	629.6	629.8	0.2
AZ	60,849	183	1,446	3.1	634.1	634.1	634.3	0.2
BA	61,565	72	352	10.8	635.7	635.7	635.7	0.0
BB	62,416	235	721	5.3	642.0	642.0	642.0	0.0
BC	62,975	326	2,050	1.9	646.3	646.3	646.3	0.0
BD	63,771	212	263	6.6	646.8	646.8	646.8	0.0
BE	64,153	38	155	11.1	649.3	649.3	649.3	0.0
BF	65,399	35	161	10.7	652.4	652.4	652.4	0.0

¹ Stream distance in feet above confluence with West Fork Trinity River

TABLE 7	FEDERAL EMERGENCY MANAGEMENT AGENCY TARRANT COUNTY, TX AND INCORPORATED AREAS	FLOODWAY DATA
		JOHNSON CREEK

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION				
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY FEET (NAVD)	WITH FLOODWAY	INCREASE	
Stream JC-2									
A	620	182	966	3.8	588.6	588.3 ²	588.4	0.1	
B	1,399	190	633	5.6	594.8	594.8	594.8	0.0	
C	2,303	324	876	4.2	602.3	602.3	602.4	0.1	
D	3,240	412	604	4.9	610.6	610.6	610.6	0.0	
E	4,421	411	501	5.9	619.8	619.8	619.8	0.0	

¹Stream distance in feet above confluence with Johnson Creek

²Elevation computed without consideration of backwater effects from Johnson Creek

TABLE 7	FEDERAL EMERGENCY MANAGEMENT AGENCY TARRANT COUNTY, TX AND INCORPORATED AREAS	FLOODWAY DATA
		STREAM JC-2

FLOODING SOURCE		FLOODWAY			BASE FLOOD				
					WATER SURFACE ELEVATION				INCREASE
CROSS SECTION	DISTANCE	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY		
						FEET (NAVD)			
Stream JC-3									
A	543 ¹	218	182	11.9	611.9	607.4 ²	607.4	0.0	
B	1,041 ¹	60	256	6.2	617.2	617.2	617.3	0.1	
C	1,835 ¹	55	238	6.6	622.9	622.9	623.4	0.5	
D	3,714 ¹	34	390	4.0	631.6	631.6	632.1	0.5	
E	4,692 ¹	59	648	2.4	636.7	636.7	637.7	1.0	
F	5,913 ¹	190	422	3.0	643.3	643.3	643.3	0.0	
G	6,363 ¹	165	131	9.8	643.5	643.8	644.1	0.6	
H	6,488 ¹	22	281	4.6	645.8	645.7	646.1	0.4	
Kee Branch									
A	2,310 ³	231	2,083	5.2	541.9	541.9	542.8	0.9	
B	4,765 ³	288	2,019	5.4	548.4	548.4	549.4	1.0	
C	6,270 ³	199	1,530	7.1	554.0	554.0	554.1	0.1	
D	7,460 ³	170	1,443	6.9	558.5	558.5	559.5	1.0	
E	10,495 ³	545	5,095	1.4	572.8	572.8	573.8	1.0	
F	12,455 ³	100	951	7.7	577.7	577.7	578.7	1.0	
G	14,335 ³	90	1,047	6.1	585.4	585.4	586.3	0.9	
H	16,395 ³	150	1,183	4.2	594.5	594.5	595.4	0.9	
I	18,805 ³	230	932	5.4	605.1	605.1	605.6	0.5	
J	20,535 ³	93	391	5.5	609.7	609.7	610.2	0.5	
K	22,190 ³	160	482	3.4	622.4	622.4	622.6	0.2	
L	24,525 ³	190	422	4.4	634.1	634.1	634.9	0.8	
M	27,075 ³	151	495	3.7	644.3	644.3	645.2	0.9	

¹ Stream distance in feet above confluence with Johnson Creek

²Elevation computed without consideration of backwater effects from Johnson Creek

³Stream distance in feet above confluence with Rush Creek

TABLE 7	FEDERAL EMERGENCY MANAGEMENT AGENCY TARRANT COUNTY, TX AND INCORPORATED AREAS	FLOODWAY DATA	
		STREAM JC-3 – KEE BRANCH	

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY FEET (NAVD)	WITH FLOODWAY	INCREASE
Stream KB-1								
A	410 ¹	49	497	7.4	571.2	568.4 ²	569.1	0.7
B	1,440 ¹	99	828	4.4	577.2	577.2	578.0	0.8
C	2,775 ¹	70	456	6.8	586.0	586.0	586.4	0.4
D	3,440 ¹	89	457	4.8	593.7	593.7	593.7	0.0
E	4,020 ¹	170	391	5.7	598.7	598.7	598.7	0.0
Kings Branch								
A	645 ³	100	727	9.7	568.1	568.1	568.1	0.0
B	2,055 ³	131	1,235	5.7	575.8	575.8	576.5	0.7
C	3,650 ³	308	3,385	2.4	590.8	590.8	591.5	0.7
D	5,450 ³	203	1,391	7.3	599.1	599.1	599.9	0.8
E	10,590 ³	73	598	9.1	629.2	629.2	629.4	0.2
F	10,990	81	882	6.2	637.0	637.0	637.5	0.5
G	11,470	96	781	7.0	638.1	638.1	638.5	0.4
H	12,370	200	888	5.4	647.3	647.3	647.3	0.0
Kirby Creek								
A-Q ⁵								
R	20,838 ⁴	102	491	3.7	550.0	550.0	550.1	0.1
S	21,266 ⁴	51	163	11.0	551.0	551.0	551.0	0.0
T	21,696 ⁴	82	197	9.2	553.6	553.6	553.7	0.1
U	22,886 ⁴	26	69	9.4	555.7	555.7	555.7	0.0
V	23,336 ⁴	29	72	9.1	558.8	558.8	558.8	0.0

¹Stream distance in feet above confluence with Kee Branch

²Elevation computed without consideration of backwater effects from Kee Branch

³Stream distance in feet above confluence with Farmers Branch

⁴Stream distance in feet above mouth

⁵Cross sections A-Q are in Dallas County

TABLE 7	FEDERAL EMERGENCY MANAGEMENT AGENCY TARRANT COUNTY, TX AND INCORPORATED AREAS	FLOODWAY DATA
		STREAM KB-1 – KINGS BRANCH – KIRBY CREEK

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE
FEET (NAVD)								
Kirkwood Branch								
A	22,524 ¹	164	998	3.4	595.8	595.8	596.7	0.9
B	23,513 ¹	161	807	4.2	602.1	602.1	602.8	0.7
C	24,318 ¹	100	450	5.9	605.0	605.0	605.0	0.0
South Fork								
Kirkwood Branch								
A	1,590 ²	105	711	3.2	570.2	570.2	571.2	1.0
B	2,390 ²	100	451	5.1	572.6	572.6	572.9	0.3
C	5,890 ²	130	553	3.7	594.8	594.8	595.1	0.3
D	8,000 ²	120	696	2.9	608.5	608.5	609.1	0.6
E	9,180 ²	98	437	4.7	613.8	613.8	614.3	0.5

¹ Stream distance in feet above confluence with Grapevine Lake

² Stream distance in feet above confluence with Kirkwood Branch

TABLE 7	FEDERAL EMERGENCY MANAGEMENT AGENCY TARRANT COUNTY, TX AND INCORPORATED AREAS	FLOODWAY DATA
		KIRKWOOD BRANCH - SOUTH FORK KIRKWOOD BRANCH

FLOODING SOURCE		FLOODWAY			BASE FLOOD				
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WATER SURFACE ELEVATION		INCREASE	
						WITHOUT FLOODWAY	WITH FLOODWAY		
Little Bear Creek						FEET (NAVD)			
A	3,150	677	5,181	2.6	511.5	511.5	512.5	1.0	
B	5,300	297	2,082	6.6	513.8	513.8	514.8	1.0	
C	6,800	655	6,115	2.2	517.3	517.3	517.5	0.2	
D	7,750	539	3,657	3.7	518.1	518.1	518.4	0.3	
E	9,045	195	2,035	6.7	522.4	522.4	522.7	0.3	
F	10,495	822	5,502	2.5	525.6	525.6	526.3	0.7	
G	12,432	676	4,809	2.6	529.6	529.6	530.5	0.9	
H	15,050	720	4,330	2.9	531.8	531.8	531.8	0.0	
I	16,460	300	2,108	5.9	535.6	535.6	535.8	0.2	
J	17,110	220	1,363	9.2	536.5	536.5	536.5	0.0	
K	18,120	157	2,163	5.8	541.3	541.3	541.3	0.0	
L	20,120	569	4,227	3.0	543.5	543.5	544.3	0.8	
M	21,180	705	4,316	2.9	545.4	545.4	546.4	1.0	
N	24,300	600	3,485	4.7	550.3	550.3	550.5	0.2	
O	27,250	371	3,283	6.2	555.1	555.1	555.2	0.1	
P	31,340	710	3,340	5.5	563.5	563.5	564.1	0.6	
Q	33,600	575	4,115	4.6	570.1	570.1	570.9	0.8	
R	35,600	390	2,225	5.8	573.3	573.3	573.5	0.2	
S	37,620	535	3,073	4.5	577.0	577.0	577.7	0.7	
T	40,520	880	2,788	5.2	579.5	579.5	579.8	0.3	
U	44,400	659	1,952	5.2	587.8	587.8	587.8	0.0	
V	46,430	353	2,231	4.9	594.1	594.1	594.1	0.0	
W	49,750	437	2,513	3.7	598.4	598.4	598.8	0.4	
X	51,430	132	1,148	6.5	601.2	601.2	601.7	0.5	
Y	53,381	243	1,898	3.9	605.4	605.4	605.6	0.2	
Z	54,600	175	1,176	6.3	609.4	609.4	609.9	0.5	

¹Stream distance in feet above confluence with Big Bear Creek

TABLE 7	FEDERAL EMERGENCY MANAGEMENT AGENCY TARRANT COUNTY, TX AND INCORPORATED AREAS	FLOODWAY DATA
		LITTLE BEAR CREEK

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE
FEET (NAVD)								
Little Bear Creek (continued)								
AA	55,500 ¹	316	1,752	4.2	613.5	613.5	613.5	0.0
AB	58,000 ¹	400	2,758	2.7	617.7	617.7	618.7	1.0
AC	61,230 ¹	457	1,349	4.3	624.0	624.0	624.8	0.8
AD	63,590 ¹	520	1,017	5.6	628.0	628.0	628.2	0.2
AE	66,690 ¹	301	1,652	2.7	635.8	635.8	636.8	1.0
AF	69,120 ¹	289	1,330	3.4	640.3	640.3	641.2	0.9
AG	70,370 ¹	319	1,597	2.8	646.2	646.2	647.1	0.9
AH	72,800 ¹	196	1,308	3.8	650.9	650.9	651.8	0.9
AI	74,860 ¹	270	1,555	3.4	656.3	656.3	657.0	0.7
AJ	78,150 ¹	132	810	4.0	664.1	664.1	664.4	0.3
Stream LB-1								
A	1,580 ²	57	317	6.4	629.9	629.9	630.5	0.6
B	2,404 ²	30	176	9.8	631.4	631.4	631.4	0.0
C	3,100 ²	28	160	10.9	635.2	635.2	635.2	0.0
D	4,110 ²	62	160	9.9	644.0	644.0	644.1	0.1
Stream LB-2								
A	1,460 ²	194	695	2.6	634.5	634.5	635.3	0.8
B	2,680 ²	101	395	2.8	640.3	640.3	640.4	0.1
C	4,125 ²	39	185	6.0	645.4	645.4	646.0	0.6
D	5,060 ²	40	119	5.1	653.9	653.9	653.9	0.0
E	6,000 ²	110	110	5.5	662.2	662.2	662.7	0.5

¹Stream distance in feet above confluence with Big Bear Creek

²Stream distance in feet above confluence with Little Bear Creek

FEDERAL EMERGENCY MANAGEMENT AGENCY
TARRANT COUNTY, TX
AND INCORPORATED AREAS

FLOODWAY DATA

LITTLE BEAR CREEK – STREAM LB-1 – STREAM LB-2

FLOODING SOURCE		FLOODWAY			BASE FLOOD			
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WATER SURFACE ELEVATION		INCREASE
						WITHOUT FLOODWAY	WITH FLOODWAY	
FEET (NAVD)								
Stream LB-3								
A	359	150	545	4.3	667.2	667.2	667.7	0.5
B	1,145	95	559	4.2	672.2	672.2	672.2	0.0
C	2,737	95	398	3.9	676.0	676.0	676.1	0.1
Tributary Little Bear 1								
A	940	159	435	6.9	554.9	554.9	555.1	0.2
B	1,630	140	675	4.4	561.4	561.4	562.4	1.0
C	1,855	154	1,154	2.6	564.4	564.4	565.0	0.6
D	2,550	137	989	2.8	568.1	568.1	568.9	0.8
E	2,950	74	268	7.2	568.9	568.9	569.5	0.6
F	3,400	74	364	5.3	572.9	572.9	573.8	0.9
Tributary Little Bear 2								
A	2,970	464	1,762	1.4	604.6	604.6	604.6	0.0
B	3,810	358	660	2.3	606.3	606.3	606.3	0.0
C	4,875	267	443	4.2	612.3	612.3	612.3	0.0
D	5,605	53	150	7.7	613.3	613.3	613.3	0.0
E	5,860	48	156	4.8	618.1	618.1	618.1	0.0
F	6,805	67	135	5.2	631.6	631.6	631.6	0.0
G	8,530	413	676	3.5	632.4	632.4	632.4	0.0
H	9,205	24	143	7.4	633.0	633.0	633.0	0.0

¹Stream distance in feet above confluence with Little Bear Creek

TABLE 7	FEDERAL EMERGENCY MANAGEMENT AGENCY TARRANT COUNTY, TX AND INCORPORATED AREAS	FLOODWAY DATA
		STREAM LB-3 – TRIBUTARY LITTLE BEAR 1 TRIBUTARY LITTLE BEAR 2

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION				
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY FEET (NAVD)	WITH FLOODWAY	INCREASE	
Little Fossil Creek									
A	9,750	1,309	4,008	5.7	516.3	516.1	517.1	1.0	
B	10,800	732	3,380	7.5	520.6	520.6	520.7	0.1	
C	12,745	675	6,294	2.8	531.3	531.3	531.8	0.5	
D	14,425	798	4,627	3.8	534.5	534.5	534.9	0.4	
E	15,590	798	4,663	3.7	536.2	536.2	537	0.8	
F	16,545	750	4,465	3.8	538.5	538.5	539.2	0.7	
G	18,175	500	2,609	6.5	543.0	543.0	543.7	0.7	
H	20,315	275	2,282	7.4	550.8	550.8	551.7	0.9	
I	20,925	275	2,641	6.4	553.5	553.5	554.3	0.8	
J	22,600	275	2,712	5.8	559.0	559.0	559.9	0.9	
K	23,465	339	1,808	8.1	561.5	561.5	562.3	0.8	
L	25,920	525	5,771	2.7	578.7	578.7	578.9	0.2	
M	28,600	298	2,809	4.5	582.5	582.5	583.4	0.9	
N	30,880	105	1,235	10.2	585.9	585.9	586.7	0.8	
O	32,730	120	1,176	8.2	591.4	591.4	591.6	0.2	
P	33,920	168	921	10.5	595.1	595.1	595.1	0.0	
Q	35,195	295	2,205	4.4	603.6	603.6	603.7	0.1	
R	35,560	164	1,422	6.8	606.8	606.8	607.8	1.0	
S	37,870	175	1,468	6.2	612.8	612.8	613.1	0.3	
T	39,684	250	1,378	6.4	617.8	617.8	618.6	0.8	
U	40,600	103	1,161	6.6	621.9	621.9	622.7	0.8	
V	44,350	236	1,662	4.4	639.8	639.8	640.5	0.7	
W	46,960	211	873	10.2	647.9	647.9	648.1	0.2	

¹Stream distance in feet above confluence with Big Fossil Creek

TABLE 7	FEDERAL EMERGENCY MANAGEMENT AGENCY TARRANT COUNTY, TX AND INCORPORATED AREAS	FLOODWAY DATA
		LITTLE FOSSIL CREEK

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE
FEET (NAVD)								
Little Fossil Creek (continued)								
X	49,144	122	883	8.0	656.8	656.8	656.9	0.1
Y	49,744	115	831	8.5	659.0	659.0	659.1	0.1
Z	50,144	105	827	8.6	660.8	660.8	660.8	0.0
AA	52,868	320	1,167	4.4	679.1	679.1	679.1	0.0
AB	53,768	283	933	5.5	683.3	683.3	683.3	0.0
AC	54,818	368	1,080	4.8	690.5	690.5	690.5	0.0
AD	55,515	295	1,635	2.5	694.2	694.2	694.2	0.0
AE	59,035	187	956	3.9	703.8	703.8	704.5	0.7
AF	61,616	662	1,238	3.0	723.6	723.6	724.3	0.7
Little Fossil Creek Split Flow								
A	1,225	226 ²	1,492	1.5	505.9	505.9 ³	506.9	1.0
B	2,220	400 ²	618	5.3	507.0	507.0	507.5	0.5
C	3,580	234 ²	1,405	2.1	509.1	509.1	509.5	0.4
D	5,290	350 ²	1,098	4.5	509.3	509.3	509.9	0.6
E	6,625	2,425 ²	3,308	3.4	509.9	509.9	510.9	1.0

¹ Stream distance in feet above confluence with Big Fossil Creek

²Width does not include Midway Road

³Elevation computed without consideration of backwater effects from Big Fossil Creek

FEDERAL EMERGENCY MANAGEMENT AGENCY
TARRANT COUNTY, TX
AND INCORPORATED AREAS

FLOODWAY DATA

LITTLE FOSSIL CREEK – LITTLE FOSSIL CREEK SPLIT FLOW

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY FEET (NAVD)	WITH FLOODWAY	INCREASE
Stream LFC-1								
A	1,590 ¹	123	436	5.6	578.0	573.2 ²	574.2	1.0
B	2,130 ¹	130	499	4.9	578.0	577.3 ²	578.3	1.0
C	2,200 ¹	50	200	6.0	578.0	577.6 ²	578.6	1.0
D	6,200 ¹	69	120	7.5	596.0	596.0	597.0	1.0
E	10,000 ¹	79	90	6.6	606.9	606.9	607.9	1.0
F	11,450 ¹	96	195	7.4	616.8	616.8	616.9	0.1
Stream LFC-2								
A	695 ¹	87	560	5.4	596.2	596.2	596.2	0.0
B	1,350 ¹	91	370	8.1	604.0	604.0	604.0	0.0
C	2,952 ¹	220	850	3.5	609.7	609.7	609.8	0.1
D	5,420 ¹	112	157	7.4	621.9	621.9	621.9	0.0
Live Oak Creek								
A	3,090 ³	650	4,474	3.5	599.9	599.9	600.6	0.7
B	4,500 ³	500	2,399	6.5	606.1	606.1	606.7	0.6
C	6,100 ³	450	3,194	4.9	613.5	613.5	614.0	0.5
D	8,200 ³	200	1,621	8.4	621.5	621.5	621.8	0.3
E	9,600 ³	250	1,927	7.1	629.1	629.1	629.8	0.7
F	10,800 ³	177	1,994	6.8	633.0	633.0	633.9	0.9
G	11,940 ³	150	2,065	6.6	641.1	641.1	641.4	0.3
H	14,740 ³	151	1,854	7.4	653.4	653.4	654.2	0.8
I	15,940 ³	142	1,515	6.1	660.9	660.9	661.4	0.5
J	18,860 ³	151	1,256	7.4	681.8	681.8	681.8	0.0
K	20,560 ³	177	1,178	7.9	702.4	702.4	702.4	0.0

¹ Stream distance in feet above confluence with Little Fossil Creek

²Elevation computed without consideration of backwater effects from Little Fossil Creek

³Stream distance in feet above confluence with Lake Worth

TABLE 7	FEDERAL EMERGENCY MANAGEMENT AGENCY TARRANT COUNTY, TX AND INCORPORATED AREAS	FLOODWAY DATA
		STREAM LFC-1 – STREAM LFC-2 – LIVE OAK CREEK

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE
FEET (NAVD)								
Lorean Branch								
A	5,365	99	751	7.6	503.8	503.8	504.8	1.0
B	6,250	100	911	6.3	507.1	507.1	507.5	0.4
C	6,865	184	1,318	4.3	509.8	509.8	510.2	0.4
D	8,000	150	800	7.1	510.4	510.4	511.4	1.0
E	9,855	125	446	12.7	517.3	517.3	517.4	0.1
F	10,473	92	493	11.5	521.0	521.0	521.4	0.4
G	12,390	52	453	11.7	532.3	532.3	532.3	0.0
H	13,830	63	591	9.0	542.5	542.5	542.5	0.0
I	14,730	70	568	9.3	542.9	542.9	542.9	0.0
J	16,430	58	349	14.0	549.8	549.8	549.8	0.0
K	17,340	135	1,136	4.3	557.2	557.2	557.7	0.5
L	18,670	300	1,443	2.7	564.8	564.8	564.8	0.0
M	19,620	171	631	6.1	567.8	567.8	567.8	0.0
N	20,830	63	453	8.5	570.5	570.5	570.5	0.0
O	21,525	93	680	5.4	574.4	574.4	574.9	0.5
P	23,075	104	701	4.7	576.6	576.6	577.2	0.6
Q	24,810	120	594	5.6	585.3	585.3	585.6	0.3

¹ Stream distance in feet above confluence with Walker Branch

TABLE 7	FEDERAL EMERGENCY MANAGEMENT AGENCY TARRANT COUNTY, TX AND INCORPORATED AREAS	FLOODWAY DATA
		LOREAN BRANCH

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE
FEET (NAVD)								
Low Branch								
A	5,059	355	1,454	5.6	542.2	542.2	542.3	0.1
B	7,134	310	2,332	3.3	546.9	546.9	547.3	0.4
C	10,865	279	1,867	4.1	551.3	551.3	551.3	0.0
D	16,177	259	1,782	4.3	559.2	559.2	559.5	0.3
E	17,129	165	1,173	6.5	561.4	561.4	561.9	0.5
F	18,352	152	1,438	5.3	565.0	565.0	565.4	0.4
G	18,704	209	2,456	3.7	569.2	569.2	569.5	0.3
H	20,130	320	2,371	3.2	570.6	570.6	570.8	0.2
I	21,857	375	2,477	3.1	572.4	572.4	572.7	0.3
J	22,871	329	1,976	3.8	573.7	573.7	574.3	0.6
K	24,130	147	1,086	7.0	577.1	577.1	577.6	0.5
L	25,961	180	901	7.1	580.7	580.7	581.5	0.8
M	28,157	320	1,887	3.4	588.5	588.5	588.8	0.3
N	29,698	370	2,065	3.1	591.1	591.1	591.4	0.3
O	31,019	186	868	7.4	593.3	593.3	593.5	0.2
P	32,257	538	3,766	1.7	603.7	603.7	604.0	0.3
Q	33,777	314	1,603	2.7	604.2	604.2	604.5	0.3
R	35,657	340	920	4.8	608.0	608.0	608.3	0.3
S	37,054	274	1,165	3.8	613.4	613.4	614.0	0.6

¹ Stream distance in feet above confluence with Lake Joe Pool

TABLE 7	FEDERAL EMERGENCY MANAGEMENT AGENCY TARRANT COUNTY, TX AND INCORPORATED AREAS	FLOODWAY DATA
		LOW BRANCH

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE
FEET (NAVD)								
Lynn Creek								
A	13,907 ¹	249	1,512	3.7	543.3	543.3	544.2	0.9
B	17,500 ¹	212	1,576	2.7	557.3	557.3	558.0	0.7
C	20,680 ¹	150	1,016	4.1	567.5	567.5	568.2	0.7
D	24,790 ¹	91	896	4.7	579.4	579.4	580.1	0.7
E	28,655 ¹	226	1,277	3.3	586.6	586.6	587.3	0.7
F	32,650 ¹	200	811	4.9	600.2	600.2	601.0	0.8
G	35,580 ¹	300	1,390	2.9	607.2	607.2	608.1	0.9
H	39,200 ¹	332	1,588	2.5	616.9	616.9	617.6	0.7
I	40,760 ¹	177	878	3.6	619.0	619.0	619.6	0.6
J	41,750 ¹	52	243	9.9	621.1	621.1	621.1	0.0
Mackey Creek								
A	3,684 ²	68	318	8.8	541.0	541.0	541.2	0.2
B	5,524 ²	103	179	13.7	552.5	552.5	552.5	0.0
C	6,650 ²	71	257	6.2	562.5	562.5	562.5	0.0
D	7,617 ²	30	146	10.2	566.5	566.5	566.5	0.0
E	9,696 ²	80	143	6.4	586.0	586.0	586.0	0.0
F	10,552 ²	98	109	4.0	593.3	593.3	593.3	0.0
G	11,727 ²	78	63	3.4	597.4	597.4	597.9	0.5

¹Stream distance in feet above confluence with Walnut Creek 3

²Stream distance in feet above confluence with Big Fossil Creek

FEDERAL EMERGENCY MANAGEMENT AGENCY
TARRANT COUNTY, TX
AND INCORPORATED AREAS

FLOODWAY DATA

LYNN CREEK – MACKEY CREEK

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE
FEET (NAVD)								
Mackey Creek Diversion North								
A	1,600 ¹	104	192	3.0	520.5	520.5	520.5	0.0
B	2,165 ¹	87	103	5.5	527.6	527.6	527.6	0.0
Marine Creek								
A	840 ²	199	1,615	10.6	525.3	519.4 ³	519.4	0.0
B	1,760 ²	186	1,890	8.9	526.3	526.3	526.3	0.0
C	3,060 ²	169	1,814	9.3	531.6	531.6	531.6	0.0
D	5,730 ²	178	2,046	5.5	545.4	545.4	545.4	0.0
E	7,500 ²	188	1,535	7.2	550.9	550.9	551.6	0.7
F	8,650 ²	143	1,209	8.9	556.1	556.1	556.3	0.2
G	10,070 ²	152	1,578	6.8	563.8	563.8	564.4	0.6
H	11,700 ²	147	1,314	8.2	569.9	569.9	570.1	0.2
I	13,090 ²	211	1,684	5.1	574.5	574.5	574.6	0.1
J	14,600 ²	119	780	7.9	583.7	583.7	583.7	0.0
K	16,380 ²	121	896	5.9	592.1	592.1	592.3	0.2
L	17,990 ²	131	798	6.7	600.3	600.3	600.3	0.0
M	19,930 ²	170	1,002	3.3	613.8	613.8	614.8	1.0
N	21,480 ²	117	717	4.6	618.5	618.5	618.7	0.2
O	23,200 ²	93	516	4.4	625.6	625.6	626.0	0.4
P	25,460 ²	52	248	5.0	633.1	633.1	633.6	0.5
Q	26,630 ²	59	381	1.0	642.2	642.2	643.1	0.9

¹Stream distance in feet above confluence with Big Fossil Creek

²Stream distance in feet above confluence with West Fork Trinity River

³Elevation computed without consideration of backwater effects from West Fork Trinity River

TABLE 7	FEDERAL EMERGENCY MANAGEMENT AGENCY TARRANT COUNTY, TX AND INCORPORATED AREAS	FLOODWAY DATA
		MACKEY CREEK DIVERSION NORTH – MARINE CREEK

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY FEET (NAVD)	WITH FLOODWAY	INCREASE
Stream MC-1								
A	520 ¹	184	551	6.4	542.4	542.4	542.5	0.1
B	2,180 ¹	176	708	5.0	550.9	550.9	550.9	0.0
C	3,860 ¹	154	518	8.0	561.8	561.8	561.9	0.1
D	5,360 ¹	150	1,147	3.6	585.8	585.8	586.3	0.5
E	6,830 ¹	104	637	5.5	590.7	590.7	591.7	1.0
F	8,450 ¹	132	510	6.9	608.3	608.3	608.8	0.5
G	9,740 ¹	20	461	7.6	621.2	621.2	622.0	0.8
Stream MC-2								
A	5,300 ²	180	935	4.7	700.6	700.6	701.6	1.0

¹ Stream distance in feet above confluence with Marine Creek

² Stream distance in feet above confluence with Marine Creek Lake

TABLE 7	FEDERAL EMERGENCY MANAGEMENT AGENCY TARRANT COUNTY, TX AND INCORPORATED AREAS	FLOODWAY DATA
		STREAM MC-1 – STREAM MC-2

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE
FEET (NAVD)								
Marys Creek								
A	3,050	1,200	7,002	6.1	615.5	615.5	616.4	0.9
B	5,850	850	6,012	7.1	620.0	620.0	620.8	0.8
C	6,650	950	8,451	5.1	624.6	624.6	625.1	0.5
D	8,100	1,000	11,932	3.6	633.6	633.6	634.1	0.5
E	10,050	1,150	8,863	4.2	635.1	635.1	636.0	0.9
F	11,450	1,250	6,962	5.4	638.9	638.9	639.8	0.9
G	12,800	600	4,337	8.6	643.9	643.9	644.2	0.3
H	13,800	660	5,062	7.4	647.8	647.8	648.4	0.6
I	15,030	550	5,539	6.9	652.5	652.5	653.3	0.8
J	16,460	610	4,895	7.7	656.2	656.2	657.2	1.0
K	18,260	680	5,497	6.9	662.7	662.7	663.6	0.9
L	22,060	700	7,725	4.9	678.0	678.0	678.0	0.0
M	24,360	780	5,959	6.4	682.6	682.6	683.6	1.0
N	26,600	780	6,092	6.3	691.1	691.1	691.9	0.8
O	27,800	690	4,916	7.8	694.7	694.7	695.5	0.8
P	28,440	445	5,658	6.7	701.3	701.3	701.8	0.5
Q	30,330	450	4,689	8.6	705.2	705.2	705.7	0.5
R	32,400	739	6,927	4.4	712.1	712.1	712.3	0.2
S	33,230	799	6,102	5.0	713.3	713.3	713.7	0.4
T	34,970	710	4,664	6.6	722.4	722.4	722.4	0.0
U	35,900	600	5,389	5.6	724.5	724.5	725.5	1.0
V	38,080	490	6,298	4.8	737.8	737.8	738.2	0.4
W	41,000	490	3,887	7.7	741.7	741.7	742.7	1.0

¹ Stream distance in feet above confluence with Clear Fork Trinity River

TABLE 7	FEDERAL EMERGENCY MANAGEMENT AGENCY TARRANT COUNTY, TX AND INCORPORATED AREAS	FLOODWAY DATA
		MARYS CREEK

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY FEET (NAVD)	WITH FLOODWAY	INCREASE
South Marys Creek								
A	1,220	250	2,108	6.7	712.4	712.4	713.4	1.0
B	5,630	350	2,107	6.7	738.1	738.1	738.9	0.8
C	7,840	150	1,572	9.0	753.4	753.4	754.0	0.6
D	9,740	140	1,556	9.1	765.2	765.2	765.8	0.6
E	10,900	100	1,501	9.5	772.3	772.3	773.0	0.7
F	11,540	200	2,375	5.1	774.6	774.6	775.6	1.0
G	12,965	150	1,391	8.8	783.1	783.1	783.5	0.4
H	14,420	250	2,049	6.0	797.1	797.1	797.7	0.6
I	17,450	99	938	7.1	813.5	813.5	813.8	0.3
Stream MSC-1								
A	3,570	82	341	7.0	693.2	693.2	693.9	0.7
B	4,340	80	316	7.6	702.2	702.2	702.2	0.0
C	5,940	105	613	3.6	714.2	714.2	715.2	1.0

¹ Stream distance in feet above confluence with Marys Creek

TABLE 7	FEDERAL EMERGENCY MANAGEMENT AGENCY TARRANT COUNTY, TX AND INCORPORATED AREAS	FLOODWAY DATA
		SOUTH MARYS CREEK – STREAM MSC-1

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY FEET (NAVD)	WITH FLOODWAY	INCREASE
Stream MSC-1A (Plantation West Creek)								
A	1,184	71	238	11.0	668.4	668.4	668.5	0.1
B	1,631	75	386	6.8	671.4	671.4	671.8	0.4
C	2,122	180	479	5.6	675.5	675.5	675.5	0.0
D	2,608	69	290	9.1	680.2	680.2	680.5	0.3
E	3,105	74	601	4.4	691.1	691.1	691.1	0.0
F	3,679	63	340	7.7	691.9	691.9	691.9	0.0
G	4,400	106	511	5.1	698.4	698.4	699.3	0.9
H	5,770	65	371	7.0	708.6	708.6	709.3	0.7
I	6,100	39	293	8.9	710.0	710.0	710.9	0.9
J	6,600	41	200	13.0	712.2	712.2	712.2	0.0
K	7,710	34	236	9.1	727.2	727.2	727.4	0.2
L	8,320	70	233	9.2	733.5	733.5	733.6	0.1
M	8,760	60	246	7.2	735.9	735.9	735.9	0.0
N	8,930	104	381	4.7	739.0	739.0	739.0	0.0
O	9,220	50	168	10.6	740.0	740.0	740.1	0.1
P	9,820	53	223	8.0	745.7	745.7	745.9	0.2
Q	10,350	66	452	3.2	752.9	752.9	753.2	0.3
R	10,780	38	149	9.7	754.6	754.6	754.6	0.0

¹Stream distance in feet above confluence with Marys Creek

FEDERAL EMERGENCY MANAGEMENT AGENCY
TARRANT COUNTY, TX
AND INCORPORATED AREAS

FLOODWAY DATA

STREAM MSC-1A (PLANTATION WEST CREEK)

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY FEET (NAVD)	WITH FLOODWAY	INCREASE
Stream MSC-2	Stream MSC-2							
	A	3,260 ¹	119	588	4.9	690.3	690.3	691.3
	B	4,200 ¹	100	493	5.9	696.9	696.9	697.1
	C	4,720 ¹	145	1,215	2.4	704.2	704.2	704.9
	D	6,380 ¹	120	447	4.1	714.6	714.6	715.6
Stream MSC-2A	E	7,580 ¹	185	532	3.5	723.0	723.0	724.0
	Stream MSC-2A							
	A	3,600 ²	30	100	6.0	741.4	741.4	742.4
	Nichols Branch							
	A	1,557 ³	182	774	2.3	592.5	592.5	592.7
North Creek	B	1,891 ³	150	608	3.0	593.3	593.3	593.7
	C	2,863 ³	138	318	5.7	598.9	598.9	599.1
	D	4,014 ³	200	631	2.9	606.6	606.6	607.4
	North Creek							
	A	7,690 ⁴	120	828	3.9	693.8	693.8	694.6
North Creek	B	8,765 ⁴	164	1,310	3.0	701.8	701.8	702.2
	C	10,390 ⁴	250	1,050	2.2	707.1	707.1	707.9
	D	12,315 ⁴	200	768	2.7	711.7	711.7	712.6
	E	13,780 ⁴	70	315	6.5	719.2	719.2	720.0
	F	14,560 ⁴	80	422	4.9	722.8	722.8	723.7
North Creek	G	15,640 ⁴	74	300	5.3	729.6	729.6	729.9

¹Stream distance in feet above confluence with Marys Creek

²Stream distance in feet above confluence with Stream MSC-2

³Stream distance in feet above confluence with Walnut Creek 3

⁴Stream distance in feet above confluence with Village Creek

FEDERAL EMERGENCY MANAGEMENT AGENCY
TARRANT COUNTY, TX
AND INCORPORATED AREAS

FLOODWAY DATA

STREAM MSC-2 – STREAM MSC-2A - NICHOLS BRANCH – NORTH CREEK

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE
FEET (NAVD)								
Pantego Branch								
A	2,065 ¹	375	630	5.9	506.0	506.0	506.8	0.8
B	2,610 ¹	90	483	6.9	513.0	513.0	513.1	0.1
C	3,100 ¹	80	720	4.6	522.6	522.6	523.3	0.7
D	3,815 ¹	60	409	8.1	526.0	526.0	526.5	0.5
E	4,620 ¹	61	452	7.3	532.0	532.0	532.4	0.4
F	7,540 ¹	100	364	6.3	556.5	556.5	557.5	1.0
G	8,460 ¹	74	420	5.5	562.7	562.7	563.6	0.9
H	9,170 ¹	53	312	7.3	568.4	568.4	569.3	0.9
Paschal Branch								
A	800 ²	220	1,057	3.9	662.8	662.8	663.6	0.8
B	1,190 ²	100	582	7.0	665.9	665.9	666.8	0.9
C	1,490 ²	150	955	4.3	668.4	668.4	669.4	1.0
D	1,900 ²	200	1,944	2.1	676.2	676.2	677.2	1.0
E	2,600 ²	60	577	6.2	677.8	677.8	678.5	0.7
F	3,600 ²	39	354	10.2	687.1	687.1	687.1	0.0

¹Stream distance in feet above confluence with Rush Creek

²Stream distance in feet above confluence with Ash Creek

TABLE 7	FEDERAL EMERGENCY MANAGEMENT AGENCY TARRANT COUNTY, TX AND INCORPORATED AREAS	FLOODWAY DATA
		PANTEGO BRANCH – PASCHAL BRANCH

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY FEET (NAVD)	WITH FLOODWAY	INCREASE
Plantation East Creek								
A	817 ¹	75	418	7.9	652.6	650.5 ³	650.5	0.0
B	1,209 ¹	75	314	14.7	656.1	656.1	656.2	0.1
C	2,000 ¹	33	197	17.1	664.9	664.9	664.9	0.0
D	2,592 ¹	38	225	5.0	672.8	672.8	673.5	0.7
E	3,117 ¹	57	258	4.5	683.8	683.8	684.1	0.3
F	3,261 ¹	38	185	6.5	684.1	684.1	684.3	0.2
G	3,527 ¹	46	639	3.3	685.2	685.2	685.3	0.1
H	3,756 ¹	120	626	6.2	685.2	685.2	685.3	0.1
I	4,368 ¹	71	438	9.7	692.6	692.5	692.9	0.4
J	6,578 ¹	67	424	6.1	704.2	704.2	704.3	0.1
Pond Branch								
A	1,331 ²	270	1,653	1.2	587.3	587.3	587.7	0.4
B	1,786 ²	140	742	2.7	587.8	587.8	588.1	0.3
C	2,092 ²	51	400	5.1	588.4	588.4	588.7	0.3
D	3,167 ²	72	355	5.7	600.1	600.1	600.4	0.3
E	4,262 ²	159	746	2.7	612.9	612.9	613.1	0.2
Ragland Branch								
A	2,583 ²	102	993	3.2	558.7	558.7	559.0	0.3
B	3,323 ²	146	759	2.3	565.3	565.3	565.8	0.5
C	4,383 ²	59	218	6.9	571.0	571.0	571.0	0.0

¹Stream distance in feet above confluence with Marys Creek

²Stream distance in feet above confluence with Walnut Creek 3

³Elevation computed without consideration of backwater effects from Marys Creek

FEDERAL EMERGENCY MANAGEMENT AGENCY
TARRANT COUNTY, TX
AND INCORPORATED AREAS

FLOODWAY DATA

PLANTATION EAST CREEK – POND BRANCH - RAGLAND
BRANCH

TABLE 7

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY FEET (NAVD)	WITH FLOODWAY	INCREASE
Reynolds Branch								
A	1,260 ¹	160	940	4.6	682.1	679.0 ³	680.0	1.0
Rush Creek								
A	16,650 ²	912	4,046	6.7	510.8	510.8	510.9	0.1
B	15,970 ²	275	3,029	8.9	512.9	512.9	513.5	0.6
C	17,920 ²	570	5,131	5.2	519.1	519.1	520.0	0.9
D	20,200 ²	469	3,999	3.8	524.5	524.5	525.1	0.6
E	23,080 ²	340	4,865	5.6	531.0	531.0	532.0	1.0
F	26,280 ²	410	3,700	6.8	537.5	537.5	538.3	0.8
G	29,620 ²	433	4,348	3.9	541.7	541.7	542.6	0.9
H	31,480 ²	371	4,362	3.9	544.7	544.7	545.7	1.0
I	35,340 ²	290	2,921	5.6	551.4	551.4	552.3	0.9
J	40,020 ²	210	2,538	6.2	564.0	564.0	564.8	0.8
K	42,990 ²	320	3,025	4.9	570.3	570.3	570.9	0.6
L	44,520 ²	361	3,079	4.9	572.9	572.9	573.9	1.0
M	46,790 ²	510	4,412	3.2	578.5	578.5	579.2	0.7
N	48,830 ²	360	2,998	4.7	581.4	581.4	582.1	0.7
O	52,175 ²	300	2,222	6.3	590.0	590.0	590.9	0.9
P	56,790 ²	450	2,428	2.6	602.7	602.7	602.9	0.2
Q	60,645 ²	141	939	6.7	609.1	609.1	609.4	0.3
R	62,875 ²	220	1,631	3.4	615.5	615.5	616.2	0.7
S	64,955 ²	100	897	6.1	621.9	621.9	622.4	0.5
T	67,105 ²	230	1,217	3.8	629.2	629.2	630.2	1.0

¹Stream distance in feet above confluence with Ash Creek

²Stream distance in feet above confluence with Village Creek

³Elevation computed without consideration of backwater effects from Ash Creek

TABLE 7	FEDERAL EMERGENCY MANAGEMENT AGENCY TARRANT COUNTY, TX AND INCORPORATED AREAS	FLOODWAY DATA	
		REYNOLDS BRANCH – RUSH CREEK	

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY FEET (NAVD)	WITH FLOODWAY	INCREASE
Rush Creek (continued)								
U	70,305 ¹	109	507	3.9	637.5	637.5	638.4	0.9
V	71,755 ¹	150	470	4.2	643.0	643.0	644.0	1.0
W	72,690 ¹	150	476	4.2	646.9	646.9	647.7	0.8
X	73,385 ¹	300	900	2.0	651.6	651.6	652.6	1.0
Stream RC-1								
A	1,600 ²	189	805	8.5	498.2	498.2	498.4	0.2
B	2,620 ²	279	1,790	3.8	505.4	505.4	506.4	1.0
C	3,625 ²	350	5,235	0.7	528.7	528.7	529.7	1.0
D	5,585 ²	105	991	3.7	528.8	528.8	529.8	1.0
E	6,545 ²	100	829	4.4	536.9	536.9	537.5	0.6
F	8,235 ²	54	333	9.2	552.9	552.9	552.9	0.0
Stream RC-1(A)								
A	1,135 ³	236	694	4.6	531.2	531.2	532.2	1.0
B	1,970 ³	110	518	6.1	540.2	540.2	541.2	1.0
C	2,915 ³	70	460	5.4	547.6	547.6	548.1	0.5
D	3,650 ³	51	343	7.2	556.6	556.6	556.7	0.1

¹Stream distance in feet above confluence with Village Creek

²Stream distance in feet above confluence with Rush Creek

³Stream distance in feet above confluence with Stream RC-1

FEDERAL EMERGENCY MANAGEMENT AGENCY
TARRANT COUNTY, TX
AND INCORPORATED AREAS

FLOODWAY DATA

RUSH CREEK – STREAM RC-1 – STREAM RC-1(A)

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY FEET (NAVD)	WITH FLOODWAY	INCREASE
Stream RC-2								
A	1,415 ¹	70	412	6.8	518.8	518.8	519.8	1.0
B	2,060 ¹	100	427	6.5	526.7	526.7	527.4	0.7
C	2,790 ¹	109	546	5.1	532.3	532.3	533.3	1.0
D	3,450 ¹	49	288	6.7	537.5	537.5	538.3	0.8
E	4,905 ¹	56	332	5.8	556.2	556.2	557.2	1.0
Ryan's Branch								
A	800 ¹	108	706	4.4	547.2	547.2	548.2	1.0
B	2,770 ¹	110	644	4.3	559.5	559.5	560.3	0.8
C	4,475 ¹	148	942	3.0	574.1	574.1	574.8	0.7
Silver Creek								
A	10,410 ²	1,630	8,520	3.8	603.4	603.4	604.0	0.6

¹Stream distance in feet above confluence with Rush Creek

²Stream distance in feet above confluence with West Fork Trinity River

TABLE 7	FEDERAL EMERGENCY MANAGEMENT AGENCY TARRANT COUNTY, TX AND INCORPORATED AREAS	FLOODWAY DATA
		STREAM RC-2 – RYAN'S BRANCH SILVER CREEK

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY FEET (NAVD)	WITH FLOODWAY	INCREASE
Singing Hills Creek								
A	2,160	211	1,245	8.5	544.4	544.2 ²	544.8	0.6
B	2,820	350	3,222	3.3	551.0	551.0	551.8	0.8
C	3,930	350	1,997	5.3	552.8	552.8	553.5	0.7
D	4,850	221	1,578	6.7	556.9	556.9	557.6	0.7
E	6,070	198	1,550	6.8	562.3	562.3	563.1	0.8
F	7,710	220	1,564	6.7	574.3	574.3	574.9	0.6
G	9,460	87	430	21.0	574.8	574.8	574.8	0.0
H	10,000	89	447	20.1	577.2	577.2	577.2	0.0
I	10,420	82	399	22.6	578.6	578.6	578.6	0.0
J	11,200	65	297	19.5	584.1	584.1	584.1	0.0
K	12,360	117	947	6.1	594.6	594.6	594.8	0.2
L	12,740	245	796	7.3	598.0	598.0	598.1	0.1
M	13,495	95	425	9.3	601.0	601.0	601.7	0.7
N	14,440	63	202	19.5	602.9	602.9	602.9	0.0
O	15,295	55	165	23.9	607.1	607.1	607.1	0.0
P	15,450	279	1,270	6.2	618.5	618.5	619.3	0.8
Q	18,200	352	717	3.8	633.4	633.4	633.5	0.1
R	19,460	91	521	5.3	638.4	638.4	638.4	0.0
S	21,185	217	775	3.6	648.0	648.0	648.9	0.9
T	21,810	181	598	4.6	651.0	651.0	651.6	0.6
U	21,980	225	344	3.3	653.7	653.7	654.7	0.0

¹Stream distance in feet above confluence with Big Fossil Creek

²Elevation computed without consideration of backwater effects from Big Fossil Creek

TABLE 7	FEDERAL EMERGENCY MANAGEMENT AGENCY TARRANT COUNTY, TX AND INCORPORATED AREAS	FLOODWAY DATA
		SINGING HILLS CREEK

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY FEET (NAVD)	WITH FLOODWAY	INCREASE
South Creek								
A	1,940 ¹	210	1,395	7.0	578.2	578.2	578.6	0.4
B	4,910 ¹	320	2,070	4.6	594.4	594.4	595.4	1.0
C	7,350 ¹	350	2,126	4.5	602.1	602.1	602.8	0.7
D	8,000 ¹	320	1,503	6.3	605.8	605.8	606.3	0.5
E	9,050 ¹	300	2,128	3.9	611.6	611.6	612.5	0.9
F	9,910 ¹	200	849	9.9	616.2	616.2	616.3	0.1
G	10,860 ¹	226	1,628	5.2	620.9	620.9	621.1	0.2
H	12,280 ¹	180	999	4.8	627.2	627.2	627.4	0.2
I	13,090 ¹	180	937	5.1	629.8	629.8	630.1	0.3
J	14,570 ¹	210	846	6.0	637.9	637.9	637.9	0.0
K	16,880 ¹	332	874	4.7	645.8	645.8	646.8	1.0
North Branch of North Fork of South Creek								
A	149 ²	89	609	3.4	638.7	638.7	638.7	0.0
B	1,323 ²	50	330	6.4	644.6	644.6	645.3	0.7
C	1,847 ²	53	251	8.4	648.9	648.9	649.1	0.2

¹Stream distance in feet above confluence with Village Creek

²Stream distance in feet above confluence with North Fork of South Creek

TABLE 7	FEDERAL EMERGENCY MANAGEMENT AGENCY TARRANT COUNTY, TX AND INCORPORATED AREAS	FLOODWAY DATA
		SOUTH CREEK – NORTH BRANCH OF NORTH FORK OF SOUTH CREEK

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY FEET (NAVD)	WITH FLOODWAY	INCREASE
North Branch of North Fork of South Creek								
Split Flow								
A	565 ¹	60	76	16.5	624.7	624.7	624.7	0.0
B	1,275 ¹	53	63	16.3	629.6	629.6	629.6	0.0
C	2,845 ¹	81	241	0.4	644.6	644.6	644.6	0.0
D	3,750 ¹	89	101	0.9	644.6	644.6	644.7	0.1
E	4,570 ¹	87	111	0.8	644.6	644.6	644.7	0.1
North Fork of South Creek								
A	820 ²	247	761	3.8	623.4	623.4	623.4	0.0
B	1,100 ²	116	336	8.6	624.1	624.1	624.2	0.1
C	3,350 ²	99	435	6.6	633.4	633.4	633.4	0.0
D	4,340 ²	105	290	4.1	642.9	642.9	643.0	0.1
Sublett Creek								
A	1,880 ³	300	1,857	4.0	605.6	605.6	606.4	0.8
B	5,920 ³	240	1,193	6.3	618.5	618.5	619.4	0.9
C	8,235 ³	190	1,241	5.7	626.0	626.0	626.8	0.8
D	9,930 ³	301	1,710	4.1	631.4	631.4	632.4	1.0
E	13,480 ³	370	1,689	3.4	639.5	639.5	640.4	0.9
F	14,560 ³	250	1,404	3.1	644.4	644.4	645.3	0.9
G	17,260 ³	300	1,972	2.6	651.2	651.2	652.1	0.9
H	20,100 ³	270	1,189	3.2	658.4	658.4	659.4	1.0
I	21,720 ³	221	1,063	2.2	663.9	663.9	664.9	1.0

¹Stream distance in feet above confluence with North Fork of South Creek

²Stream distance in feet above confluence with South Creek

³Stream distance in feet above confluence with Rush Creek

FEDERAL EMERGENCY MANAGEMENT AGENCY
TARRANT COUNTY, TX
AND INCORPORATED AREAS

FLOODWAY DATA

NORTH BRANCH OF NORTH FORK OF SOUTH CREEK SPLIT FLOW – NORTH FORK OF SOUTH CREEK – SUBLETT CREEK

TABLE 7

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY FEET (NAVD)	WITH FLOODWAY	INCREASE
Sulphur Branch								
A	6,118	112	897	9.0	481.9	481.9	482.5	0.6
B	6,465	545	2,015	5.9	487.1	487.1	487.7	0.6
C	6,777	55	1,784	6.4	487.3	487.3	487.8	0.5
D	7,009	393	1,504	6.9	487.4	487.4	487.9	0.5
E	7,658	233	531	11.5	489.2	489.2	489.2	0.0
F	8,163	47	262	22.4	489.2	489.2	489.2	0.0
G	8,825	47	258	22.7	489.9	489.9	489.9	0.0
H	9,788	47	267	22.0	495.3	495.3	495.3	0.0
I	10,357	47	280	20.9	498.6	498.6	498.6	0.0
J	10,991	100	992	5.7	508.0	508.0	508.4	0.4
K	11,740	75	493	12.1	509.0	509.0	509.9	0.9
L	13,277	80	751	6.9	513.3	513.3	513.9	0.6
M	13,878	55	272	14.4	516.9	516.9	516.9	0.0
N	14,954	75	468	6.1	525.5	525.5	525.5	0.0
O	16,933	62	371	7.7	542.1	542.1	542.1	0.0
P	17,838	64	439	6.5	551.5	551.5	551.5	0.0
Q	19,244	38	324	9.7	558.4	558.4	558.4	0.0
R	20,791	46	309	8.5	563.6	563.6	564.1	0.5
S	22,238	30	143	9.1	568.0	568.0	568.0	0.0
T	23,915	34	121	10.8	580.3	580.3	580.3	0.0
U	24,640	31	204	6.4	588.7	588.7	589.7	0.4
V	25,689	16	36	8.4	593.6	593.6	593.6	0.0

¹Stream distance in feet above confluence with Walker Branch

FEDERAL EMERGENCY MANAGEMENT AGENCY
TARRANT COUNTY, TX
AND INCORPORATED AREAS

FLOODWAY DATA

SULPHUR BRANCH

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY FEET (NAVD)	WITH FLOODWAY	INCREASE
Stream SB-1								
A	590	31	183	11.3	523.6	523.6	523.6	0.0
B	1,375	72	418	4.9	534.7	534.7	535.6	0.9
C	1,614	110	421	4.9	535.8	535.8	536.1	0.3
D	2,829	97	392	3.4	544.0	544.0	544.0	0.0
E	3,237	61	270	4.9	547.8	547.8	547.8	0.0
F	3,791	35	92	14.4	556.8	556.8	556.8	0.0
G	4,856	215	866	1.0	572.1	572.1	572.1	0.0
H	5,614	78	229	3.9	574.2	574.2	574.2	0.0
I	6,066	56	146	6.2	577.3	577.3	577.3	0.0
J	6,468	90	274	3.3	581.2	581.2	581.5	0.3
K	6,943	61	181	5.0	584.9	584.9	584.9	0.0
L	7,388	40	92	7.4	590.4	590.4	590.4	0.0
M	8,291	158	193	3.5	600.0	600.0	600.0	0.0

¹Stream distance in feet above confluence with Sulphur Branch

TABLE 7	FEDERAL EMERGENCY MANAGEMENT AGENCY TARRANT COUNTY, TX AND INCORPORATED AREAS	FLOODWAY DATA
		STREAM SB-1

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY FEET (NAVD)	WITH FLOODWAY	INCREASE
Sycamore Creek								
A	339	1,833	6,596	4.3	521.9	521.9	522.0	0.1
B	1,056	291	3,834	7.5	522.6	522.6	522.6	0.0
C	2,510	313	3,650	7.8	524.9	524.9	525.6	0.7
D	3,724	520	8,105	3.6	528.5	528.5	529.4	0.9
E	6,422	713	4,061	7.1	529.2	529.2	530.2	1.0
F	6,945	606	6,281	5.2	532.5	532.5	533.0	0.5
G	8,473	370	2,462	11.7	533.5	533.5	533.7	0.2
H	9,385	239	3,204	9.0	540.8	540.8	541.5	0.7
I	10,375	540	6,414	4.5	542.8	542.8	543.3	0.5
J	11,860	436	3,593	7.9	543.7	543.7	544.7	1.0
K	13,843	562	6,771	4.2	552.2	552.2	552.3	0.1
L	15,536	451	2,917	9.4	553.1	553.1	553.5	0.4
M	18,266	635	7,382	3.6	561.4	561.4	562.3	0.9
N	19,937	613	3,396	7.8	566.5	566.5	566.8	0.3
O	21,372	530	6,022	4.4	573.9	573.9	574.7	0.8
P	23,535	354	4,626	5.7	577.7	577.7	577.9	0.2
Q	25,308	199	3,212	8.0	580.9	580.9	581.5	0.6
R	26,703	428	6,236	4.1	587.2	587.2	587.6	0.4
S	29,441	235	3,469	7.0	589.8	589.8	590.7	0.9
T	31,891	511	4,596	5.3	602.9	602.9	602.9	0.0
U	34,956	323	2,168	10.5	608.4	608.4	608.8	0.4
V	36,387	591	3,471	6.6	614.7	614.7	614.7	0.0

¹Stream distance in feet above the confluence with West Fork Trinity River

TABLE 7	FEDERAL EMERGENCY MANAGEMENT AGENCY TARRANT COUNTY, TX AND INCORPORATED AREAS	FLOODWAY DATA
		SYCAMORE CREEK

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY FEET (NAVD)	WITH FLOODWAY	INCREASE
Sycamore Creek (continued)								
W	37,718	172	2,040	11.2	621.5	621.5	621.5	0.0
X	39,761	305	3,765	6.1	632.1	632.1	632.9	0.8
Y	42,815	416	3,329	6.8	642.4	642.4	642.5	0.1
Z	44,704	330	3,674	5.9	648.3	648.3	648.3	0.0
AA	45,454	403	3,556	6.1	650.1	650.1	650.1	0.0
AB	47,987	853	4,730	4.5	660.8	660.8	661.5	0.7
AC	50,635	230	1,315	8.6	668.0	668.0	668.9	0.9
AD	52,006	310	2,705	4.2	676.9	676.9	677.2	0.3
AE	55,556	230	1,083	7.8	688.8	688.8	689.4	0.6
AF	58,080	150	1,528	5.5	701.3	701.3	701.6	0.3
AG	61,305	274	1,455	2.3	718.8	718.8	719.7	0.9
AH	64,615	223	874	3.9	731.2	731.2	732.1	0.9
AI	67,561	112	348	6.6	741.8	741.8	742.4	0.6
AJ	69,554	250	747	3.1	749.9	749.9	750.3	0.4
AK	71,971	70	279	8.3	759.9	759.9	760.2	0.3
AL	73,164	195	1,644	1.9	768.1	768.1	768.7	0.6
AM	74,326	165	683	3.0	769.6	769.6	770.2	0.6
AN	75,592	185	316	4.5	774.2	774.2	774.5	0.3
AO	77,625	225	526	2.7	780.5	780.5	781.2	0.7
AP	78,802	153	453	2.8	786.3	786.3	786.4	0.1
AQ	81,514	286	339	2.1	801.2	801.2	801.3	0.1
AR	82,037	79	188	3.8	804.2	804.2	804.7	0.5

¹Stream distance in feet above confluence with West Fork Trinity River

**FEDERAL EMERGENCY MANAGEMENT AGENCY
TARRANT COUNTY, TX
AND INCORPORATED AREAS**

FLOODWAY DATA

SYCAMORE CREEK

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY FEET (NAVD)	WITH FLOODWAY	INCREASE
Stream SC-1								
A	1,980	48	490	4.8	532.6	532.6	532.6	0.0
B	2,420	64	502	4.7	533.3	533.3	533.5	0.2
C	3,280	46	251	9.3	543.3	543.3	543.3	0.0
D	3,880	61	502	4.7	550.4	550.4	550.5	0.1
E	5,170	49	587	4.0	560.9	560.9	561.6	0.7
F	6,540	56	340	6.9	578.3	578.3	578.3	0.0
G	7,620	109	529	4.4	603.4	603.4	604.4	1.0
Stream SC-2								
A	2,000	133	3,371	0.7	544.5	544.5	544.7	0.2
B	2,750	103	2,526	0.9	544.5	544.5	544.7	0.2
C	3,520	231	748	3.1	546.2	546.2	546.7	0.5
D	4,220	223	444	5.3	550.7	550.7	551.5	0.8
E	4,620	188	451	5.2	562.2	562.2	563.0	0.8
F	5,190	149	384	6.1	570.9	570.9	571.6	0.7
Stream SC-3								
A	2,070	48	487	6.4	567.7	567.7	568.0	0.3
B	3,480	148	348	8.9	581.7	581.7	581.9	0.2
C	4,250	82	298	6.8	590.0	590.0	590.4	0.4
D	5,050	75	261	7.5	602.4	602.4	602.4	0.0
Stream SC-4								
A	1,030	104	176	3.1	584.1	584.1	584.1	0.0
B	2,160	66	83	11.3	587.4	587.4	587.4	0.0
C	2,820	69	83	11.4	590.7	590.7	590.7	0.0
D	3,550	27	88	10.3	595.8	595.8	595.8	0.0

¹Stream distance in feet above confluence with Sycamore Creek

TABLE 7	FEDERAL EMERGENCY MANAGEMENT AGENCY TARRANT COUNTY, TX AND INCORPORATED AREAS	FLOODWAY DATA
		STREAM SC-1 – STREAM SC-2 – STREAM SC-3 – STREAM SC-4

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE
Stream SC-5 Bypass Channel								
A	186	80	731	6.7	587.3	587.3	588.1	0.8
B	461	80	346	10.7	589.2	589.2	589.2	0.0

¹Stream distance in feet above confluence with Stream SC-5

TABLE 7	FEDERAL EMERGENCY MANAGEMENT AGENCY TARRANT COUNTY, TX AND INCORPORATED AREAS	FLOODWAY DATA
		STREAM SC-5 BYPASS CHANNEL

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE
FEET (NAVD)								
Stream SC-5								
A	2,050	146	527	1.3	587.9	587.9	588.6	0.7
B	3,455	185	755	5.7	597.2	597.2	597.9	0.7
C	4,900	150	1,881	2.4	616.6	616.6	616.6	0.0
D	5,800	80	858	3.6	628.9	628.9	629.8	0.9
E	6,990	180	683	4.5	630.9	630.9	631.5	0.6
Stream SC-6								
A	900	74	2,910	0.9	656.5	656.5	656.9	0.4
B	1,670	76	480	5.3	656.5	656.5	656.9	0.4
C	2,480	85	357	7.1	664.6	664.6	664.6	0.0
D	2,840	252	291	6.2	666.9	666.9	666.9	0.0
E	3,560	57	267	6.7	668.4	668.4	668.5	0.1
F	4,130	60	999	1.8	682.8	682.8	683.4	0.6
G	4,590	44	841	2.1	683.0	683.0	683.6	0.6
H	5,135	60	532	3.4	692.3	692.3	692.8	0.5
Stream SC-7								
A	1,980	239	626	6.6	707.6	707.6	707.7	0.1
B	2,530	196	531	8.7	709.7	709.7	710.0	0.3
C	4,790	83	449	10.3	726.6	726.6	726.6	0.0
D	9,166	186	1,121	3.9	748.9	748.9	749.5	0.6
E	10,030	172	940	3.7	752.2	752.2	752.8	0.6
F	12,310	108	783	4.4	761.2	761.2	762.0	0.8
G	14,980	245	485	7.1	768.8	768.8	768.8	0.0
H	17,905	93	233	6.3	778.5	778.5	778.5	0.0

¹Stream distance in feet above confluence with Sycamore Creek

TABLE 7	FEDERAL EMERGENCY MANAGEMENT AGENCY TARRANT COUNTY, TX AND INCORPORATED AREAS	FLOODWAY DATA
		STREAM SC-5 – STREAM SC-6 – STREAM SC-7

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE
FEET (NAVD)								
Unnamed Tributary 7 to Sycamore Creek								
A	909 ¹	212	127	8.2	775.6	775.6	775.7	0.1
B	1,499 ¹	112	120	7.7	778.5	778.5	779.0	0.5
C	2,615 ¹	99	81	3.2	786.2	786.2	786.9	0.7
D	3,390 ¹	9	20	8.4	799.6	799.6	800.4	0.8
Unnamed Tributary to Unnamed Tributary 7 to Sycamore Creek								
A	287 ²	25	59	7.5	786.0	786.0	786.2	0.2
B	1,155 ²	25	60	5.9	791.8	791.8	791.9	0.1
C	3,090 ²	20	21	5.9	810.9	810.9	811.0	0.1

¹Stream distance in feet above confluence with Sycamore Creek

²Stream distance in feet above confluence with Unnamed Tributary 7 to Sycamore Creek

TABLE 7	FEDERAL EMERGENCY MANAGEMENT AGENCY TARRANT COUNTY, TX AND INCORPORATED AREAS	FLOODWAY DATA
		UNNAMED TRIBUTARY 7 TO SYCAMORE CREEK – UNNAMED TRIBUTARY TO UNNAMED TRIBUTARY 7 TO SYCAMORE CREEK

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE
FEET (NAVD)								
Timber Creek								
	A	820 ¹	102	995	5.6	618.1	618.1	618.4
	B	2,294 ¹	77	524	10.7	624.0	624.0	624.6
	C	3,591 ¹	125	792	5.4	637.3	637.3	637.4
	D	4,676 ¹	184	1486	2.4	645.6	645.6	645.7
	E	5,521 ¹	130	665	5.4	647.4	647.4	648.0
	F	6,430 ¹	139	936	3.8	657.6	657.6	658.1
	G	7,388 ¹	54	471	7.1	660.0	660.0	660.4
	H	8,537 ¹	318	533	4.1	668.4	668.4	668.4
	I	9,434 ¹	413	639	3.4	674.4	674.4	674.8
	J	10,056 ¹	946	2101	1.0	680.7	680.7	680.7
	K	11,725 ¹	194	198	4.2	687.2	687.2	687.7
	L	12,499 ¹	235	248	3.4	693.8	693.8	693.8
South Timber Creek								
	A	164 ²	25	61	8.7	730.5	730.5	730.5
	B	473 ²	30	63	8.4	735.5	735.5	735.5
Tributary B								
	A	1,400 ³	70	182	8.5	551.5	551.5	551.5
	B	2,669 ³	241	2,045	0.8	570.7	570.7	570.7
	C	3,618 ³	18	60	9.1	574.0	574.0	574.5
	D	4,288 ³	26	106	4.3	586.9	586.9	586.9

¹Stream distance in feet above confluence with Clear Fork Trinity River

²Stream distance in feet above Cozby West Storm Drain inlet

³Stream distance in feet above confluence with Big Fossil Creek

FEDERAL EMERGENCY MANAGEMENT AGENCY
TARRANT COUNTY, TX
AND INCORPORATED AREAS

FLOODWAY DATA

TIMBER CREEK – SOUTH TIMBER CREEK - TRIBUTARY B

TABLE 7

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY FEET (NAVD)	WITH FLOODWAY	INCREASE
Tributary C								
A	410 ¹	42	225	8.9	556.5	556.5	556.5	0.0
B	1,190 ¹	60	173	9.7	567.5	567.5	567.5	0.0
C	3,049 ¹	54	175	9.6	582.5	582.5	582.5	0.0
D	4,101 ¹	70	241	3.3	590.9	590.9	591.6	0.7
Twin Springs Draw								
A	430 ²	220	2,744	1.0	558.1	558.1	559.1	1.0
B	1,500 ²	184	2,088	1.1	571.8	571.8	572.2	0.4
C	2,580 ²	79	383	5.5	576.6	576.6	577.3	0.7

¹Stream distance in feet above confluence with Little Fossil Creek

²Stream distance in feet above confluence with Rush Creek

TABLE 7	FEDERAL EMERGENCY MANAGEMENT AGENCY TARRANT COUNTY, TX AND INCORPORATED AREAS	FLOODWAY DATA
		TRIBUTARY C – TWIN SPRINGS DRAW

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY FEET (NAVD)	WITH FLOODWAY	INCREASE
Valley View Branch								
A	2,490	112	706	5.4	491.3	491.3	492.2	0.9
B	3,700	170	1,238	3.1	501.9	501.9	502.0	0.1
C	4,475	57	532	7.2	506.7	506.7	506.9	0.2
D	5,090	76	560	6.8	507.8	507.8	508.4	0.6
E	5,520	110	795	5.3	507.9	507.9	508.8	0.9
F	7,080	200	568	7.4	513.1	513.1	513.1	0.0
G	8,310	180	510	8.4	525.6	525.6	525.6	0.0
H	9,350	200	969	4.3	533.9	533.9	534.0	0.1
I	10,855	240	580	6.0	543.3	543.3	543.4	0.1
J	11,210	180	800	4.3	547.2	547.2	547.4	0.2
K	12,300	115	610	5.7	551.7	551.7	552.2	0.5
L	12,775	200	659	5.3	555.2	555.2	555.4	0.2
M	14,155	100	360	9.6	558.9	558.9	559.1	0.2
N	14,832	58	572	4.8	562.8	562.8	563.7	0.9
O	15,436	59	435	6.4	562.9	562.9	563.8	0.9
P	17,390	150	520	5.3	575.0	575.0	575.9	0.9
Q	17,790	200	897	3.1	576.6	576.6	577.5	0.9
R	19,150	135	497	5.6	582.7	582.7	583.0	0.3
S	20,350	81	286	9.7	588.2	588.2	588.2	0.0

¹Stream distance in feet above confluence with Walker Branch

FEDERAL EMERGENCY MANAGEMENT AGENCY
TARRANT COUNTY, TX
AND INCORPORATED AREAS

FLOODWAY DATA

VALLEY VIEW BRANCH

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY FEET (NAVD)	WITH FLOODWAY	INCREASE
Stream VVB-1								
A	270 ¹	250	717	1.5	586.5	584.6 ²	585.5	0.9
B	1,060 ¹	49	122	9.0	586.5	585.3 ²	585.3	0.0
C	2,150 ¹	28	77	6.5	593.1	593.1	593.1	0.0
Village Creek								
A	1,600 ³	1900	13,265	2.7	480.2	478.2 ⁴	479.2	1.0
B	6,090 ³	1,735	16,357	2.2	480.2	480.2	480.9	0.7
C	7,750 ³	1,420	14,103	2.3	480.7	480.7	481.3	0.6
D	9,995 ³	691	10,495	3.1	483.3	483.3	483.7	0.4
E	14,270 ³	1,010	14,227	2.5	488.9	488.9	489.3	0.4
F	17,170 ³	2,525	18,657	1.9	490.2	490.2	490.6	0.4
G	26,710 ³	3,412	3,397	10.3	494.5	494.5	494.5	0.0
H	33,427 ³	1,400	6,773	3.7	505.0	505.0	505.8	0.8
I	62,300 ³	1,250	13,809	4.1	568.9	568.9	568.9	0.0
J	63,550 ³	1,300	14,776	3.9	569.7	569.7	570.1	0.4
K	65,140 ³	1,470	17,026	3.3	573.2	573.2	573.9	0.7
L	67,660 ³	1,530	15,108	3.7	574.9	574.9	575.9	1.0
M	68,680 ³	1,300	10,039	4.8	577.9	577.9	578.0	0.1
N	71,000 ³	1,600	14,747	3.8	579.6	579.6	579.7	0.1
O	73,550 ³	1,840	10,263	5.3	582.1	582.1	582.1	0.0
P	79,070 ³	2,001	15,288	3.6	590.3	590.3	591.1	0.8
Q	84,520 ³	963	12,267	4.4	598.2	598.2	599.2	1.0
R	86,600 ³	1,400	13,124	4.1	602.4	602.4	603.3	0.9

¹Stream distance in feet above confluence with Valley View Branch

²Elevation computed without consideration of backwater effects from Valley View Branch

³Stream distance in feet above confluence with West Fork Trinity River

⁴Elevation computed without consideration of backwater effects from West Fork Trinity River

TABLE 7	FEDERAL EMERGENCY MANAGEMENT AGENCY TARRANT COUNTY, TX AND INCORPORATED AREAS	FLOODWAY DATA	
		STREAM VVB-1 – VILLAGE CREEK	

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION				
CROSS SECTION	DISTANCE	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE	
FEET (NAVD)									
Village Creek (continued)									
S	90,600 ¹	1,500	12,295	4.4	608.2	608.2	609.1	0.9	
T	95,230 ¹	1,600	15,656	3.5	617.9	617.9	618.5	0.6	
U	100,070 ¹	1,177	13,065	4.2	627.9	627.9	628.1	0.2	
V	107,400 ¹	1,700	11,596	3.4	640.3	640.3	641.1	0.8	
W	110,700 ¹	1,100	9,057	4.4	645.8	645.8	646.5	0.7	
X	114,280 ¹	1,250	11,717	3.4	650.5	650.5	651.4	0.9	
Y	116,150 ¹	1,000	7,963	5.0	654.6	654.6	655.1	0.5	
Z	120,640 ¹	1700	10,175	3.6	657.4	657.4	658.2	0.8	
AA	125,670 ¹	1,520	6,027	3.7	666.3	666.3	666.6	0.3	
Stream VC(A)-1									
A	2,125 ²	240	2,547	2.7	482.6	482.6	483.3	0.7	
B	4,000 ²	103	1,173	5.7	489.7	489.7	490.3	0.6	
C	5,030 ²	100	1,127	5.7	492.6	492.6	493.5	0.9	
D	6,840 ²	243	892	4.6	503.2	503.2	504.1	0.9	
E	8,720 ²	106	612	6.7	522.9	522.9	522.9	0.0	
F	10,225 ²	113	1,295	2.8	539.2	539.2	539.2	0.0	
G	10,550 ²	118	1,858	1.9	544.9	544.9	545.7	0.8	

¹Stream distance in feet above confluence with West Fork Trinity River

²Stream distance in feet above confluence with Village Creek

FEDERAL EMERGENCY MANAGEMENT AGENCY
TARRANT COUNTY, TX
AND INCORPORATED AREAS

FLOODWAY DATA

VILLAGE CREEK – STREAM VC(A)-1

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY FEET (NAVD)	WITH FLOODWAY	INCREASE
Stream VC(A)-2								
A	640 ¹	139	2,332	9.3	516.5	516.5	516.5	0.0
B	1,070 ¹	201	1,726	12.5	531.9	531.9	532.0	0.1
C	2,690 ¹	940	2,977	7.3	560.7	560.7	560.7	0.0
D	3,730 ¹	970	3,446	6.3	564.0	564.0	564.0	0.0
Stream VC-1								
A	2,415 ²	180	1,096	3.1	564.9	564.9	565.8	0.9
B	3,960 ²	300	1,051	3.3	568.4	568.4	569.3	0.9
C	5,160 ²	66	472	7.3	574.9	574.9	575.2	0.3
D	7,330 ²	200	712	4.8	582.9	582.9	583.3	0.4
E	9,227 ²	150	802	4.3	591.7	591.7	592.5	0.8
F	10,820 ²	60	437	8.7	598.9	598.9	599.3	0.4
G	12,050 ²	150	707	5.3	605.5	605.5	606.4	0.9
Stream VC-2								
A	4,800 ²	148	1,346	4.0	578.3	578.3	578.6	0.3
B	7,550 ²	109	643	8.5	588.6	588.6	588.7	0.1
C	9,700 ²	124	915	6.0	604.7	604.7	605.3	0.6
D	11,910 ²	250	940	5.8	614.0	614.0	614.4	0.4
E	12,850 ²	129	971	6.3	619.4	619.4	619.5	0.1
F	14,200 ²	191	1,449	3.8	626.8	626.8	627.5	0.7
G	16,100 ²	240	648	4.6	630.3	630.3	630.7	0.4
H	18,000 ²	382	600	5.0	638.3	638.3	638.5	0.2

¹Stream distance in feet above confluence with Village Creek

²Stream distance in feet above confluence with Lake Arlington

FEDERAL EMERGENCY MANAGEMENT AGENCY
TARRANT COUNTY, TX
AND INCORPORATED AREAS

FLOODWAY DATA

**STREAM VC(A)-2 – STREAM VC-1
STREAM VC-2**

TABLE 7

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION				
CROSS SECTION	DISTANCE	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY FEET (NAVD)	WITH FLOODWAY	INCREASE	
Stream VC-2A									
A	683 ¹	311	169	7.4	584.4	584.4	584.5	0.1	
B	2,400 ¹	160	66	10.3	600.0	600.0	600.0	0.0	
Stream VC-3									
A	2,930 ²	223	454	7.5	569.5	565.8 ³	566.8	1.0	
B	3,800 ²	90	462	7.4	574.9	574.9	575.2	0.3	
C	4,730 ²	71	597	5.7	580.6	580.6	581.5	0.9	
D	6,370 ²	40	304	7.4	591.3	591.3	592.1	0.8	
E	8,880 ²	30	166	8.7	616.4	616.4	616.4	0.0	
Stream VC-4									
A	2,790 ²	315	1,522	4.5	577.8	577.8	578.8	1.0	
B	3,670 ²	150	1,308	5.2	583.9	583.9	584.7	0.8	
C	4,820 ²	150	1,231	5.5	587.8	587.8	588.5	0.7	
D	6,130 ²	160	1,191	5.7	592.9	592.9	593.9	1.0	
E	7,000 ²	310	1,967	3.5	595.4	595.4	596.3	0.9	
F	9,000 ²	177	1,201	5.2	602.4	602.4	603.3	0.9	
G	10,610 ²	356	1,832	3.4	609.6	609.6	610.5	0.9	
H	11,300 ²	180	990	4.5	611.5	611.5	612.3	0.8	

¹Stream distance in feet above confluence with Stream VC-2

²Stream distance in feet above confluence with Village Creek

³Elevation computed without consideration of backwater effects from Village Creek

FEDERAL EMERGENCY MANAGEMENT AGENCY
TARRANT COUNTY, TX
AND INCORPORATED AREAS

FLOODWAY DATA

STREAM VC-2A - STREAM VC-3 – STREAM VC-4

TABLE 7

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY FEET (NAVD)	WITH FLOODWAY	INCREASE
Stream VC-4A								
A	350 ¹	112	564	5.5	611.5	611.5	612.5	1.0
B	1,480 ¹	109	449	6.9	619.6	619.6	620.5	0.9
C	1,780 ¹	145	622	5.0	623.3	623.3	623.9	0.6
Stream VC-5								
A	3,200 ²	310	1,026	4.3	604.9	604.9	605.9	1.0
B	5,280 ²	180	926	4.8	615.7	615.7	616.6	0.9
C	6,800 ²	151	868	5.1	622.0	622.0	622.7	0.7
D	8,310 ²	179	881	5.0	627.9	627.9	628.5	0.6
E	10,650 ²	180	1,071	4.1	636.1	636.1	636.8	0.7
F	14,330 ²	200	1,111	4.0	646.9	646.9	647.7	0.8
G	16,835 ²	220	961	4.6	656.5	656.5	657.1	0.6
H	18,835 ²	150	720	6.2	665.1	665.1	665.5	0.4
I	21,070 ²	240	1,531	2.9	673.9	673.9	674.2	0.3
J	24,000 ²	300	1,020	3.9	681.6	681.6	682.1	0.5
K	25,770 ²	300	926	4.3	688.7	688.7	689.1	0.4
Stream VC-6								
A	5,050 ²	460	1,509	2.4	637.6	637.6	638.6	1.0
B	7,820 ²	183	688	4.6	654.0	654.0	654.9	0.9
C	12,230 ²	282	1,159	2.7	673.8	673.8	674.5	0.7
D	14,625 ²	160	688	3.7	682.8	682.8	683.7	0.9

¹Stream distance in feet above confluence with Stream VC-4

²Stream distance in feet above confluence with Village Creek

FEDERAL EMERGENCY MANAGEMENT AGENCY
TARRANT COUNTY, TX
AND INCORPORATED AREAS

FLOODWAY DATA

**STREAM VC 4A - STREAM VC-5
 STREAM VC-6**

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY FEET (NAVD)	WITH FLOODWAY	INCREASE
Stream VC-7								
A	2,910	109	476	6.2	644.6	644.6	644.8	0.2
B	4,040	150	1,018	2.9	649.2	649.2	649.9	0.7
C	6,740	150	722	4.1	656.4	656.4	656.9	0.5
D	8,990	250	533	5.5	663.3	663.3	663.5	0.2
E	11,340	250	862	3.4	671.6	671.6	671.8	0.2
F	12,800	350	1,436	2.1	677.4	677.4	678.3	0.9

¹Stream distance in feet above confluence with Village Creek

TABLE 7	FEDERAL EMERGENCY MANAGEMENT AGENCY TARRANT COUNTY, TX AND INCORPORATED AREAS	FLOODWAY DATA
		STREAM VC-7

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY FEET (NAVD)	WITH FLOODWAY	INCREASE
Walker Branch								
A	22,150	1,200	5,328	3.9	491.4	491.4	492.3	0.9
B	24,800	1,079	8,140	2.5	500.9	500.9	501.6	0.7
C	27,228	599	1,066	3.8	505.5	505.5	506.4	0.9
D	28,220	341	2,028	5.7	508.8	508.8	509.0	0.2
E	29,760	125	2,492	6.4	513.5	513.5	513.7	0.2
F	30,700	108	1,124	6.4	515.0	515.0	515.7	0.7
G	31,683	67	554	10.5	517.6	517.6	518.5	0.9
H	32,700	67	681	8.4	523.8	523.8	524.0	0.2
I	33,652	96	510	10.7	525.7	525.7	526.2	0.5
J	34,200	66	405	14.1	527.7	527.7	527.7	0.0
K	35,200	77	643	9.0	534.7	534.7	534.7	0.0
L	36,000	63	415	10.4	537.7	537.7	537.7	0.0
M	36,387	92	646	6.4	544.6	544.6	544.8	0.2
N	36,791	92	663	6.0	545.7	545.7	545.9	0.2
O	42,340	65	502	9.7	565.0	565.0	565.8	0.8
P	43,585	66	524	9.3	572.3	572.3	572.5	0.2
Q	44,240	100	872	3.5	575.9	575.9	576.4	0.5
R	44,926	155	1,426	2.1	579.5	579.5	580.1	0.6
S	46,231	164	909	3.3	580.2	580.2	580.7	0.5
T	47,278	151	583	5.2	582.8	582.8	582.8	0.0
U	48,169	96	506	6.0	586.9	586.9	587.2	0.3
V	49,156	140	760	4.0	589.9	589.9	590.6	0.7
W	49,971	252	1,767	1.7	591.9	591.9	592.7	0.8
X	51,278	126	923	3.3	592.2	592.2	592.9	0.7
Y	51,441	156	1,377	2.2	595.0	595.0	595.0	0.0

¹Stream distance in feet above confluence with West Fork Trinity River

FEDERAL EMERGENCY MANAGEMENT AGENCY
TARRANT COUNTY, TX
AND INCORPORATED AREAS

FLOODWAY DATA

WALKER BRANCH

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY FEET (NAVD)	WITH FLOODWAY	INCREASE
Walker Branch (Continued)								
Z	52,775	103	658	4.6	595.1	595.1	595.1	0.0
AA	52,997	104	608	5.0	602.5	602.5	602.6	0.1
AB	53,943	65	306	9.9	605.5	605.5	605.6	0.1
AC	54,144	84	459	6.6	607.8	607.8	608.2	0.4
AD	55,642	70	386	3.1	613.6	613.6	614.5	0.9
AE	56,948	43	123	9.7	617.9	617.9	617.9	0.0
AF	57,395	67	150	7.9	621.7	621.7	621.7	0.0
AG	58,957	45	158	7.5	632.2	632.2	632.3	0.1
AH	59,740	42	164	7.3	636.0	636.0	636.3	0.3

¹Stream distance in feet above confluence with West Fork Trinity River

TABLE 7	FEDERAL EMERGENCY MANAGEMENT AGENCY TARRANT COUNTY, TX AND INCORPORATED AREAS	FLOODWAY DATA
		WALKER BRANCH

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY FEET (NAVD)	WITH FLOODWAY	INCREASE
Stream WKB-1								
A	270 ¹	60	215	4.6	603.3	603.2 ³	603.8	0.6
B	855 ¹	68	214	4.6	606.9	606.9	606.9	0.0
C	1,850 ¹	43	186	5.3	620.2	620.2	620.3	0.1
D	2,550 ¹	76	262	3.7	625.9	625.9	626.6	0.7
Walnut Creek 1								
A	16,420 ²	1,899	12,940	3.5	657.4	654.9 ⁴	655.9	1.0
B	17,600 ²	1,227	10,585	4.2	658.3	658.3	659.1	0.8
C	20,360 ²	1,150	11,825	3.8	663.2	663.2	664.0	0.8
D	21,460 ²	1,060	10,472	4.3	664.8	664.8	665.7	0.9
E	22,660 ²	1,520	15,454	2.9	667.4	667.4	668.2	0.8

¹Stream distance in feet above confluence with Walker Branch

²Stream distance in feet above confluence with West Fork Trinity River

³Elevation computed without consideration of backwater effects from Walker Branch

⁴Elevation computed without consideration of backwater effects from Eagle Mountain Lake

TABLE 7	FEDERAL EMERGENCY MANAGEMENT AGENCY TARRANT COUNTY, TX AND INCORPORATED AREAS	FLOODWAY DATA
		STREAM WKB-1 – WALNUT CREEK 1

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY FEET (NAVD)	WITH FLOODWAY	INCREASE
Walnut Creek 2								
A	2,000	600	1,834	7.6	636.5	636.5	636.9	0.4
B	4,500	300	1,864	7.5	651.3	651.3	651.4	0.1
C	5,380	267	3,044	4.6	660.8	660.8	660.8	0.0
D	6,420	296	1,951	7.1	662.6	662.6	662.6	0.0
E	9,000	107	896	10.2	673.5	673.5	673.8	0.3
F	10,520	250	1,701	5.4	685.7	685.7	685.7	0.0
G	11,920	123	1,026	8.9	692.3	692.3	692.6	0.3
H	13,960	110	1,030	8.5	700.9	700.9	701.9	1.0
I	15,440	145	1,167	7.5	708.9	708.9	709.9	1.0
J	17,470	106	746	11.1	726.1	726.1	726.1	0.0
K	19,550	127	967	8.6	742.3	742.3	742.4	0.1
L	22,380	165	999	8.7	758.6	758.6	759.5	0.9

¹Stream distance in feet above confluence with Marys Creek

TABLE 7	FEDERAL EMERGENCY MANAGEMENT AGENCY TARRANT COUNTY, TX AND INCORPORATED AREAS	FLOODWAY DATA
		WALNUT CREEK 2

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY FEET (NAVD)	WITH FLOODWAY	INCREASE
Walnut Creek 3								
A	9,751	200	3,786	7.3	541.3	541.3	541.8	0.5
B	15,176	250	2,729	10.1	546.1	546.1	547.1	1.0
C	17,730	496	6,705	4.2	554.7	554.7	555.3	0.6
D	19,578	480	5,355	5.2	557.3	557.3	557.9	0.6
E	21,564	520	5,374	5.2	560.4	560.4	561.2	0.8
F	23,889	557	6,739	4.2	565.0	565.0	565.2	0.2
G	26,369	600	6,103	4.6	566.2	566.2	566.5	0.3
H	28,254	700	5,826	4.9	567.7	567.7	568.1	0.4
I	32,471	784	6,031	4.6	572.8	572.8	573.0	0.2
J	34,675	744	8,279	3.3	580.7	580.7	580.7	0.0
K	36,614	676	6,779	4.1	582.9	582.9	583.0	0.1
L	37,798	802	8,797	3.1	584.6	584.6	584.9	0.3
M	39,544	804	7,610	3.6	586.0	586.0	586.5	0.5
N	40,892	465	5,500	5.0	588.0	588.0	588.3	0.3
O	44,246	889	8,124	3.4	590.8	590.8	591.6	0.8
P	46,287	687	5,946	4.6	593.8	593.8	594.3	0.5
Q	49,289	935	8,990	3.1	597.5	597.5	597.9	0.4
R	52,763	940	8,091	2.8	600.1	600.1	600.7	0.6
S	54,758	1230	7,691	3.0	601.7	601.7	602.2	0.5
T	56,876	1235	7,289	3.1	603.9	603.9	604.3	0.4
U	58,572	1080	7,370	3.1	606.0	606.0	606.3	0.3

¹Stream distance in feet above confluence with Lake Joe Pool

TABLE 7	FEDERAL EMERGENCY MANAGEMENT AGENCY TARRANT COUNTY, TX AND INCORPORATED AREAS	FLOODWAY DATA
		WALNUT CREEK 3

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE
FEET (NAVD)								
Watson Branch								
A	2,130	39	246	11.0	580.8	577.4 ²	578.2	0.8
B	2,919	62	449	6.0	586.4	586.4	586.4	0.0
C	5,785	104	480	5.6	604.2	604.2	604.2	0.0
D	8,834	125	490	4.2	619.5	619.5	619.8	0.3
E	10,669	147	358	5.7	631.1	631.1	631.6	0.5
F	12,103	37	211	10.7	637.8	637.8	637.8	0.0

¹Stream distance in feet above confluence with Walnut Creek 3

²Elevation computed without consideration of backwater effects from Walnut Creek 3

TABLE 7	FEDERAL EMERGENCY MANAGEMENT AGENCY TARRANT COUNTY, TX AND INCORPORATED AREAS	FLOODWAY DATA
		WATSON BRANCH

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY FEET (NAVD)	WITH FLOODWAY	INCREASE
West Fork Trinity River								
A	65,893	1,110	23,390	3.7	456.9	456.9	457.4	0.5
B	69,822	2,165	35,376	2.6	458.6	458.6	459.1	0.5
C ²	74,779	2,737	37,248	2.3	459.9	459.9	460.5	0.6
D ²	80,609	817	15,270	5.7	461.4	461.4	462.2	0.8
E	86,078	3,492	55,197	1.7	463.4	463.4	464.1	0.7
F	91,482	4,188	79,179	1.6	464.4	464.4	465.2	0.8
G	94,728	3,665	76,699	1.7	464.7	464.7	465.6	0.9
H ²	99,759	2,801	63,961	1.4	465.2	465.2	466.1	0.9
I	106,546	2,960	61,905	2.1	465.3	465.3	466.2	0.9
J ²	109,301	1,163	27,466	5.2	468.1	468.1	468.4	0.3
K	115,784	3,283	39,365	2.3	474.4	474.4	474.9	0.5
L	120,930	3,165	40,155	2.3	477.8	477.8	478.0	0.2
M	125,016	3,900	47,423	1.9	479.0	479.0	479.5	0.5
N	133,290	9,783	75,668	1.2	479.7	479.7	480.2	0.5
O	140,885	8,705	83,665	1.1	480.2	480.2	480.6	0.4
P	147,512	10,300	86,366	0.9	480.4	480.4	480.9	0.5
Q	150,374	9,144	32,479	2.4	482.1	482.1	482.3	0.2
R	155,714	3,436	28,631	2.7	486.7	486.7	487.3	0.6
S	160,878	2,600	25,028	3.1	489.7	489.7	490.1	0.4
T	165,243	3,237	31,286	2.7	491.8	491.8	492.4	0.6
U	171,900	2,920	28,052	3.0	494.7	494.7	495.5	0.8
V	180,455	1,381	22,117	3.7	501.9	501.9	502.3	0.4

¹Stream distance in feet above confluence with Trinity River

²Split floodway in this location is derived from multiple hydraulic models

TABLE 7	FEDERAL EMERGENCY MANAGEMENT AGENCY TARRANT COUNTY, TX AND INCORPORATED AREAS	FLOODWAY DATA
		WEST FORK TRINITY RIVER

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY FEET (NAVD)	WITH FLOODWAY	INCREASE
West Fork Trinity River (continued)								
W	185,387	1,955	20,404	3.0	503.9	503.9	504.3	0.4
X	191,625	4,548	28,351	2.1	505.4	505.4	506.3	0.9
Y	195,089	3,389	26,547	2.3	506.6	506.6	507.4	0.8
Z	201,380	2,631	36,085	1.7	509.7	509.7	510.3	0.6
AA	209,960	3,930	30,546	2.4	513.0	513.0	513.6	0.6
AB	215,762	2,350	22,909	3.1	517.5	517.5	518.2	0.7
AC	220,594	1,324	18,501	2.6	519.6	519.6	520.5	0.9
AD	225,271	1,650	19,636	2.4	520.9	520.9	521.8	0.9
AE	260,385	923	10,638	3.3	540.4	540.4	540.4	0.0
AF	264,804	2,006	19,088	1.8	542.8	542.8	542.9	0.1
AG	270,249	1,156	10,205	3.5	543.9	543.9	544.3	0.4
AH	300,278	1,134	6,757	5.2	564.5	564.5	564.7	0.2
AI	305,256	731	11,492	3.1	568.7	568.7	569.1	0.4

¹Stream distance in feet above confluence with Trinity River

TABLE 7	FEDERAL EMERGENCY MANAGEMENT AGENCY TARRANT COUNTY, TX AND INCORPORATED AREAS	FLOODWAY DATA
		WEST FORK TRINITY RIVER

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY FEET (NAVD)	WITH FLOODWAY	INCREASE
Stream WF(A)-1								
A	4,100	125	934	4.3	471.0	471.0	471.0	0.0
B	6,440	150	411	9.7	491.2	491.2	491.2	0.0
C	8,350	94	567	4.3	507.3	507.3	507.9	0.6
D	10,700	74	748	3.7	532.4	532.4	532.9	0.5
E	12,925	102	609	3.8	548.1	548.1	549.1	1.0
F	14,210	57	482	4.8	554.3	554.3	555.2	0.9
Stream WF(A)-2								
A	4,275	136	922	5.5	477.7	477.7	478.7	1.0
B	5,410	162	808	6.3	485.8	485.8	485.8	0.0
C	6,560	124	394	11.7	489.9	489.9	490.7	0.8
D	7,920	251	844	5.0	498.4	498.4	498.9	0.5
E	9,075	265	578	4.3	501.6	501.6	502.6	1.0
F	10,200	56	271	9.2	508.6	508.6	508.9	0.3
Stream WF-1								
A	2,700	111	602	5.7	492.8	492.8	493.1	0.3
B	4,050	92	877	3.4	508.2	508.2	509.0	0.8
C	5,500	58	604	5.0	512.7	512.7	513.4	0.7
D	7,100	101	682	4.0	522.9	522.9	523.9	1.0
E	8,350	101	716	3.9	529.6	529.6	530.6	1.0
F	8,950	97	808	3.4	534.7	534.7	535.7	1.0
G	9,650	223	304	9.1	536.5	536.5	536.8	0.3

¹Stream distance in feet above confluence with West Fork Trinity River

FEDERAL EMERGENCY MANAGEMENT AGENCY
TARRANT COUNTY, TX
AND INCORPORATED AREAS

FLOODWAY DATA

STREAM WF(A)-1 – STREAM WF(A)-2 – STREAM WF-1

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY FEET (NAVD)	WITH FLOODWAY	INCREASE
Stream WF-1A								
A	240 ¹	168	255	4.5	538.6	538.6	539.0	0.4
B	900 ¹	167	394	2.9	540.3	540.3	540.6	0.3
C	1,410 ¹	67	338	3.4	542.9	542.9	543.9	1.0
Stream WF-1B								
A	700 ²	59	283	7.2	544.6	544.6	545.4	0.8
B	1,700 ²	98	332	4.5	553.8	553.8	554.5	0.7
C	2,550 ²	108	231	6.4	560.2	560.2	560.6	0.4
D	3,384 ²	75	116	8.3	566.6	566.6	566.8	0.2
E	4,011 ²	69	235	4.1	570.0	570.0	570.0	0.0
Stream WF-2								
A	4,990 ¹	45	935	7.9	505.1	504.5 ³	504.9	0.4
B	5,470 ¹	31	813	9.1	506.6	506.6	507.5	0.9
C	6,610 ¹	72	794	9.3	515.8	515.8	516.4	0.6
D	7,960 ¹	169	1,037	7.4	527.1	527.1	527.1	0.0
E	8,580 ¹	136	1,254	6.1	531.6	531.6	532.0	0.4
F	9,520 ¹	90	1,192	6.4	541.5	541.5	542.0	0.5
G	10,510 ¹	250	681	7.3	547.7	547.7	548.7	1.0
H	12,320 ¹	290	857	5.8	564.2	564.2	564.3	0.1
I	13,250 ¹	312	630	5.0	573.3	573.3	573.9	0.6
J	14,000 ¹	278	371	8.5	577.4	577.4	578.0	0.6

¹Stream distance in feet above confluence with West Fork Trinity River

²Stream distance in feet above confluence with Stream WF-1

³Elevation computed without consideration of backwater effects from West Fork Trinity River

FEDERAL EMERGENCY MANAGEMENT AGENCY
TARRANT COUNTY, TX
AND INCORPORATED AREAS

FLOODWAY DATA

**STREAM WF-1A – STREAM WF-1B
STREAM WF-2**

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY FEET (NAVD)	WITH FLOODWAY	INCREASE
Stream WF-2A								
A	375 ¹	30	162	10.1	529.6	529.6	530.6	1.0
Stream WF-3								
A	2,900 ²	60	214	3.5	509.4	509.4	510.4	1.0
B	3,350 ²	30	135	5.6	516.1	516.1	516.9	0.8
C	4,080 ²	58	115	6.5	524.2	524.2	524.6	0.4
D	4,480 ²	35	121	6.2	554.2	554.2	554.2	0.0
E	6,960 ²	117	134	6.3	562.2	562.2	563.2	1.0
F	8,200 ²	65	108	7.8	580.0	580.0	580.6	0.6

¹Stream distance in feet above confluence with Stream WF-2

²Stream distance in feet above confluence with West Fork Trinity River

TABLE 7	FEDERAL EMERGENCY MANAGEMENT AGENCY TARRANT COUNTY, TX AND INCORPORATED AREAS	FLOODWAY DATA
		STREAM WF-2A - STREAM WF-3

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY FEET (NAVD)	WITH FLOODWAY	INCREASE
Stream WF-4								
A	2,950	73	1,564	4.6	531.9	531.9	532.2	0.3
B	4,060	169	1,281	5.6	540.3	540.3	540.5	0.2
C	5,240	46	1,402	5.1	546.4	546.4	547.1	0.7
D	6,620	284	1,043	6.9	559.8	559.8	560.6	0.8
E	7,160	237	968	7.4	565.4	565.4	565.7	0.3
F	7,960	188	1,231	5.8	573.9	573.9	574.7	0.8
G	9,300	202	1,149	6.2	584.7	584.7	585.1	0.4
H	9,990	187	897	8.0	589.6	589.6	590.5	0.9
I	11,175	206	683	7.8	597.5	597.5	598.4	0.9
J	12,200	220	1,947	2.7	610.3	610.3	611.1	0.8
K	14,140	128	1,015	5.3	620.9	620.9	621.9	1.0
L	15,370	133	1,083	4.9	629.2	629.2	630.0	0.8
M	16,280	207	1,102	4.9	635.4	635.4	636.0	0.6
N	17,100	260	1,034	3.2	639.4	639.4	640.1	0.7
O	19,300	240	597	5.6	655.6	655.6	655.8	0.2
P	20,121	220	513	3.6	658.9	658.9	659.5	0.6
Q	20,726	69	230	3.5	667.4	667.4	668.1	0.7

¹Stream distance in feet above confluence with West Fork Trinity River

FEDERAL EMERGENCY MANAGEMENT AGENCY
TARRANT COUNTY, TX
AND INCORPORATED AREAS

FLOODWAY DATA

STREAM WF-4

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE
FEET (NAVD)								
Stream WF-5								
	A	1,850 ¹	262	1,472	2.9	543.0	536.9 ³	537.6
	B	4,800 ¹	265	874	4.9	545.9	545.9	546.6
	C	6,600 ¹	239	558	7.7	563.2	563.2	563.3
	D	6,900 ¹	179	1,359	3.8	574.0	574.0	574.2
	E	8,130 ¹	93	399	6.8	582.3	582.3	582.3
	F	8,600 ¹	118	510	5.3	588.8	588.8	589.4
	G	8,900 ¹	130	482	5.6	590.9	590.9	591.4
Stream WF-7								
	A	1,800 ¹	76	1,620	4.0	602.4	602.4	603.2
	B	2,720 ¹	75	2,112	3.0	604.1	604.1	605.1
	C	4,330 ¹	113	627	6.0	612.7	612.7	613.4
	D	6,980 ¹	77	428	5.3	630.6	630.6	631.1
	E	7,600 ¹	68	549	4.2	634.0	634.0	635.0
Stream WF-7A								
	A	1,700 ²	160	631	3.4	610.3	610.3	611.3
	B	2,330 ²	84	419	5.2	613.6	613.6	614.5
	C	3,950 ²	47	314	6.9	625.3	625.3	626.1

¹Stream distance in feet above confluence with West Fork Trinity River

²Stream distance in feet above confluence with Stream WF-7

³Elevation computed without consideration of backwater effects from West Fork Trinity River

FEDERAL EMERGENCY MANAGEMENT AGENCY
TARRANT COUNTY, TX
AND INCORPORATED AREAS

FLOODWAY DATA

**STREAM WF-5 – STREAM WF-7
STREAM WF-7A**

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY FEET (NAVD)	WITH FLOODWAY	INCREASE
Stream WF-7B								
A	2,300 ¹	60	300	7.4	618.6	618.6	619.6	1.0
B	3,400 ¹	50	100	4.5	626.7	626.7	627.7	1.0
Stream WF-9								
A	6,373 ²	198	582	2.6	499.3	499.3	499.3	0.0
B	7,860 ²	68	263	6.5	508.3	508.3	508.3	0.0
C	9,052 ²	100	907	2.5	527.3	527.3	527.8	0.5
D	10,265 ²	77	335	6.7	534.4	534.4	535.1	0.7
E	10,737 ²	68	1,083	2.1	546.7	546.7	547.5	0.8
Stream WF-10								
A	7,615 ²	106	289	10.8	577.4	577.4	577.4	0.0
B	7,790 ²	25	208	15.0	581.3	581.3	581.3	0.0
C	8,020 ²	116	485	6.4	586.7	586.7	586.8	0.1
D	8,170 ²	37	303	10.3	586.9	586.9	587.0	0.1
E	8,350 ²	22	294	9.9	589.1	589.1	589.2	0.1
F	8,760 ²	54	435	6.7	597.2	597.2	598.2	1.0
G	8,950 ²	46	250	7.0	598.5	598.5	599.1	0.6
H	9,100 ²	43	398	4.4	602.7	602.7	603.7	1.0
Stream WF-10A								
A	530 ³	54	207	5.8	605.8	605.8	606.0	0.2
B	1,145 ³	44	142	4.9	618.3	618.3	618.7	0.4
C	1,645 ³	31	96	7.3	632.6	632.6	632.6	0.0
D	1,825 ³	39	124	5.6	640.8	640.8	641.0	0.2

¹Stream distance in feet above confluence with Lake Worth

²Stream distance in feet above confluence with West Fork Trinity River

³Stream distance in feet above confluence with Stream WF-10

FEDERAL EMERGENCY MANAGEMENT AGENCY
TARRANT COUNTY, TX
AND INCORPORATED AREAS

FLOODWAY DATA

**STREAM WF-7B - STREAM WF-9 -
STREAM WF-10 - STREAM WF-10A**

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY FEET (NAVD)	WITH FLOODWAY	INCREASE
Stream WF-11								
	A	2,385 ¹	43	399	7.8	624.6	624.6	625.1
	B	4,050 ¹	46	874	3.6	642.5	642.5	643.4
	C	5,525 ¹	61	251	8.9	653.8	653.8	654.5
	D	6,525 ¹	108	336	6.7	668.1	668.1	668.1
	E	6,865 ¹	95	360	6.2	670.6	670.6	671.2
	F	8,195 ¹	180	745	3.0	684.9	684.9	685.4
	G	10,480 ¹	92	287	4.3	706.1	706.1	706.1
West Jones Branch								
	A	16,300 ²	180	690	5.1	573.0	573.0	573.3
	B	17,120 ²	100	689	3.0	576.7	576.7	577.1

¹Stream distance in feet above confluence with Lake Worth

²Stream distance in feet above estimated flow line of Denton Creek – Grapevine Lake

TABLE 7	FEDERAL EMERGENCY MANAGEMENT AGENCY TARRANT COUNTY, TX AND INCORPORATED AREAS	FLOODWAY DATA
		STREAM WF-11 - WEST JONES BRANCH

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY FEET (NAVD)	WITH FLOODWAY	INCREASE
Whites Branch								
A	3,230	453	2,909	4.6	566.1	557.8 ²	558.7	0.9
B	4,270	303	2,753	4.8	566.1	562.0 ²	562.9	0.9
C	6,380	400	2,794	4.8	567.4	567.4	568.2	0.8
D	7,230	454	2,830	4.9	570.0	570.0	570.8	0.8
E	8,350	310	2,795	5.0	573.9	573.9	574.5	0.6
F	9,420	379	2,845	4.9	577.0	577.0	577.8	0.8
G	11,020	390	2,493	5.6	584.1	584.1	584.3	0.2
H	13,240	326	2,270	6.2	591.3	591.3	591.4	0.1
I	14,870	320	2,708	5.2	597.6	597.6	598.3	0.7
J	17,560	642	2,997	4.7	605.9	605.9	606.4	0.5
K	20,270	440	2,921	4.6	615.1	615.1	615.7	0.6
L	23,195	750	3,243	4.2	623.4	623.4	623.8	0.4
M	28,870	430	2,643	4.1	641.8	641.8	642.0	0.2
N	31,010	330	2,250	3.3	647.0	647.0	647.3	0.3
O	32,605	203	631	5.1	658.3	658.3	658.5	0.2
P	34,070	120	677	4.0	665.8	665.8	666.5	0.7

¹Stream distance in feet above confluence with Big Fossil Creek

²Elevation computed without consideration of backwater effects from Big Fossil Creek

TABLE 7	FEDERAL EMERGENCY MANAGEMENT AGENCY TARRANT COUNTY, TX AND INCORPORATED AREAS	FLOODWAY DATA
		WHITES BRANCH

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY FEET (NAVD)	WITH FLOODWAY	INCREASE
Stream WB-1								
	A	1,111 ¹	323	1,506	3.4	650.8	650.8	0.4
	B	2,761 ¹	195	1,031	4.9	657.8	657.8	0.4
	C	3,135 ¹	230	1,246	4.1	660.4	660.4	0.1
	D	5,280 ¹	250	1,292	3.3	670.6	670.6	0.0
	E	6,370 ¹	371	1,164	3.7	676.9	676.9	0.0
	F	8,785 ¹	492	1,430	3.0	683.1	683.9	0.8
Wildcat Branch								
	A	3,310 ²	200	1,069	3.1	575.3	575.3	0.5
	B	3,760 ²	88	466	7.1	576.3	576.3	0.2
	C	4,750 ²	57	415	8.0	582.1	582.1	0.6
	D	6,770 ²	170	739	4.3	597.6	597.6	0.6
	E	7,400 ²	127	496	6.4	600.4	600.4	0.4
	F	8,030 ²	260	856	3.7	604.4	604.4	0.6
	G	8,850 ²	260	1,139	2.8	606.6	606.6	0.7
	H	10,320 ²	429	508	6.3	615.0	615.0	0.9
	I	11,620 ²	358	1,238	2.6	620.1	621.1	1.0

¹Stream distance in feet above confluence with Whites Branch

²Stream distance in feet above confluence with Lake Arlington

TABLE 7	FEDERAL EMERGENCY MANAGEMENT AGENCY TARRANT COUNTY, TX AND INCORPORATED AREAS	FLOODWAY DATA
		STREAM WB-1 – WILDCAT BRANCH

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY FEET (NAVD)	WITH FLOODWAY	INCREASE
Stream WC-1								
A	1,040 ¹	125	369	6.9	569.1	569.1	569.2	0.1
B	2,330 ¹	150	738	3.5	575.3	575.3	576.0	0.7
C	3,520 ¹	125	315	8.1	580.8	580.8	580.8	0.0
D	5,140 ¹	140	446	4.0	591.5	591.5	591.7	0.2
E	7,030 ¹	76	241	7.5	602.8	602.8	602.8	0.0
Willow Bend Creek								
A	515 ²	36	243	10.4	632.3	632.3	632.3	0.0
B	953 ²	33	211	12.0	639.9	639.9	639.9	0.0
C	1,520 ²	108	401	5.6	646.6	646.6	647.2	0.6
D	1,845 ²	145	668	3.4	652.1	652.1	652.9	0.8
E	2,730 ²	142	690	3.3	657.0	657.0	657.4	0.4
F	3,500 ²	120	626	3.6	665.1	665.1	666.1	1.0
G	3,770 ²	75	249	9.0	667.3	667.3	667.6	0.3
H	4,601 ²	100	299	7.5	678.8	678.8	678.8	0.0
I	5,070 ²	47	178	8.3	683.9	683.9	684.1	0.2
J	5,807 ²	39	169	8.7	693.5	693.5	693.5	0.0
K	6,287 ²	43	159	7.6	699.6	699.6	699.6	0.0
L	6,695 ²	65	174	6.9	706.5	706.5	706.5	0.0
M	7,510 ²	50	184	4.8	718.9	718.9	719.5	0.6
N	8,250 ²	58	266	3.3	725.8	725.8	726.6	0.8
O	8,660 ²	30	134	4.5	731.4	731.4	732.0	0.6

¹Stream distance in feet above confluence with Wildcat Branch

²Stream distance in feet above confluence with Marys Creek

TABLE 7	FEDERAL EMERGENCY MANAGEMENT AGENCY TARRANT COUNTY, TX AND INCORPORATED AREAS	FLOODWAY DATA
		STREAM WC-1 – WILLOW BEND CREEK

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE ¹	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE
FEET (NAVD)								
Willow Branch								
A	4,050	521	2,869	2.9	600.2	600.2	601.2	1.0
B	5,080	397	1,935	4.3	603.4	603.4	604.4	1.0
C	5,810	360	2,606	3.1	606.0	606.0	607.0	1.0
D	10,000	433	2,489	3.2	619.7	619.7	620.7	1.0
E	11,190	314	1,462	5.5	623.8	623.8	624.6	0.8

¹Stream distance in feet above confluence with Walnut Creek 3

TABLE 7	FEDERAL EMERGENCY MANAGEMENT AGENCY TARRANT COUNTY, TX AND INCORPORATED AREAS	FLOODWAY DATA
		WILLOW BRANCH

The area between the floodway and 1-percent-annual-chance floodplain boundaries is termed the floodway fringe. The floodway fringe encompasses the portion of the floodplain that could be completely obstructed without increasing the water-surface elevation (WSEL) of the base flood more than 1 foot at any point. Typical relationships between the floodway and the floodway fringe and their significance to floodplain development are shown in Figure 2.




Figure 2. Floodway Schematic

In the case of redelineation, effort was made to maintain the prior effective regulatory floodway width and shape. However, due to updated topographic data, some modifications were made to contain the floodway within the limits of the 1-percent-annual-chance floodplain. Most modifications to the prior effective regulatory floodway boundaries are due to topographic changes that have occurred along the streams.

Floodways for the following flooding sources were not developed: Farris Branch, Farris Branch East, Mesquite Branch, Stream SC-7A, Timber Creek Diversion, a reach of Kirkwood Branch, Kirkwood Branch Tributary, and Hurricane Creek Tributary 1.

Within the City of Grapevine, for the upstream reach of Denton Creek, a floodway is not shown inside U.S. Government Property Fee and/or Flowage Easement Boundaries. Within the City of Richland Hills, the floodway for the sump adjacent to Big Fossil Creek has been determined to be coincident with the Government Property Fee and/or Flowage Easement Boundary and the 1-percent-annual-chance floodplain boundary and is not shown on the map.

The floodways at certified levees have been mapped to the landside toe of the levee for all floodways except along Big Fossil Creek and the Fort Worth Floodway system which includes portions of Clear Fork Trinity River and West Fork Trinity River. These floodways have been mapped in accordance with the standards outlined in Procedure Memorandum No. 52, which allows the computed location of the floodway limit be mapped instead of mapping the floodway to the landward toe of the levee. The widths shown in Table 6 "Floodway Data" are the widths from the model and do not represent the width of floodway to the landside toe.

5.0 INSURANCE APPLICATIONS

For flood insurance rating purposes, flood insurance zone designations are assigned to a community based on the results of the engineering analyses. These zones are as follows:

Zone A

Zone A is the flood insurance rate zone that corresponds to the 1-percent-annual-chance floodplains that are determined in the FIS report by approximate methods. Because detailed hydraulic analyses are not performed for such areas, no BFEs or depths are shown within this zone.

Zone AE

Zone AE is the flood insurance rate zone that corresponds to the 1-percent-annual-chance floodplains that are determined in the FIS report by detailed methods. Whole-foot BFEs derived from the detailed hydraulic analyses are shown at selected intervals within this zone.

Zone AO

Zone AO is the flood insurance rate zone that corresponds to areas of 1-percent-annual-chance shallow flooding (usually sheet flow on sloping terrain) where average depths are between 1 and 3 feet. Average whole-foot depths derived from the detailed hydraulic analyses are shown within this zone.

Zone X

Zone X is the flood insurance rate zone that corresponds to areas outside the 0.2-percent-annual-chance floodplain, areas within the 0.2-percent-annual-chance floodplain, areas of 1-percent-annual-chance flooding where average depths are less than 1 foot, areas of 1-percent-annual-chance flooding where the contributing drainage area is less than 1 square mile (sq. mi.), and areas protected from the base flood by levees. No BFEs or depths are shown within this zone.

6.0 FLOOD INSURANCE RATE MAP

The FIRM is designed for flood insurance and floodplain management applications.

For flood insurance applications, the map designates flood insurance rate zones as described in Section 5.0 and, in the 1-percent-annual-chance floodplains that were studied by detailed methods, shows selected whole-foot BFEs or average depths. Insurance agents use zones and BFEs in conjunction with information on structures and their contents to assign premium rates for flood insurance policies.

For floodplain management applications, the map shows by tints, screens, and symbols, the 1- and 0.2-percent-annual-chance floodplains, floodways, and the locations of selected cross sections used in the hydraulic analyses and floodway computations.

The countywide FIRM presents flooding information for the entire geographic area of Tarrant County. Previously, FIRMs were prepared for each incorporated community and the unincorporated areas of the county identified as flood-prone. This countywide FIRM also includes flood-hazard information that was presented separately on Flood Boundary and

Floodway Maps (FBFMs), where applicable. Historical data relating to the maps prepared for each community prior to the initial countywide FIRM are presented in Table 7, “Community Map History.”

COMMUNITY NAME	INITIAL IDENTIFICATION	FLOOD HAZARD BOUNDARY MAP REVISIONS DATE	FLOOD INSURANCE RATE MAP EFFECTIVE DATE	FLOOD INSURANCE RATE MAP REVISIONS DATE
Arlington, City of	August 7, 1970	None	December 31, 1974	July 23, 1971 July 1, 1974 March 5, 1976 June 20, 1980 February 4, 1988
Azle, City of	March 8, 1974	May 14, 1976	October 15, 1985	None
Bedford, City of	December 28, 1973	March 12, 1976	July 18, 1977	April 17, 1984 March 18, 1987 June 4, 1990
Benbrook, City of	May 3, 1974	March 4, 1977	July 2, 1979	September 18, 1986 January 18, 1989 November 16, 1990
Blue Mound, City of	December 17, 1973	April 23, 1976	July 16, 1980	None

TABLE 8

FEDERAL EMERGENCY MANAGEMENT AGENCY
TARRANT COUNTY, TX
 AND INCORPORATED AREAS

COMMUNITY MAP HISTORY

COMMUNITY NAME	INITIAL IDENTIFICATION	FLOOD HAZARD BOUNDARY MAP REVISIONS DATE	FLOOD INSURANCE RATE MAP EFFECTIVE DATE	FLOOD INSURANCE RATE MAP REVISIONS DATE
Burleson, City of	November 2, 1973	None	November 2, 1973	July 1, 1974 July 25, 1975 April 16, 1976 June 24, 1977 December 3, 1987
Colleyville, City of	May 10, 1974	March 4, 1977	December 1, 1982	None
Crowley, City of	June 28, 1974	July 2, 1976 May 15, 1979	April 15, 1981	None
Dalworthington Gardens, City of	August 6, 1976	None	May 17, 1982	None
Edgecliff Village, Town of	December 28, 1973	February 4, 1977	August 19, 1986	None
Euless, City of	March 22, 1974	December 17, 1976	April 3, 1985	None
Everman, City of	December 17, 1973	August 27, 1976 May 31, 1977	September 17, 1980	None
Flower Mound, Town of	October 29, 1976	None	September 18, 1986	None

TABLE 8

FEDERAL EMERGENCY MANAGEMENT AGENCY
TARRANT COUNTY, TX
 AND INCORPORATED AREAS

COMMUNITY MAP HISTORY

COMMUNITY NAME	INITIAL IDENTIFICATION	FLOOD HAZARD BOUNDARY MAP REVISIONS DATE	FLOOD INSURANCE RATE MAP EFFECTIVE DATE	FLOOD INSURANCE RATE MAP REVISIONS DATE
Forest Hill, City of	January 23, 1974	None	August 1, 1978	None
Fort Worth, City of	September 17, 1971	None	June 4, 1980	November 18, 1988
Grand Prairie, City of	July 6, 1973	None	July 6, 1973	July 1, 1974 September 10, 1976 April 1, 1982 February 1, 1985 September 4, 1986 July 15, 1988 April 2, 1990 May 3, 1993 November 20, 1996 August 15, 1989
Grapevine, City of	June 28, 1974	June 18, 1976	November 17, 1982	January 6, 1988 June 4, 1990
Haltom City, City of	June 28, 1974	None	February 1, 1978	None
Haslet, City of	November 1, 1974	None	October 15, 1985	None
Hurst, City of	June 14, 1974	May 14, 1976	October 15, 1985	None
Keller, City of	November 19, 1976	None	September 30, 1982	None

TABLE 8

FEDERAL EMERGENCY MANAGEMENT AGENCY
TARRANT COUNTY, TX
 AND INCORPORATED AREAS

COMMUNITY MAP HISTORY

COMMUNITY NAME	INITIAL IDENTIFICATION	FLOOD HAZARD BOUNDARY MAP REVISIONS DATE	FLOOD INSURANCE RATE MAP EFFECTIVE DATE	FLOOD INSURANCE RATE MAP REVISIONS DATE
Kennedale, City of	February 1, 1974	January 14, 1977	November 15, 1984	None
Lake Worth, City of	November 19, 1976	None	January 6, 1993	None
Lakeside, City of ¹	None	None	None	None
Mansfield, City of	February 22, 1974	May 10, 1977	December 18, 1985	September 28, 1990
North Richland Hills, City of	June 28, 1974	August 6, 1976	April 1, 1981	November 15, 1985 December 16, 1988
Pantego, Town of	August 13, 1976	None	July 16, 1980	None
Pelican Bay, City of ^{1,2}	February 7, 1975	July 5, 1977	August 4, 1987	None
Reno, Town of ^{1,2}	September 26, 2008	None	September 26, 2008	None
Richland Hills, City of	March 15, 1974	None	February 16, 1977	July 3, 1985
River Oaks, City of	December 28, 1973	February 6, 1976	June 19, 1985	None

¹ This community had no map history prior to the first countywide FIRM for Tarrant County

² Dates for this community were taken from Tarrant County Unincorporated

TABLE 8

FEDERAL EMERGENCY MANAGEMENT AGENCY
TARRANT COUNTY, TX
AND INCORPORATED AREAS

COMMUNITY MAP HISTORY

COMMUNITY NAME	INITIAL IDENTIFICATION	FLOOD HAZARD BOUNDARY MAP REVISIONS DATE	FLOOD INSURANCE RATE MAP EFFECTIVE DATE	FLOOD INSURANCE RATE MAP REVISIONS DATE
Roanoke, City of	September 5, 1975	None	April 2, 1997	None
Saginaw, City of	March 8, 1974	September 24, 1976	September 17, 1980	None
Sansom Park, City of ¹	December 10, 1976	None	January 6, 1993	None
Southlake, City of	February 15, 1974	June 7, 1977	July 5, 1982	None
Trophy Club, Town of	May 27, 1977	None	August 3, 1989	None
Watauga, City of	March 8, 1974	June 4, 1976	June 1, 1982	August 15, 1989
Westlake, Town of	December 10, 1976	None	June 2, 1993	None
Westover Hills, Town of	August 30, 1974	December 19, 1975	June 5, 1985	None
Westworth Village, City of	March 8, 1974	June 25, 1976	June 3, 1986	None

¹ This community had no map history prior to the first countywide FIRM for Tarrant County

TABLE 8

FEDERAL EMERGENCY MANAGEMENT AGENCY
TARRANT COUNTY, TX
AND INCORPORATED AREAS

COMMUNITY MAP HISTORY

COMMUNITY NAME	INITIAL IDENTIFICATION	FLOOD HAZARD BOUNDARY MAP REVISIONS DATE	FLOOD INSURANCE RATE MAP EFFECTIVE DATE	FLOOD INSURANCE RATE MAP REVISIONS DATE
White Settlement, City of	May 24, 1974	September 3, 1976	July 17, 1986	None
Tarrant County, Unincorporated Areas	February 7, 1975	July 5, 1977	August 4, 1987	None

TABLE 8

FEDERAL EMERGENCY MANAGEMENT AGENCY
TARRANT COUNTY, TX
AND INCORPORATED AREAS

COMMUNITY MAP HISTORY

7.0 OTHER STUDIES

The preparation of updated FISs has been completed for the Incorporated and Unincorporated Areas of Dallas, Denton, Ellis, Johnson, Parker, and Wise Counties, Texas. The Tarrant County Study is in agreement with these studies.

This FIS report either supersedes or is compatible with all previous studies published on streams studied in this report and should be considered authoritative for the purposes of the NFIP.

This is a multi-volume FIS. Each volume may be revised separately, in which case it supersedes the previously printed volume. Users should refer to the Table of Contents in Volume 1 for the current effective date of each volume; volumes bearing these dates contain the most up-to-date flood hazard data.

8.0 LOCATION OF DATA

Information concerning the pertinent data used in the preparation of this study can be obtained by contacting FEMA Region VI, Federal Insurance and Mitigation Division, 800 North Loop 288, Denton, Texas 76209.

9.0 BIBLIOGRAPHY AND REFERENCES

1. Federal Emergency Management Agency, Flood Insurance Study, Unincorporated Areas of Tarrant County, Texas, Washington, D. C., August 4, 1987.
2. Federal Emergency Management Agency, Flood Insurance Study, City of Azle, Tarrant and Parker Counties, Texas, Washington, D.C., October 15, 1985.
3. Federal Emergency Management Agency, Flood Insurance Study, City of Arlington, Tarrant County, Texas, Washington, D.C., February 4, 1988.
4. Federal Emergency Management Agency, Flood Insurance Study, City of Bedford, Tarrant County, Texas, Washington, D.C., June 4, 1990.
5. Federal Emergency Management Agency, Flood Insurance Study, City of Benbrook, Tarrant County, Texas, Washington, D.C., November 16, 1990.
6. Federal Emergency Management Agency, Flood Insurance Study, City of Blue Mound, Tarrant County, Texas, Washington, D. C., Flood Insurance Study Report dated January 16, 1980, Flood Insurance Rate Map dated July 16, 1980.
7. Federal Emergency Management Agency, Flood Insurance Study, City of Burleson, Tarrant County, Texas, Washington, D.C., September 27, 1991.
8. Federal Emergency Management Agency, Flood Insurance Study, Town of Colleyville, Tarrant County, Texas, Washington, D.C., Flood Insurance Study Report dated June 1, 1982, Flood Insurance Rate Map dated December 1, 1982.
9. Federal Emergency Management Agency, Federal Insurance Administration, Flood Insurance Study, City of Crowley, Tarrant County, Texas, Washington, D.C., Flood Insurance Study Report dated October 15, 1980, Flood Insurance Rate Map dated April 15, 1981.

10. Federal Emergency Management Agency, Flood Insurance Study, Town of Dalworthington Gardens, Tarrant County, Texas, Washington, D.C., Flood Insurance Study Report dated November 17, 1981, Flood Insurance Rate Map dated May 17, 1982.
11. Federal Emergency Management Agency, Flood Insurance Study, Town of Edgecliff Village, Tarrant County, Texas, Washington, D.C., August 19, 1986.
12. Federal Emergency Management Agency, Flood Insurance Study, City of Euless, Tarrant County, Texas, Washington, D.C., Flood Insurance Study Report dated October 3, 1984, Flood Insurance Rate Map dated April 3, 1985.
13. Federal Emergency Management Agency, Flood Insurance Study, City of Everman, Tarrant County, Texas, Washington, D.C., Flood Insurance Study Report dated March 17, 1980, Flood Insurance Rate Map dated September 17, 1980.
14. U.S. Department of Housing and Urban Development, Flood Insurance Study, City of Forest Hill, Tarrant County, Texas, Washington, D.C., Flood Insurance Study Report dated February 1, 1978, Flood Insurance Rate Map dated August 1, 1978.
15. Federal Emergency Management Agency, Flood Insurance Study, City of Fort Worth, Tarrant County, Texas, Washington, D.C., June 4, 1980.
16. Federal Emergency Management Agency, Flood Insurance Study, City of Fort Worth, Tarrant and Denton Counties, Texas, Washington, D.C., November 18, 1988.
17. Federal Emergency Management Agency, Flood Insurance Study, City of Grapevine, Tarrant County, Texas, Washington, D.C., August 15, 1989.
18. Federal Emergency Management Agency, Flood Insurance Study, City of Haltom City, Tarrant County, Texas, Washington, D.C., June 4, 1990.
19. Federal Emergency Management Agency, Flood Insurance Study, City of Haslet, Tarrant County, Texas, Washington, D.C., October 15, 1985.
20. Federal Emergency Management Agency, Flood Insurance Study, City of Hurst, Tarrant County, Texas, Washington, D.C., October 15, 1985.
21. Federal Emergency Management Agency, Flood Insurance Study, City of Keller, Tarrant County, Texas, Washington, D.C., Flood Insurance Study Report dated March 30, 1982, Flood Insurance Rate Map dated September 30, 1982.
22. Federal Emergency Management Agency, Flood Insurance Study, City of Kennedale, Tarrant County, Texas, Washington, D.C., Flood Insurance Study Report dated May 15, 1984, Flood Insurance Rate Map dated November 15, 1984.
23. Federal Emergency Management Agency, Flood Insurance Study, City of Mansfield, Tarrant County, Texas, Washington, D.C., September 28, 1990.
24. Federal Emergency Management Agency, Flood Insurance Study, City of North Richland Hills, Tarrant County, Texas, Washington, D.C., December 16, 1988.
25. Federal Emergency Management Agency, Flood Insurance Study, Town of Pantego, Tarrant County, Texas, Washington, D.C., Flood Insurance Study Report dated January 1980, Flood Insurance Rate Map dated July 16, 1980.

26. Federal Emergency Management Agency, Flood Insurance Study, City of Richland Hills, Tarrant County, Texas, Washington, D.C., Flood Insurance Study Report dated January 3, 1985, Flood Insurance Rate Map dated July 3, 1985.
27. Federal Emergency Management Agency, Flood Insurance Study, City of River Oaks, County, Texas, Washington, D.C., Flood Insurance Study Report dated December 19, 1984, Flood Insurance Rate Map dated June 19, 1985.
28. Federal Emergency Management Agency, Flood Insurance Study, City of Saginaw, Tarrant County, Texas, Washington, D.C., Flood Insurance Study Report dated March 17, 1980, Flood Insurance Rate Map dated September 17, 1980.
29. Federal Emergency Management Agency, Flood Insurance Study, City of Southlake, Tarrant County, Texas, Washington, D.C., Flood Insurance Study Report dated January 5, 1982, Flood Insurance Rate Map dated July 5, 1982.
30. Federal Emergency Management Agency, Flood Insurance Study, City of Watauga, Tarrant County, Texas, Washington, D.C., August 15, 1989.
31. Federal Emergency Management Agency, Flood Insurance Study, Town of Westover Hills, Tarrant County, Texas, Washington, D.C., Flood Insurance Study Report dated December 5, 1984, Flood Insurance Rate Map dated June 5, 1985.
32. Federal Emergency Management Agency, Flood Insurance Study, City of Westworth Village, Tarrant County, Texas, Washington, D.C., June 3, 1986.
33. Federal Emergency Management Agency, Flood Insurance Study, City of White Settlement, Tarrant County, Texas, Washington, D.C., July 17, 1986.
34. Federal Emergency Management Agency, Flood Insurance Study, Tarrant County, Texas and Incorporated Areas, Washington, D.C., August 23, 2000.
35. Federal Emergency Management Agency, Flood Insurance Study, Tarrant County, Texas and Incorporated Areas, Washington, D.C., September 25, 2009.
36. U.S. Census Bureau; Census 1990, Summary File (SF 1); Using American Factfinder; <<http://factfinder.census.gov/>>; (16 August 16, 2006).
37. U.S. Census Bureau, Profile of General Population and Housing Characteristics: 2010 Demographic Profile Data, Washington, D.C. 2010.
38. U.S. Department of Commerce, National Oceanic and Atmospheric Administration, Environmental Data Service, Monthly and Annual Climatological Data for Texas State, Asheville, North Carolina, National Climatic Center, published annually.
39. U.S. Army Corps of Engineers, Flood Plain Information Report, Bear Creek, Dallas and Tarrant Counties, Texas, June 1973.
40. U.S. Army Corps of Engineers, Flood Hazard Information Report, Chambers Creek, Everman, Texas, October 1973.
41. U.S. Department of the Interior, Geological Survey, Stream Gaging Records, Washington, D.C.

42. U.S. Army Corps of Engineers, Flood Plain Information Report, Rush and Village Creeks, Arlington, Texas, February 1971.
43. Knowlton-Ratliff-English-Flowers, Inc., Drainage Master Plan for the City of Bedford, Phase 1, Sulphur Branch Watershed, Dallas-Fort Worth, Texas, Dallas, Texas, 1975.
44. Design Memorandum No. 1, Trinity River Basin, Texas, Flood Protection on Big Fossil Creek, Richland Hills Area, Texas, June 1962.
45. Rady and Associates, Inc., Consulting Engineers, Engineering Report for Haltom City, Texas, Channel Improvements, Little Fossil Creek, May 1, 1975.
46. Federal Emergency Management Agency, Guidelines and Specifications for Flood Hazard Mapping Partners, April 2003.
47. Natural Resources Conservation Service, Technical Release TR-55, Urban Hydrology for Small Watersheds, June 1986.
48. U.S. Army Corps of Engineers, Hydrologic Engineering Center, HEC-HMS Version 2.2.2, Davis, California, May 2003.
49. U.S. Department of Agriculture, Natural Resources Conservation Service, Soil Survey Geographic (SSURGO) database for Tarrant County, Texas, September 2002.
50. U.S. Department of Commerce, Weather Bureau, Technical Paper No. 40, Rainfall Frequency Atlas of the United States, Washington, D.C., 1961, Revised 1963.
51. U.S. Army Corps of Engineers, Hydrologic Engineering Center, HEC-HMS Version 3.5, Davis, California, August 2010.
52. NCTCOG Integrated Storm Water Management (iSWM) Online Technical Manual, Hydrology, version 4-2010b, downloaded June 2010 from http://iswm.nctcog.org/technical_manual.asp.
53. U.S. Department of the Army, Corps of Engineering Center, Computer Program NUDALLAS, Fort Worth District, revised September 2002.
54. U. S. Army Corps of Engineers, Hydrologic Engineering Center, HEC-1 Flood Hydrograph Package, Davis, California, October 1970.
55. U. S. Army Corps of Engineers, Hydrologic Engineering Center, HEC-2 Water Surface Profiles, Generalized Computer Program, Davis, California, April 1984.
56. U.S. Army Corps of Engineers, Hydrologic Engineering Center, HEC-RAS Analysis System, Version 3.1.2, Davis, California, April 2004.
57. U.S. Army Corps of Engineers, Hydrologic Engineering Center, HEC-RAS Analysis System, Version 4.0, Davis, California, March 2008.
58. City of Burleson, Topographic Maps, Contour Interval 2 Feet, 1999/2000.
59. City of Grand Prairie, Topographic Maps, Contour Interval 2 Feet, February 1999.
60. City of Hurst, Topographic Maps, Contour Interval 2 Feet, February 2000.

61. City of Keller, Topographic Maps, Contour Interval 2 Feet, January 2005.
62. North Central Texas Council of Governments (NCTCOG), Topographic Maps Compiled from LIDAR, Contour Interval 2 Feet, January 2001.
63. National Geospatial-Intelligence Agency (NGA), Topographic Maps Compiled From LIDAR, Contour Interval 2 Feet, December 2003.